


	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										
A	GENERAL					WITHOUT ENGINEER'S APPROVAL.					- STRAY CURRENT PROTECTION - AGGRESSIVE ENVIRONMENTS - CONTAMINATED GROUND ALL AS DEFINED IN WSA04: SEWAGE PUMPING STATION CODE.					A										
	G1.	THESE DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL ARCHITECTURAL AND OTHER CONSULTANTS' DRAWINGS AND SPECIFICATIONS AND WITH SUCH OTHER WRITTEN INSTRUCTIONS AS MAY BE ISSUED DURING THE COURSE OF THE CONTRACT. ALL DISCREPANCIES SHALL BE REFERRED TO THE SUPERINTENDENT FOR DECISION BEFORE PROCEEDING WITH THE WORK.					C6.	LOCATIONS OF CONSTRUCTION JOINTS AS PER DRAWINGS OR TO THE ENGINEERS APPROVAL.					DESIGN STANDARDS:	DESIGN OF THIS AQUATEC PUMP STATION IS BASED ON THE FOLLOWING STANDARDS:												
	G2.	ALL DIMENSIONS ARE IN MILLIMETRES UNLESS STATED OTHERWISE. ALL LEVELS ARE EXPRESSED IN METRES.					C7.	ALL FORMWORK CONSTRUCTED AND SUPPORTED AS PER AS3610 AND AS3610.1 EXPOSED CONCRETE POURED AGAINST CLASS 2 FORMWORK AS PER AS3610.1 U.N.O.						WATER SERVICES ASSOCIATION OF AUSTRALIA STANDARDS WSA 04 - 2005 SEWAGE PUMPING STATIONS CODE WSA 114 - 2002 INDUSTRY STANDARD FOR CONCRETE SPECIAL CLASS												
	G3.	ALL DIMENSIONS RELEVANT TO SETTING OUT AND OFF-SITE WORK SHALL BE VERIFIED BY THE CONTRACTOR BEFORE CONSTRUCTION AND FABRICATION IS COMMENCED. THE ENGINEER'S DRAWINGS (INCLUSIVE OF ELECTRONIC COPIES) SHALL NOT BE SCALED.					C8.	SLURRY USED TO LUBRICATE CONCRETE PUMP PIPES SHALL NOT BE PUMPED INTO ANY STRUCTURAL ELEMENTS.						AUSTRALIAN STANDARDS AS/NZS 1170.0 - 2002 STRUCTURAL DESIGN ACTIONS - PART 0: GENERAL PRINCIPLES. INCORPORATING AMENDMENTS 1 TO 5. AS/NZS 1170.1 - 2002 STRUCTURAL DESIGN ACTIONS - PART 1: PERMANENT, IMPOSED AND OTHER ACTIONS. INCORPORATING AMENDMENTS 1 AND 2. AS 1379 - 2017 SPECIFICATION AND SUPPLY OF CONCRETE AS1657 - 2018 FIXED PLATFORMS, WALKWAYS, STAIRWAYS AND LADDERS - DESIGN, CONSTRUCTION AND INSTALLATION AS 3600 - 2018 CONCRETE STRUCTURES AS 3735 - 2001 CONCRETE STRUCTURES FOR RETAINING LIQUIDS AS 3735 - SUPP1 - 2001 CONCRETE STRUCTURES FOR RETAINING LIQUIDS												
	G4.	WORKMANSHIP AND MATERIALS ARE TO BE IN ACCORDANCE WITH THE RELEVANT CURRENT STANDARDS AUSTRALIA CODES INCLUDING ALL AMENDMENTS, AND LOCAL STATUTORY AUTHORITY REQUIREMENTS, EXCEPT WHERE VARIED BY THE CONTRACT DOCUMENTS.					C9.	ALL CONCRETE SHALL BE MECHANICALLY VIBRATED AND NO WATER ADDED DURING PLACEMENT. PROTECT ALL SURFACES FROM WIND AND CURE 7 DAYS WITH MOISTURE RETAINING MEMBRANE OR WATER SATURATION. NOTE CODE REQUIREMENTS WHERE AIR TEMPERATURE IS OUTSIDE RANGE 5° TO 32° C.																		
	G5.	ALL PROPRIETARY PRODUCTS SHALL BE SUPPLIED AND INSTALLED IN STRICT ACCORDANCE WITH THE MANUFACTURER'S SPECIFICATIONS.					C10.	REINFORCEMENT IS REPRESENTED DIAGRAMMATICALLY AND NOT NECESSARILY IN TRUE PROJECTION AND IS DENOTED BY THE FOLLOWING SYMBOLS: R - R250N HOT ROLLED PLAIN ROUND BAR TO AS/NZS4671 N - D500N HOT ROLLED DEFORMED BARS TO AS/NZS4671 SL & RL - LOW DUCTILITY CLASS L HARD DRAWN WELDED WIRE REINFORCING FABRIC TO AS/NZS4671. MAIN WIRE NEAREST FACE OF CONCRETE U.N.O. CLASS L DEFORMED BARS MUST NOT BE SUBSTITUTED WITHOUT THE ENGINEERS APPROVAL.																		
	G6.	SUBSTITUTION OF NOMINATED PRODUCTS AND MATERIALS SHALL ONLY OCCUR IF APPROVED BY THIS OFFICE; NO SUBSTITUTIONS SHALL BE MADE OR SIZES OF STRUCTURAL MEMBERS VARIED WITHOUT OBTAINING THE APPROVAL OF THE ENGINEER. THE APPROVAL OF A SUBSTITUTION FROM THE ENGINEER SHALL NOT BE AN AUTHORISATION FOR AN EXTRA. ANY EXTRA INVOLVED SHALL BE TAKEN UP WITH THE SUPERINTENDENT BEFORE THE WORK COMMENCES.					C11.	ALL REINFORCEMENT SHALL BE HELD RIGIDLY IN POSITION BEFORE AND DURING CONCRETE PLACEMENT.																		
	G7.	ALL INFORMATION INCLUDED IN THE STRUCTURAL ENGINEERING DOCUMENTATION IS FOR THE FINAL IN PLACE CONDITION OF THE STRUCTURE AND IS EXCLUSIVE OF TEMPORARY WORKS. THE PRINCIPAL CONTRACTOR IS RESPONSIBLE FOR ALL TEMPORARY WORKS AND THE ASSOCIATED COSTS. THE PRINCIPAL CONTRACTOR SHALL ENGAGE A SITE SPECIFIC TEMPORARY WORKS ENGINEER WHO SHALL BE RESPONSIBLE FOR THE DESIGN, DOCUMENTATION, CERTIFICATION AND SITE SUPERVISION OF ALL NECESSARY TEMPORARY WORKS. THE PRINCIPAL CONTRACTOR AND SITE SPECIFIC WORKS ENGINEER SHALL ENSURE THAT DURING CONSTRUCTION, THE STRUCTURE SHALL BE MAINTAINED IN A STABLE CONDITION AND THAT NO PART SHALL BE OVERSTRESSED. THE PRINCIPAL CONTRACTOR SHALL PROVIDE ALL TEMPORARY BRACING AND PROPPING AS NECESSARY, INCLUDING TEMPORARY SUPPORT FOR EXCAVATIONS.					C12.	CLEAR COVER AS FOLLOWS U.N.O. TO BE MAINTAINED AT ALL TIMES (USING RIGID FORMWORK AND 50MPa CONCRETE AS PER SWC SPECIFICATION:																		
							ELEMENT INTERNAL COVER EXTERNAL COVER COUNTER WEIGHT 55 45 SHAFT CENTRE PLACED VALVE PIT INTEGRAL CENTRE PLACED VALVE PIT EXT. CENTRE PLACED COVER SLAB 55 40 CONDUITS SHALL NOT BE PLACED WITHIN CONCRETE COVER.																			
							C15. REFER AS3610 TABLE 5.4.1 RE STRIPPING TIMES FOR BACK PROPPING. MASONRY AND MATERIALS SHALL NOT BE STACKED OR LAID ON SLABS UNTIL ALL PROPS ARE REMOVED AND FULL STRENGTH ATTAINED.																			
						C16. CHEMICAL ADDITIVES INCLUDING CALCIUM CHLORIDE SHALL NOT BE USED WITHOUT PRIOR APPROVAL OF THE ENGINEER.																				
D	G10. THE FOLLOWING ABBREVIATIONS USED IN THESE DRAWINGS ARE:					REINFORCEMENT BAR LAPS U.N.O.										D										
	TOP TOP BTM BOTTOM BW BOTH WAYS CTS CENTRES EF EACH FACE EW EACH WAY FF FAR FACE NF NEAR FACE FW FILLET WELD PL PLATE CFW CONTINUOUS FILLET WELD UNO UNLESS NOTED OTHERWISE ON WATER AUTHORITY STANDARD / DRAWINGS					BAR SIZE LAP FOR LESS THAN 300mm CONCRETE BELOW BAR OR VERTICAL BAR LAP FOR HORIZONTAL BARS WITH MORE THAN 300mm CONCRETE BELOW BAR. (TOP REINFORCEMENT IN BASE AND COVER SLABS ONLY) N12 400 400 N16 500 500 N20 650 650																				
						DESIGN DATA:																				
						DD1. U.N.O. GEOTECHNICAL DESIGN DATE ADOPTED AS FOLLOWING: WATER DENSITY = 10 kN/m ³ MAX BACKFILL SOIL DENSITY = 20 kN/m ³ SOIL AT REST EARTH PRESSURE COEFFICIENT K _o = 0.5																				
						DD2. THE STRUCTURE DESIGN LIFE AS PER AS 3735-2001.																				
						DD3. NON-TRAFFICABLE LIVE LOAD - 5kPa BOLLARDS OR OTHER APPROVED BARRIERS TO PREVENT LOADING OF THE COVER SLAB IN EXCESS OF THE DESIGN LOAD ARE TO BE PROVIDED TO WATER AUTHORITY REQUIREMENTS.																				
						DD4. TRAFFICABLE LIVE LOAD - 20kPa & W80 WHEEL LOAD SHAFT WALLS ARE DESIGNED TO SUPPORT AXIAL LOADS AND HORIZONTAL GROUND PRESSURES FROM A 20kPa VERTICAL SURCHARGE LOAD APPLIED AT GROUND LEVEL.																				
						DD5. BASE OF SHAFT IS TO BE FOUNDED ON MATERIAL WITH A MINIMUM OF 200kPa ALLOWABLE BEARING CAPACITY, SUBJECT TO FINAL DESIGN AND GEOTECHNICAL ADVICE.																				
						DD6. EXPOSURE CLASSIFICATIONS: ABOVE GROUND EXTERIOR - B1 IN-GROUND (IN CONTACT WITH THE SOIL) - B1 INTERNAL SURFACES - C																				
						DD7. PROTECTIVE COATING REQUIREMENTS: REQUIRE INTERNAL PE LINER TO BE CONFIRMED BY CLIENTS. SITE SPECIFIC PARAMETERS SUCH AS CLIMATIC CONDITIONS, EXTERNAL EXPOSURE CLASSIFICATION AND SOIL AGGRESSIVELY MUST BE CHECKED ON A PROJECT SPECIFIC BASIS.																				
E	G11. THE PROJECT SUPERINTENDANT AND/OR SITE ENGINEER IS TO UNDERTAKE ALL SITE INSPECTIONS IN ACCORDANCE WITH THE REQUIREMENTS OF THE APPROVAL AUTHORITY.															E										
	G12. IT IS THE PRINCIPAL CONTRACTOR'S RESPONSIBILITY TO ENSURE ALL SUB-CONTRACTORS HAVE READ THIS DRAWING SHEET IN CONJUNCTION WITH ALL OTHER STRUCTURAL AND PROJECT DOCUMENTATION. THE PRINCIPAL CONTRACTOR SHALL ENSURE THAT SUB-CONTRACTORS ARE ISSUED ALL STRUCTURAL AND ALL OTHER PROJECT CONSULTANTS DRAWINGS.																									
	CONCRETE:																									
	C1. ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH THE MOST STRINGENT REQUIREMENTS OF AS3600, AS3735, AS5100, WSA04 AND WSA114. CONCRETE SHALL HAVE THE FOLLOWING CHARACTERISTIC PROPERTIES:																									
	ELEMENT SLUMP MAX. AGGREGATE SIZE (DENSE Wt) F'c MPa (28 DAYS) PRECAST ELEMENTS 100 20 50																									
	C2. ALL ELEMENTS WILL HAVE THE FOLLOWING MINIMUM REQUIREMENTS: - CEMENT TO BE TYPE SR-SULFATE RESISTANT. - MINIMUM CEMENTITIOUS CONTENT TO BE 450kg/m³. - MAXIMUM WATER TO CEMENT RATIO TO BE 0.40. - MINIMUM OF 75% OF 28 DAY F'c TO BE ACHIEVED PRIOR TO STRIPPING. IF AMBIENT CONDITION CURING ADOPTED, CURE AT LEAST 7 DAYS PRIOR TO STRIPPING. - TESTING AND SAMPLING OF CONCRETE IS TO BE TO THE MOST STRINGENT REQUIREMENTS OF AS3600, AS3735, WSA04 AND VICROADS SPECIFICATION 610. TO BE STRIPPED AND LIFTED AS PER LIFTING DESIGN AND AS 3850 - MAXIMUM TOTAL REACTIVE ALKALI CONTENT AS Na ₂ O EQUIVALENT TO BE 2.8kg/m³ - COARSE AGGREGATE SHALL BE CALCEREIOUS WITH A MINIMUM ACID SOLUBILITY OF 90% WHEN TESTED IN ACCORDANCE WITH AS3735																									
	C3. CONCRETE SIZES DO NOT INCLUDE FINISHES. BEAM DEPTHS ARE WRITTEN FIRST AND INCLUDE SLAB THICKNESS.																									
	C4. NO HOLES, RECESSES, CHASES, EMBEDMENTS OR ADDITIVES OTHER THAN SHOWN ON THE STRUCTURAL DRAWINGS																									
H						Aquatec Fluid Systems PTY LTD ABN - 94 114 944 026 2 Provincial Crescent, Shepparton VIC 3630 T 1300 088 555 / E info@aquatecenviro.com © Copyright - This drawing and design must not be copied in whole or in part without the written consent of Aquatec Environmental Group PTY LTD										H										
						Any literary or artistic works contained in this document are copyright Aquatec Environmental Group Pty Ltd ACN 112 325 434 (Aquatec Fluid Systems). Any information in this document, except information also available in publicly available sources, is confidential to Aquatec. Reproduction of this document or part of it, or disclosure of the information contained in it, is not permitted without the written consent of Aquatec.					<table><tr><td>Drawn</td><td>BC</td></tr><tr><td>Checked</td><td>BC</td></tr><tr><td>Approved</td><td>HH</td></tr><tr><td>Scale</td><td>AS SHOWN</td></tr><tr><td>This Drawing must not be used for Construction unless signed as Approved</td><td>Original Size A1</td></tr></table>						Drawn	BC	Checked	BC	Approved	HH	Scale	AS SHOWN	This Drawing must not be used for Construction unless signed as Approved	Original Size A1
	Drawn	BC																								
	Checked	BC																								
	Approved	HH																								
	Scale	AS SHOWN																								
	This Drawing must not be used for Construction unless signed as Approved	Original Size A1																								

[illegible]

