


PROPOSED WAREHOUSE

PROPOSED LOT 122 on SP329476, 10 Eastridge Street, Staplyton



DRAWING INDEX

6182-L-OW-PRI-CP01	Locality Plan
6182-L-OW-PRI-SP01	Specifications & Planting Schedule
6182-L-OW-PRI-DT01	Detail Drawings
6182-L-OW-PRI-ST01	Surface Treatment Plan
6182-L-OW-PRI-ST02	Surface Treatment Plan
6182-L-OW-PRI-ST03	Surface Treatment Plan
6182-L-OW-PRI-ST04	Surface Treatment Plan
6182-L-OW-PRI-PP01	Planting Plan
6182-L-OW-PRI-PP02	Planting Plan
6182-L-OW-PRI-PP03	Planting Plan
6182-L-OW-PRI-PP04	Planting Plan



g a s s m a n
development
perspectives

est 1985
planning | environment | landscape | engineering | survey
T: 3807 3333 | F: 3287 5461 | www.gassman.com.au
GAS Client & Logos | 76 Business Street, Yatala QLD 5037 Box 292, Stenhook 4207



FRASERS
PROPERTY

Client:

Project: Warehouse Facility

Site Address:
(Proposed Lot 122)
10 Eastridge Street, Staplyton

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

DRAWING TITLE

Landscape Operational Works

D	10.12.24	FURTHER CHANGE APPLICATION	JLS	MG
G	22.11.24	MINIMAL CHANGE APPLICATION	JLS	MG
P	22.08.24	FOR CONSTRUCTION	JLS	MG
A	16.05.24	FOR APPROVAL	JLS	MG
Initial	Drawn	Description	DRN	CHK

Scale:

Designed: JLS

Checked: JLS

Approved: MG

Date: 10.12.24

Drawing No: 6182-L-PRI-CP00
Rev. No: D

LANDSCAPE SPECIFICATIONS

GENERAL

The Operational Works Plans are to be read in conjunction with Survey, Civil Engineering and Architectural Plans, Hydraulic and Electrical Reticulation Drawings and specifications for this project.

All works are to be in accordance with City of Gold Coast - City Plan - Landscape Work Code and COGC approval conditions, and also to Fraser Properties Industrial Landscape Guidelines.

Any discrepancy between these plans and other relevant drawings and specifications shall be brought to the notice of the Developments Managers Representative before commencement or continuation of works.

LEVELS

Existing and finished surface level shown within this plan have been derived from survey and civil engineering plans authored by Gassman Development Perspectives. Refer to these plans for further information, where required. Any discrepancy found between these plans and the survey and civil drawing series shall be brought to the attention of the Development Managers Representative before the commencement or continuation of works.

EDGING

Supply and install 150mm x 150mm formed concrete edging in Charcoal to areas indicated within this set of plans.

PODIUM PLANTERS

Planter designed and built by others.

Waterproofing by others.

Refer to architects plan series for further information. Any discrepancy found between these plans and the architectural drawing series shall be brought to the attention of the Development Managers Representative before the commencement or continuation of works.

Supply and install internal drainage cell, geotextle, growing media and mulch as outlined below. Refer to detail drawing on SP02

DRAINAGE CELL

Supply and install Atlantis 25mm Flowcell drainage cell or similar approved drainage cell with dimensions of 25mm (H) x 40mm (W) and flow rate of a minimum of 7.4L/s/m width. Drainage cell to be positioned within podium planter boxes as outlined and shown within detailed drawings shown within this set of drawings

GEOFABRIC

Supply and install a non woven geofabric textile (such as Birlidin 14/24, by Geofabrics or similar approved) for the purpose of separation and filtration of growing media to drainage cell located within podium planters and as depicted within detailed drawings found within this set of drawings. Selected Geofabric textile to comply with ISO9001.

ROOT BARRIER

Supply and install 800mm root barrier in locations indicated, at a minimum offset minimum 1500mm distance from trunk of the tree. Photo evidence of the installation of the root control barriers must be supplied to the Landscape Architect for submission to council.

STRATA VAULT SYSTEM

Supply and install City Green Strata Vault system to areas indicated on this plan series and as per manufactures instruction. Strat Vault is to be installed in two layer system (808mm in depth) to 400L trees proposed near built form, as indicated within detail drawings on page SP02.

TREE GUARD ANCHOR SYSTEM

Supply and install tree guard system to trees in high wind zoned (roof top) areas as indicated within this plan series. Tree guard systems to be a deadman system Plat Mat, capable of supporting root ball of specified palm and tree species within a podium planter of 1m in depth. Platmat to be secured with bolt system on the floor of the podium planter. Tree guards to be installed as per manufactures instructions. Photo evidence of the installation of the anchor systems must be supplied to the Landscape Architect for submission to council.

TREE GRATE

Supply and install 1200mm dia, hot galvanized dipped steel grate with centre cut out of 380mm by Urban Fountains and Furniture (or similar approved) with T64 laser cut design / finish, in locations indicated within this set of plans. Antislip W rating required. Galvanized angle support frame, with quick release cam locks and firm bolt required. Install as per manufactures

Instruction.

GROWING MEDIA (Deep Planting Beds and Turf)

The Landscape Contractor is to provide sufficient surface and subsurface drainage to street tree garden beds to ensure positively drain areas free from ponding and water logging of soils.

Cultivation of subgrade is to a minimum depth of 150mm prior to placing under turf topsoil for all turf areas and to a minimum depth of 200mm for all planting areas. Cultivate manually within 300mm of paths or structures and within the drip line of trees to a minimum depth of 100mm. Remove stones exceeding 25mm, clods of earth exceeding 50mm, and all weed material. Grub out stumps and roots over 50mm in diameter to a minimum depth of 300mm below sub-grade. Tree and shrub stumps less than 75mm in diameter must be cut off at ground level and treated to prevent re-growth. trim the surface to design levels after cultivation. Apply additives after ripping or cultivation and incorporate into the upper 100mm layer of the subgrade gypsun. incorporate at the rate in accordance with the manufactures guidelines.

Fill required for leveling must be from previous earthworks on site or imported from a certified supplier as required. all fill material to be used must be free from:

- Loggs, stumps and other vegetative material;
- Materials susceptible to spontaneous combustion;
- Clay of liquid limit exceeding 90 and/or plasticity index exceeding 65;

- Refuse and rubbish;
- Concrete and masonry rubble, and
- Toxic materials and substances.

Supply and install imported topsoil complying with as 4419 - 1996. Spread topsoil on prepared sub-grade and grade evenly, making allowances for required finished levels and contours (allow for light compaction).

The reuse of modified topsoil must be free from stones, vegetative matter, stumps, clods greater than 75mm and toxic materials. Modified site soil must have good drainage and be high in organic matter. All modified soils to comply with AS4419. Refer to detail drawing no DD001 on 4002 for further detail.

GROWING MEDIA (Podium Planters)

Supply and install podium blend consisting of compost, ash, sand and hydro floc in potting mix. Growing media is to fill podium planter to 75mm below podium planter container edge. as shown within detail drawings within this set of plans. Ensure growing media is graded evenly ensuring required finished levels are achieved after light compaction. Growing media must comply with AS1289, AS2223, AS4419 ad AS 4454. Refer to detail drawing on SP02.

MULCH (Deep Planting & Podium Planter Areas)

Supply and install organic mulch (Hoop linc or similar approved) to a minimum depth 100mm on top of growing media. Place mulch to the required depth, clear of plant stems. Spread mulch so that after settling it is smooth and evenly graded between design surface levels sloped towards the base of plant stems.

All mulch to be free from stones and soils.

Mulch must comply with AS1289, AS2223, AS 4419 and AS4454.

GRAVEL

Supply and install basalt gravel 75mm to areas indicated within this set of plans to a thickness of 100mm. Area to have pre-emergent weed control sprayed.

FERTILIZER

Use Agriform (or similar approved) 10g fertilizer (N:P:K / 20:4:3:4, 1) tablet at a rate of 1 per 140mm pot or smaller pot, 2 per 200mm pot, 3 per 300mm pot or larger. Place fertilizer at plant rootball as indicated within detail drawings found within this set of plans.

PLANT MATERIAL

All plant material is to be inspected onsite prior to planting and shall be rejected if it is not found to meet the following criteria:

- All plant material is to be visibly free of disease and damage, is to be of true genus, species and cultivars specified and is to be the specified container size and appropriate height or spread.
- All plant material is to have a well developed root system, without girdling and spiraling, nor shall the plant be 'root bound'.

TURF (streetscape)

Make good any streetscape turf damage throughout construction. Green couch, laid on 100mm topsoil. Refer to detail drawing on SP02

TURF

Supply and install A Grade wintergreen turf in areas nominated within this set of plans. Turf to be installed at even grade with no dips, troughs or diverts. Turf to have pop up sprinklers installed as irrigation.

TREE PLANTING

Supply and place trees according to the plant schedule and location on this set of drawings. Refer to detail drawing on SP02.

SHRUBS AND GROUND COVERS

Supply and place shrub and ground cover species according to the plant schedule and location on this set of drawings. Plant as per typical planting as per detail drawing on SP02.

IRRIGATION

Conduit installed by others. In areas indicated on this plan series. 40mm drip/line irrigation system, to all communal garden areas, at 350mm spacing. Drip line system to have be a back to base irrigation system equivalent to Rainbird ESP Decoder controller with rain sensors. RPZ and take off points to be nominated at later stage.

Penetration and soffit pipe works by others.

Hydraulic point to be provided by others: 1Lps @ 450Kpa (system flow + pressure requirement) (RPZ 25mm) .

Electrical take off to be provided by others: 1 x 10AMP weather proof GPO

GREENWALLS

Greenwall to be designed and constructed by Vertical.

Green wall system will incorporate polymer board attached to host wall, and individual 152mm x 126mm pots with plant species planted.

Refer to architectural series for height and width of wall.

Drainage for Greenwall provided by others.

Irrigation take off points for sprays and drip line by others. Connection by Vertical.

Species list to be designed by Vertical, and suitable for host wall location (light conditions). The species are to include; Russelia equisetiformis Linrope evergreen giant and Carlissa desert star, which has been replicated in the surrounding landscape design.

ESTABLISHMENT / MAINTENANCE PERIOD

The planting establishment period commences at the date of practical completion as set out by the Superintendent in a written certification to the Landscape Subcontractor. Planting Establishment on all landscape works is for a 12 week period at date of practical completion and shall incorporate as listed below.

General

Maintain all planted areas to ensure the establishment and continued growth of all shrub/ground cover material and palms. Areas shall be maintained in such a way as to ensure groundcovers and shrubs is encouraged to form a mass planting effect.

Weed Control

All planting areas are to be kept weed free through the use of chemical, mechanical and hand weeding as appropriate to the type of planting, its prominence and species involved.

Translocated herbicides should be used in preference to contact products, and where applied in ornamental areas re-visits to remove dead growth will be required.

Pruning

Inspect planting areas regularly and prune out dead or diseased growth as and when discovered.

Groundcovers

Inspect areas of ground cover planting regularly. In areas of compacted soil surface lightly fork soil to improve establishment. Cut back plants significantly overhanging podium in a manner appropriate for the species and to the approval of the Superintendent.

Dusting and Spraying

Allow for regular inspections and spraying and dusting as may be necessary to control pests and diseases on plant stock. Report any occurrences to the Superintendent.

Replacements

Monitor plant growth and allow for the removal from site of any plants, which fail to thrive, and the leveling up of the planting area. Advise the Superintendent of number of plant failures after each maintenance visit. Monitor planting areas and report any incidents of malicious damage or theft.

Mulch

Inspect mulch depths to all planting areas regularly and allow for tidying and topping up levels to specified depths as required.

Log Book

Keep record of dates of visits, maintenance performed and photo evidence of results achieved for the area. Log book to be issued to the Development Managers Representative, at their request.

PLANTING SCHEDULE				
CODE	BOTANICAL NAME	COMMON NAME	POT SIZE	QTY
TREES				
TTL10	Tritanostis luscous	watergum	1000L	2
WAL10	Walterhousia floribunda	weeping lilly pillly	100L	35
CLP10a	Ceanothus anacardioides	luceroo	100L	6
SCREENING SHRUBS				
SYZ1es	Syzygium resilience	lilly pillly	45L	139
POT1ob	Pisonia robusta	pisonia	45L	26
SHRUBS				
RAP1nd	Raphelopsis indica	indian hawthorne	300mm	119
PIL1xn	Philodendron xanadu	xanadu	300mm	136
PIL1cn	Philodendron congo	heart leave philodendron	300mm	20
CALL	Callistemon lillie john	lillie john	200mm	721
MAN1s	Mandina gulf stream	secret bamboo	200mm	325
GROUNDCOVERS				
L1eve	Linrope evergreen giant	turf lilly	140mm	1132
TLA1ss	Trachelospermum jasminoides	star jasmine	140mm	449
D1AL	Dianella lillie jess	lillie jess	140mm	294



planning | environment | landscape | engineering | survey
T: 3607 3523 | F: 3287 5401 | WWW.GASSMAN.COM.AU

Gold Coast & Logan | 79 Business Street, Yealga QLD PO Box 592, Beerburrup 4207

Client:



Project:

Warehouse Facility

Site Address:

(Proposed Lot 122)
10 Eastridge Street, Stapylton

DRAWING TO BE READ IN CONJUNCTION WITH GENERAL NOTES

© 2012 Gassman Development Perspectives

All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

DRAWING TITLE

Landscape Operational Works
SPECIFICATIONS & SCHEDULE

Issue	Date	Description	DRN	CHK
D	10/12/24	FOR HIGH CHANGE APPLICATION	JLS	MG
C	22/11/24	MINIMAL CHANGE APPLICATION	JLS	MG
TC	22/08/24	FOR CONSTRUCTION	JLS	MG
B	08/08/24	FOR COUNCIL APPROVAL	JLS	MG
A	16/05/24	FOR APPROVAL	JLS	MG

Scale:

Designed:

JLS

Checked:

JLS

Approved:

MG

Date:

10.12.24

Drawing No:

6182-L-PRI-SP01

Rev. No:

D

Client:



Project:

Warehouse Facility

Site Address:

(Proposed Lot 122)
10 Eastridge Street, Stapylton

DRAWING TO BE READ IN CONJUNCTION WITH:
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

CONTAINER TREE - REASE OUT BASE OF PLANTING

TREATED HARDWOOD TIMBER STAKE (50 x 50 x 1000mm) - STAKE TO PENETRATE 50mm INTO EXISTING SUBGRADE

50mm NYLON/HESSIAN TIE STAPLED TO STAKE

BEAMED SOIL DISH FOR WATER RETENTION

ORGANIC MULCH AS SPECIFIED - CLEAN UP BASE OF TREE - FINISHED KERB OR RETAINING WALL LEVEL

OSMOCOTE OR SIMILAR APPROVED FERTILISER MANUFACTURER

CONTAINER TREE - REASE OUT BASE OF PLANTING

TYPICAL DETAIL: TREE PLANTING

CONTAINERISED PLANT MATERIAL AS SPECIFIED - SCHEDULE

ORGANIC MULCH AS SPECIFIED - 50mm CLEAN OF BASE OF PLANT - MULCH TO BE INSTALLED TO 50mm KERN OR RETAINING WALL LEVEL

TOPSOIL AS SPECIFIED

RIPPED AND CULTIVATED SUBGRADE AS SPECIFIED

OSMOCOTE OR SIMILAR APPROVED FERTILISER RECOMMENDED BY MANUFACTURER

EXISTING SUBGRADE

TYPICAL DETAIL: SHRUB / GROUNDCOVER PLANTING

TURF AS SPECIFIED

TOPSOIL AS SPECIFIED

RIPPED AND CULTIVATED SUBGRADE AS SPECIFIED

EXISTING SUBGRADE

TYPICAL DETAIL: TURF INSTALLATION (IF MAKE GOOD REQUIRED)

ORGANIC MULCH AS SPECIFIED

TOPSOIL AS SPECIFIED

RIPPED AND CULTIVATED AS SPECIFIED

EXISTING SUBGRADE

TYPICAL DETAIL: GARDEN TREATMENT

CONTAINER TREE. REFER TO PLANTING PLAN AND SCHEDULE

CONCRETE FOOTPATH AS SPECIFIED


TREE GRATE AS SPECIFIED

TOPSOIL AS SPECIFIED

PLACE SLOW RELEASE FERTILIZER QUARTER THE DEPTH OF THE FOOTBALL AS SPECIFIED

PLANTING SOIL, TAMPED TO MAX. 95% COMPACTION BELOW ROOT PACKAGE

PROVIDE INSPECTION RISER STRATAVVAULT SYSTEM TO CITY/GREEN SPECIFICATIONS AND DETAILS



TURF AS SPECIFIED

150 x 150mm CONCRETE EDGE IN CHAMFOL

MULCH AS SPECIFIED

TOPSOIL AS SPECIFIED

RIPPED AND CULTIVATED SUBGRADE AS SPECIFIED

EXISTING SUBGRADE

TYPICAL DETAIL: CONCRETE EDGE

TYPICAL DETAIL: STRATAVVAULT

DRAWING TITLE			
Landscape Operational Works			
DETAIL DRAWINGS			
D	10.12.24	JLS	MG
E	23.11.24	JLS	MG
F	03.06.24	JLS	MG
G	15.05.24	JLS	MG
H	15.05.24	JLS	MG
I	15.05.24	JLS	MG
J	15.05.24	JLS	MG
K	15.05.24	JLS	MG
L	15.05.24	JLS	MG
M	15.05.24	JLS	MG
N	15.05.24	JLS	MG
O	15.05.24	JLS	MG
P	15.05.24	JLS	MG
Q	15.05.24	JLS	MG
R	15.05.24	JLS	MG
S	15.05.24	JLS	MG
T	15.05.24	JLS	MG
U	15.05.24	JLS	MG
V	15.05.24	JLS	MG
W	15.05.24	JLS	MG
X	15.05.24	JLS	MG
Y	15.05.24	JLS	MG
Z	15.05.24	JLS	MG
AA	15.05.24	JLS	MG
AB	15.05.24	JLS	MG
AC	15.05.24	JLS	MG
AD	15.05.24	JLS	MG
AE	15.05.24	JLS	MG
AF	15.05.24	JLS	MG
AG	15.05.24	JLS	MG
AH	15.05.24	JLS	MG
AI	15.05.24	JLS	MG
AJ	15.05.24	JLS	MG
AK	15.05.24	JLS	MG
AL	15.05.24	JLS	MG
AM	15.05.24	JLS	MG
AN	15.05.24	JLS	MG
AO	15.05.24	JLS	MG
AP	15.05.24	JLS	MG
AQ	15.05.24	JLS	MG
AR	15.05.24	JLS	MG
AS	15.05.24	JLS	MG
AT	15.05.24	JLS	MG
AU	15.05.24	JLS	MG
AV	15.05.24	JLS	MG
AW	15.05.24	JLS	MG
AX	15.05.24	JLS	MG
AY	15.05.24	JLS	MG
AZ	15.05.24	JLS	MG
BA	15.05.24	JLS	MG
BB	15.05.24	JLS	MG
BC	15.05.24	JLS	MG
BD	15.05.24	JLS	MG
BE	15.05.24	JLS	MG
BF	15.05.24	JLS	MG
BG	15.05.24	JLS	MG
BH	15.05.24	JLS	MG
BI	15.05.24	JLS	MG
BJ	15.05.24	JLS	MG
BK	15.05.24	JLS	MG
BL	15.05.24	JLS	MG
BM	15.05.24	JLS	MG
BN	15.05.24	JLS	MG
BO	15.05.24	JLS	MG
BP	15.05.24	JLS	MG
BQ	15.05.24	JLS	MG
BR	15.05.24	JLS	MG
BS	15.05.24	JLS	MG
BT	15.05.24	JLS	MG
BU	15.05.24	JLS	MG
BV	15.05.24	JLS	MG
BW	15.05.24	JLS	MG
BX	15.05.24	JLS	MG
BY	15.05.24	JLS	MG
BZ	15.05.24	JLS	MG
CA	15.05.24	JLS	MG
CB	15.05.24	JLS	MG
CC	15.05.24	JLS	MG
CD	15.05.24	JLS	MG
CE	15.05.24	JLS	MG
CF	15.05.24	JLS	MG
CG	15.05.24	JLS	MG
CH	15.05.24	JLS	MG
CI	15.05.24	JLS	MG
CJ	15.05.24	JLS	MG
CK	15.05.24	JLS	MG
CL	15.05.24	JLS	MG
CM	15.05.24	JLS	MG
CN	15.05.24	JLS	MG
CO	15.05.24	JLS	MG
CP	15.05.24	JLS	MG
CQ	15.05.24	JLS	MG
CR	15.05.24	JLS	MG
CS	15.05.24	JLS	MG
CT	15.05.24	JLS	MG
CU	15.05.24	JLS	MG
CV	15.05.24	JLS	MG
CW	15.05.24	JLS	MG
CX	15.05.24	JLS	MG
CY	15.05.24	JLS	MG
CZ	15.05.24	JLS	MG
DA	15.05.24	JLS	MG
DB	15.05.24	JLS	MG
DC	15.05.24	JLS	MG
DD	15.05.24	JLS	MG
DE	15.05.24	JLS	MG
DF	15.05.24	JLS	MG
DG	15.05.24	JLS	MG
DH	15.05.24	JLS	MG
DI	15.05.24	JLS	MG
DJ	15.05.24	JLS	MG
DK	15.05.24	JLS	MG
DL	15.05.24	JLS	MG
DM	15.05.24	JLS	MG
DN	15.05.24	JLS	MG
DO	15.05.24	JLS	MG
DP	15.05.24	JLS	MG
DQ	15.05.24	JLS	MG
DR	15.05.24	JLS	MG
DS	15.05.24	JLS	MG
DT	15.05.24	JLS	MG
DU	15.05.24	JLS	MG
DV	15.05.24	JLS	MG
DW	15.05.24	JLS	MG
DX	15.05.24	JLS	MG
DY	15.05.24	JLS	MG
DZ	15.05.24	JLS	MG
EA	15.05.24	JLS	MG
EB	15.05.24	JLS	MG
EC	15.05.24	JLS	MG
ED	15.05.24	JLS	MG
EE	15.05.24	JLS	MG
EF	15.05.24	JLS	MG
EG	15.05.24	JLS	MG
EH	15.05.24	JLS	MG
EI	15.05.24	JLS	MG
EJ	15.05.24	JLS	MG
EK	15.05.24	JLS	MG
EL	15.05.24	JLS	MG
EM	15.05.24	JLS	MG
EN	15.05.24	JLS	MG
EO	15.05.24	JLS	MG
EP	15.05.24	JLS	MG
EQ	15.05.24	JLS	MG
ER	15.05.24	JLS	MG
ES	15.05.24	JLS	MG
ET	15.05.24	JLS	MG
EU	15.05.24	JLS	MG
EV	15.05.24	JLS	MG
EW	15.05.24	JLS	MG
EX	15.05.24	JLS	MG
EY	15.05.24	JLS	MG
EZ	15.05.24	JLS	MG
FA	15.05.24	JLS	MG
FB	15.05.24	JLS	MG
FC	15.05.24	JLS	MG
FD	15.05.24	JLS	MG
FE	15.05.24	JLS	MG
FF	15.05.24	JLS	MG
FG	15.05.24	JLS	MG
FH	15.05.24	JLS	MG
FI	15.05.24	JLS	MG
FJ	15.05.24	JLS	MG
FK	15.05.24	JLS	MG
FL	15.05.24	JLS	MG
FM	15.05.24	JLS	MG
FN	15.05.24	JLS	MG
FO	15.05.24	JLS	MG
FP	15.05.24	JLS	MG
FQ	15.05.24	JLS	MG
FR	15.05.24	JLS	MG
FS	15.05.24	JLS	MG
FT	15.05.24	JLS	MG
FU	15.05.24	JLS	MG
FV	15.05.24	JLS	MG
FW	15.05.24	JLS	MG
FX	15.05.24	JLS	MG
FY	15.05.24	JLS	MG
FZ	15.05.24	JLS	MG
GA	15.05.24	JLS	MG
GB	15.05.24	JLS	MG
GC	15.05.24	JLS	MG
GD	15.05.24	JLS	MG
GE	15.05.24	JLS	MG
GF	15.05.24	JLS	MG
GG	15.05.24	JLS	MG
GH	15.05.24	JLS	MG
GI	15.05.24	JLS	MG
GJ	15.05.24	JLS	MG
GK	15.05.24	JLS	MG
GL	15.05.24	JLS	MG
GM	15.05.24	JLS	MG
GN	15.05.24	JLS	MG
GO	15.05.24	JLS	MG
GP	15.05.24	JLS	MG
GQ	15.05.24	JLS	MG
GR	15.05.24	JLS	MG
GS	15.05.24	JLS	MG
GT	15.05.24	JLS	MG
GU	15.05.24	JLS	MG
GV	15.05.24	JLS	MG
GW	15.05.24	JLS	MG
GX	15.05.24	JLS	MG
GY	15.05.24	JLS	MG
GZ	15.05.24	JLS	MG
HA	15.05.24	JLS	MG
HB	15.05.24	JLS	MG
HC	15.05.24	JLS	MG
HD	15.05.24	JLS	MG
HE	15.05.24	JLS	MG
HF	15.05.24	JLS	MG
HG	15.05.24	JLS	MG
HH	15.05.24	JLS	MG
HI	15.05.24	JLS	MG
HJ	15.05.24	JLS	MG
HK	15.05.24	JLS	MG
HL	15.05.24	JLS	MG
HM	15.05.24	JLS	MG
HN	15.05.24	JLS	MG
HO	15.05.24	JLS	MG
HP	15.05.24	JLS	MG
HQ	15.05.24	JLS	MG
HR	15.05.24	JLS	MG
HS	15.05.24	JLS	MG
HT	15.05.24	JLS	MG
HU	15.05.24	JLS	MG
HV	15.05.24	JLS	MG
HW	15.05.24	JLS	MG
HX	15.05.24	JLS	MG
HY	15.05.24	JLS	MG
HZ	15.05.24	JLS	MG
IA	15.05.24	JLS	MG
IB	15.05.24	JLS	MG
IC	15.05.24	JLS	MG
ID	15.05.24	JLS	MG
IE	15.05.24	JLS	MG
IF	15.05.24	JLS	MG
IG	15.05.24	JLS	MG
IH	15.05.24	JLS	MG
II	15.05.24	JLS	MG
IJ	15.05.24	JLS	MG
IK	15.05.24	JLS	MG
IL	15.05.24	JLS	MG
IM	15.05.24	JLS	MG
IN	15.05.24	JLS	MG
IO	15.05.24	JLS	MG
IP	15.05.24	JLS	MG
IQ	15.05.24	JLS	MG
IR	15.05.24	JLS	MG
IS	15.05.24	JLS	MG
IT	15.05.24	JLS	MG
IU	15.05.24	JLS	MG
IV	15.05.24	JLS	MG
IW	15.05.24	JLS	MG
IX	15.05.24	JLS	MG
IY	15.05.24	JLS	MG
IZ	15.05.24	JLS	MG
JA	15.05.24	JLS	MG
JB	15.05.24	JLS	MG
JC	15.05.24	JLS	MG
JD	15.05.24	JLS	MG
JE	15.05.24	JLS	MG
JF	15.05.24	JLS	MG
JG	15.05.24	JLS	MG
JH	15.05.24	JLS	MG
JI	15.05.24	JLS	MG
JJ	15.05.24	JLS	MG
JK	15.05.24	JLS	MG
JL	15.05.24	JLS	MG
JM	15.05.24	JLS	MG
JN	15.05.24	JLS	MG
JO	15.05.24	JLS	MG
JP	15.05.24	JLS	MG
JQ	15.05.24	JLS	MG
JR	15.05.24	JLS	MG
JS	15.05.24	JLS	MG
JT	15.05.24	JLS	MG
JU	15.05.24	JLS	MG
JV	15.05.24	JLS	MG
JW	15.05.24	JLS	MG
JX	15.05.24	JLS	MG
JY	15.05.24	JLS	MG
JZ	15.05.24	JLS	MG
KA	15.05.24	JLS	MG
KB	15.05.24	JLS	MG
KC	15.05.24	JLS	MG
KD	15.05.24	JLS	MG
KE	15.05.24	JLS	MG
KF	15.05.24	JLS	MG
KG	15.05.24	JLS	MG
KH	15.05.24	JLS	MG
KI	15.05.24	JLS	MG
KJ	15.05.24	JLS	MG
KL	15.05.24	JLS	MG
KM	15.05.24	JLS	MG
KN	15.05.24	JLS	MG
KO	15.05.24	JLS	MG
KP	15.05.24	JLS	MG
KQ	15.05.24	JLS	MG
KR	15.05.24	JLS	MG
KS	15.05.24	JLS	MG
KT	15.05.24	JLS	MG
KU	15.05.24	JLS	MG
KV	15.05.24	JLS	MG
KW	15.05.24	JLS	MG
KX	15.05.24	JLS	MG
KY	15.05.24	JLS	MG
KZ	15.05.24	JLS	MG
LA	15.05.24	JLS	MG
LB	15.05.24	JLS	MG
LC	15.05.24	JLS	MG
LD	15.05.24	JLS	MG
LE	15.05.24	JLS	MG
LF	15.05.24	JLS	MG
LG	15.05.24	JLS	MG
LH	15.05.24	JLS	MG
LI	15.05.24	JLS	MG
LJ	15.05.24	JLS	MG
LK	15.05.24	JLS	MG
LL	15.05.24	JLS	MG
LM	15.05.24	JLS	MG
LN	15.05.24	JLS	MG
LO	15.05.24	JLS	MG
LP	15.05.24	JLS	MG
LQ	15.05.24	JLS	MG
LR	15.05.24	JLS	MG
LS	15.05.24	JLS	MG
LT	15.05.24	JLS	MG
LU	15.05.24	JLS	MG
LV	15.05.24	JLS	MG
LW	15.05.24	JLS	MG
LX	15.05.24	JLS	MG
LY	15.05.24	JLS	MG
LZ	15.05.24	JLS	MG
MA	15.05.24	JLS	MG
MB	15.05.24	JLS	MG
MC	15.05.24	JLS	MG
MD	15.05.24	JLS	MG
ME	15.05.24	JLS	MG
MF	15.05.24	JLS	MG
MG	15.05.24	JLS	MG
MH	15.05.24	JLS	MG
MI	15.05.24	JLS	MG
MJ	15.05.24	JLS	MG
MK	15.05.24	JLS	MG
ML	15.05.24	JLS	MG
MM	15.05.24	JLS	MG
MN	15.05.24	JLS	MG
MO	15.05.24	JLS	MG
MP	15.05.24	JLS	MG
MQ	15.05.24	JLS	MG
MR	15.05.24	JLS	MG
MS	15.05.24	JLS	MG

Client:



Project:

Warehouse Facility


Site Address:

(Proposed Lot 122)
10 Eastridge Street, Stapylton


DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

KEY PLAN



LEGEND



DRAWING TITLE
Landscape Operational Works
SURFACE TREATMENT PLAN

Rev	Date	Description	Drawn	Checked
D	10.12.24	PLANTING CHANGE APPLICATION	JLS	MG
C	22.11.24	MINOR CHANGE APPLICATION	JLS	MG
B	03.05.24	FOR COUNCIL APPROVAL	JLS	MG
A	18.05.24	FOR APPROVAL	JLS	MG

Scale: 1:400 at A3

Designed: JLS

Checked: JLS

Approved: MG

Date: 10.12.24

Drawing No: 6182-L-PR1-ST01
Rev. No: D

Client:



Project:

Warehouse Facility


Site Address:

(Proposed Lot 122)
10 Eastridge Street, Stapylton

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

KEY PLAN



LEGEND

	GREEN WALL 1200mm x 1200mm x 1200mm DESIGN: 100
	EXISTING TREES TO PUBLIC 1200mm x 1200mm x 1200mm DESIGN: 100
	PROPOSED A GRADE 1200mm x 1200mm x 1200mm DESIGN: 100
	PLANTING 1200mm x 1200mm x 1200mm DESIGN: 100
	FENCING 1200mm x 1200mm x 1200mm DESIGN: 100
	FOOT BANKING 1200mm x 1200mm x 1200mm DESIGN: 100
	DEEP GARDEN 1200mm x 1200mm x 1200mm DESIGN: 100
	DEEP GARDEN / PODIUM GARDEN 1200mm x 1200mm x 1200mm DESIGN: 100



DRAWING TITLE

Landscape Operational Works
SURFACE TREATMENT PLAN

Item	Date	Description	Author	Check
1	10.12.24	PLANTING CHANGE APPLICATION	JLS	MG
2	10.12.24	MINOR CHANGE APPLICATION	JLS	MG
3	10.12.24	FOR APPROVAL	JLS	MG
4	10.12.24	FOR APPROVAL	JLS	MG

Scale: 1:400 at A3

Designed: JLS

Checked: JLS

Approved: MG

Date: 10.12.24

Drawing No: 6182-L-PRI-ST02 Rev. No: D

Project:

Warehouse Facility


Site Address:

(Proposed Lot 122)
10 Eastridge Street, Stapylton

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

KEY PLAN



LEGEND

	GREEN WALL 1200MM HIGH REFER TO SPECIFICATION FOR PLANTER DETAIL		GREEN WALL 1200MM HIGH REFER TO SPECIFICATION FOR PLANTER DETAIL		GREEN WALL 1200MM HIGH REFER TO SPECIFICATION FOR PLANTER DETAIL		GREEN WALL 1200MM HIGH REFER TO SPECIFICATION FOR PLANTER DETAIL		GREEN WALL 1200MM HIGH REFER TO SPECIFICATION FOR PLANTER DETAIL		GREEN WALL 1200MM HIGH REFER TO SPECIFICATION FOR PLANTER DETAIL		GREEN WALL 1200MM HIGH REFER TO SPECIFICATION FOR PLANTER DETAIL
---	---	---	---	---	---	---	---	---	---	---	---	---	---

DRAWING TITLE
Landscape Operational Works
SURFACE TREATMENT PLAN

Issue	Date	Description	CHK	PRN
A	10.05.24	FOR APPROVAL	JLS	MG
B	03.06.24	FOR COUNCIL APPROVAL	JLS	MG
IFC	22.08.24	FOR CONSTRUCTION	JLS	MG
D	10.12.24	MINIMAL CHANGE APPLICATION	JLS	MG
D	22.11.24	FOURTH SHARPE APPLICATION	JLS	MG

Scale: 1:400 at A3


Designed:

Checked:	11/5
----------	------

Approved:

Date: 10/2/24

Rev. No: _____



Project: Warehouse Facility

Site Address:

(Proposed Lot 122)
10 Eastridge Street, Stapylton

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

KEY PLAN



LEGEND

-
- Diagram illustrating the four tree size categories and their corresponding icons:
- SMALL SHRUB**: Represented by a small square icon.
 - MEDIUM SIZED SHRUBS**: Represented by a small circle icon with a plus sign.
 - SCREENING SHRUB PLANTING**: Represented by a medium-sized circle icon with a plus sign.
 - PROPOSED TREE**: Represented by a large circle icon with a crosshair.

DRAWING TITLE
Landscape Operational Works
PLANTING PLAN

Issue	Date	Description	DRN	CHKD
D	10.12.24	FURTHER CHANGE APPLICATION	JLS	MG
C	22.11.24	MINIMAL CHANGE APPLICATION	JLS	MG
PLC	22.08.24	FOR CONSTRUCTION	JLS	MG
B	03.06.24	FOR COUNCIL APPROVAL	JLS	MG
A	16.05.24	FOR APPROVAL	JLS	MG

Scale: 1:400 at A3


Designed:	11/5/2019
-----------	-----------

Checked:	11/5
----------	------

Approved:	MG
-----------	----

Date:	10/12/24
-------	----------

Drawing No: Rev. No:



Client:

FRASERS

PROPERTY


Project: Warehouse Facility

Site Address: (Proposed Lot 122)
10 Eastridge Street, Stapylton

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

KEY PLAN



LEGEND

- GROUNDCOVER / CASCADING SPECIES
- SMALL SHRUB
- MEDIUM SIZED SHRUBS
- SCREENING SHRUB PLANTING
- PROPOSED TREE

DRAWING TITLE
Landscape Operational Works
PLANTING PLAN

Item	Date	Description	DSN	CHK
D	10.12.24	PLANTING CHANGE APPLICATION	JLS	JMG
G	22.11.24	MINOR CHANGE APPLICATION	JLS	JMG
B	03.05.24	FOR COUNCIL APPROVAL	JLS	JMG
A	16.05.24	FOR APPROVAL	JLS	JMG

Scale: 1:400 at A3

Designed: JLS

Checked: JLS

Approved: MG

Date: 10.12.24

Drawing No: 6182-L-PR1-PP03
Rev. No: D

