



ROAD LIGHTING CERTIFIED TO COMPLY WITH ASINZS 11581.1, 1.2022 FOR V
CATEGORY C AND SINZS 11581.3, 1.2020 FOR CATEGORY LIGHTING FOR ROADS AND
SPACES. THE LIGHTING IS UNDER BRUNNEN CONTRACT. THE LIGHTING
DESIGN IS BASED UPON THE FOLLOWING MAINTENANCE SCHEDULE:

- * LED LAMP REPLACEMENT AT 8000 HOUR INTERVALS INC.
CLEANING & INSPECTION OF LUMINAIRE EVERY 48 MONTHS.
- * LAMP REPLACEMENT AT 36 MONTH INTERVALS INC.
CLEANING & INSPECTION OF LUMINAIRE
- * VEGETATION TO BE KEPT CLEAR OF LUMINAIRES.
- * INSPECTION PATROLS & SPOT LAMP REPLACEMENT TO
MAINTAIN SERVICE AREA OF THE LUMINAIRES
- * LUMINAIRES & LAMPS TO BE REPLACED WITH EXACT
EQUIVALENTS.
- * LUX PLOT SHOWING TO EXISTING LUMINAIRES OUTSIDE LIMIT OF
RECOMMENDATION THAT MAY NOT COMPLY TO AS11581.3.1.2020

REFER SHEET 5.

Maintenance Factor Assumed: The maintenance factor assumed in the calculations is as follows:	
* Luminaire Maintenance Factor (refer AS 1198 1:2022 APPENDIX E). * Lamp Lumen Depreciation Factor (Refer Lamp Manufacturer's "Lamp Lumen Depreciation Curves").	
Maintenance Factor Calculated	0.75
Schedule of Maintenance: This road lighting design is based on the following maintenance schedule: * LED lamp replacement carried out at 88000 hrs intervals. Cleaning every 48 months. * All other luminaires lamp replacement & cleaning carried out at 36 month intervals. At this time the following shall also occur: * All optical surfaces, both internal and external, of the luminaire shall be cleaned. * All gaskets shall be checked for deterioration and replaced where necessary. * Damaged/weathered vents shall be replaced. * All accessible screws, nuts etc. shall be checked for tightness. * A visual check shall be made of the electrical components and wiring for signs of overheating. * If required, the luminaire shall be realigned/adjusted to the design specification.	

CERTIFICATE OF COMPLIANCE

DESIGN DOCUMENTATION IN ACCORDANCE WITH THE REQUIREMENTS OF COMPLIANCE OF AS/NZS 1158

- * Refer AS1158.1.1:2022 Appendix D for information regarding V category
- * Refer AS1158.3.1:2020 Appendix C for information regarding P category
- * PerfectLite 5.06 computer software used
- * AGI32 computer software used

ITEM	PROJECT SPECIFICATION		
LIGHTING CATEGORY			
Road Name	CHIRSTENSEN RD		CHIRSTENSEN RD STH
Nominated Lighting Category	PR5		PR5
Road Surface Reflection Characteristic	R3		R3
INSTALLATION GEOMETRY			
Road Reserve Lighting Design Width	30		30
Mounting Height	10.5		10.5
Overhang	-0.5/2.2	-0.5/2.2	2.2
Lighting Arrangement	ARR3	ARR1	ARR1 / ARR3
Pole Setback	0.9/5toK	0.9/5toK	0.9 toK
Upcast Angle	0°	0°	0°
LUMINAIRE/LAMP 1 DETAILS			
Lamp Type / Wattage	L67A	L67A	L67A
Luminaire Identification	Philips RoadFlair	Philips RoadFlair	Philips RoadFlair
Lamp Flux (Lumens)	10838	10838	10838
I-Table Number (die)	BRP392 LED108NW 67W 220-240V DWV	BRP392 LED108NW 67W 220-240V DWV	BRP392 LED108NW 67W 220-240V DWV
Lighting Tariff	2	2	2
Power Factor	HPF (> 0.95)	HPF (> 0.95)	HPF (> 0.95)
Start/Run Currents (Amps)	0.28	0.28	0.28
IP Rating	IP66	IP66	IP66
CATEGORY PR5 LUMINAIRE/LAMP 1 MAXIMUM SPACING CALCS			
Average Horizontal Illuminance (E_v)	≥0.85 lx		
Minimum Point Horizontal Illuminance (E_{min})	≥0.14 lx		
Illuminance Uniformity (U_{min})	≤10		
Upward wasted light ratio (UWLRL) %	≤0%		
Road Reserve Lighting Design Width (m)	Maximum Spacing (m)	Maximum Spacing (m)	Maximum Spacing (m)
30	74	78.5	74 / 78.5

This drawing is to be considered preliminary until the disclaimer is removed by Peter Eustace Pty. Ltd.


RATE 2 STREETLIGHT SCHEDULE



PE CONSULTING ENGINEERS

STREET ADDRESS
POSTAL ADDRESS
TELEPHONE
EMAIL
WEB

U14, 39 Lawrence Dr, Nerang QLD 4211
PO Box 2835, Nerang DC QLD 4211
(07) 5596 1425
mail@pece.com.au
petereustace.com.au



22-0641-EGX -05

SITE CONTACT DETAILS		COUNCIL STANDARD ALIGNMENTS		WORKS COORDINATOR	PECE
NAME		Energy OH	0.7m FoK	PARENT PROJECT NO.	
TBC		Energy UG	0.0.9m RP	WORK REQUEST NO.	
COMPANY		NBN	REFER NBN	LOTS	304, 903 'DRAINAGE RESERVE'
-		GAS	REFER GAS		
PHONE	-	HP GAS	REFER GAS	CANCELLING LOTS	BAL LOT 505 SP316171
MOBILE	-	WATER	REFER CIVIL		
FAX	-	STORMWATER	REFER CIVIL	LOCAL AUTHORITY	GOLD COAST CITY COUNCIL
		SEWERAGE	REFER CIVIL	UBD REF	
		OTHER	REFER CIVIL	PEGGED?	

**VANTAGE YATALA STAGE 3 EXTERNAL WORKS
CHRISTENSEN RD & CHRISTENSEN RD SOUTH
STAPYLTON, QLD, 4207**

S1302115

Sheet 5 of 7
ISSUE NO: C

