

10 July 2025

Saunders Havill Pty Ltd
ABN 24 144 972 949

Norfolk Estates Pty Ltd ATF The Solander Investments Unit Trust

RE: RESPONSE TO INFORMATION REQUEST
SECTION 13.2 OF THE DEVELOPMENT ASSESSMENT RULES
176 BAILEYS MOUNTAIN ROAD, UPPER COOMERA QUEENSLAND 4209

The Environmental Management Division of the Saunders Havill (SH) was engaged by Norfolk Estates Pty Ltd ATF The Solander Investments Unit Trust to provide a response to 'Environmental Assessment' items of the Gold Coast City Council (GCCC) Information Request (IR) dated 28th January 2025 (ROL/2024/116), specifically items 18 – 20. This IR response should be read in conjunction with the Ecological Assessment Report (dated 9th December 2024) provided as part of the original application documentation for the proposed development located at 176 Baileys Mountain Road, Upper Coomera.

The following attachments have been included to support this response

- Attachment A – Information request
- Attachment B – Development Layout
- Attachment C – Development Impact Assessment
- Attachment D – Development Impact Assessment (Vegetation)
- Attachment E – Tree Schedule



Item 18 – 21 – Changes to Plan of Development

Items 18-21 requests changes to the layout of the project by either removing lots, amalgamating lots, or increasing road frontage to retained areas. These requests are to ensure sufficient buffers to the retained areas (Yuan Creek Corridor) minimising the potential for ecological degradation and edge effects associated with the impact area.

Development layout re-design

Since the lodgement of the development application and supporting material over lot 183 on RP156422, lot 185 on RP173727, lot 186 on RP173728, lot 56 on RP162858, lot 57 on SP214370 and lot 58 on SP191940 the project now also includes lot 184 on RP173727. The inclusion of this lot with extremely limited vegetation is a logical addition in the context of the project site and allows for the development layout to be re-designed as per this IR. This re-design enables the consolidation of impacts and the retention/enhancement of higher value ecological areas providing continued ecological value to the local area.

The development layout re-design can be broadly summarised as increasing road frontages, with retained areas to minimise potential edge effects, and removing/altering lots to allow increased corridor widths of retained areas (refer **Attachment B**).

Addition of lot 184 on RP173727

Lot 184 was not included as part of the original ecological assessment and report dated 9th December 2024. From a desktop perspective, this lot is almost completely unconstrained under state and local legislation and exists as entirely Category X (non-remnant) vegetation. The only environmental overlay present is a small section of a GCCC mapped waterway in the north-west of the lot.

A Senior Ecologist from SH assessed lot 184 on 10th February 2025 where the entire lot was traversed. The assessment outcomes align with the desktop assessment being that lot 184 exists as almost completely cleared paddocks which have been consistently maintained for rural residential purposes. Trees within the lot are limited to scattered ornamental species including *Pinus elliottii* (Slash Pine) with weeds and pasture grasses dominating the ground layer including *Setaria sphacelata* (South African Pigeon Grass) and *Chloris gayana* (Rhodes Grass) (refer **Photo set 1**). Notably, large *Ficus obliqua* (Small-leaved Fig) were observed along the north-east boundary, within the neighbouring lot. These specimens appear to have been planted for landscape purposes and amenity.

In the north-west corner of the lot a low-lying drainage feature is mapped as ‘waterway’ under the GCCC City Plan. This low-lying drainage feature lacks typical waterway features such as defined flow path, bed and bank features or riparian vegetation. The flow path reflects a low-lying drainage feature that is dominated by exotic grasses, *Setaria sphacelata* (South African Pigeon Grass) with some scattered native vegetation present along the lot boundary. This drainage feature enters the lot from the north via culvert under Courtney Drive. The flow path then merges with the adjacent flow path to the south via a culverts under property access tracks.

Lot 184 was observed to completely lack ecological value as a result of historical and continued land-uses typical of rural residential uses. No threatened flora or fauna species were recorded within this lot during field surveys. This lot is not strategically positioned to contribute to local level connectivity



as a result of minimal vegetation retention. Nevertheless, the local mapped waterway is intended to be retained as open space and contribute to proposed corridors across the balance of the site (refer Attachment B).



Photo set 1: Lot 184 on RP173727. Council mapped waterway (left) reflects a modified drainage channel and balance of the lot (right) dominated by exotic species



Direct response items

Direct responses and justifications have been provided to the below requested items as they relate to the development layout.

'Removal of proposed residential lots 144 to 147'

Response: The revised layout has removed lots 144 to 147 from the project development area. The removal of these lots significantly widens the central corridor to ≥ 70 m. This significantly increases fauna movement potential within the development site and local area. Notably, this area will now add to existing vegetation within council land to the west. The removal of these lots also reduces the edge to area ratio of the retained area, minimising potential edge effects. Furthermore, the removal of these lots from the development layout reduces impacts to GCCC mapped 'General Priority Vegetation' which is now predominantly retained across the development area (refer **Attachment D**).

'Removal of lots 141 to 143'

Response: Lots 141 to 143 have been amalgamated into two lots (lot 643 and lot 644) with a road frontage along the entire boundary of the retained area (refer **Attachment C**). It is noted that the flow path of the drainage feature meanders through this area (refer **Attachment D**). Applying a consistent buffer width to this flow path is not achievable while delivering the required lots and infrastructure for the development. Importantly, the flow path sits within a corridor of at least 40 m wide and extending up to approximately 120 m wide. This is considered more than sufficient to mitigate indirect impacts on the waterway. Furthermore, increased road frontage in this area minimises potential edge effects associated with residential uses.

'Amalgamation of Lots 148 and 149 to provide one single lot of a smaller dimension'

Response: The updated development layout has retained lot 645 and lot 646 (previously lot 148 and 149). Justification for the inclusion of these two lots at their current dimension is the result of suitable setbacks to the retained area and maintaining ecological functionality of the retained area.

These lots sit immediately adjacent to existing residential lots and roads (Reserve Road and Wright Court) to the south providing a logical expansion to existing residential uses (refer **Attachment D**). Retained vegetation on-site has been located to include the natural flow paths of mapped waterways under state and local legislation. Furthermore, these areas combine with existing council reserves to provide a large functional corridor that enables local level connectivity. The addition of lots in the far south of the site occupy a small overall area adjacent to Reserve Road and existing residential lots. Vegetation does not extend southward from this area and therefore the proposed lots are not anticipated to significantly impact the functionality of the corridor as a whole. Furthermore, lot 645 and lot 646 maintains a 30 m buffer from the Yuan Creek flow path ensuring impacts to the waterway are minimised.



The delivery of these lots will result in impacts to General Priority Vegetation, however the vast majority of mapped General Priority Vegetation is to be retained and incorporated into a much larger retained and functional area which will be rehabilitated, ultimately resulting in a greater extent of higher value vegetation. It is therefore, not anticipated that these impacts will fragment General Priority Vegetation beyond what already exists.

‘Removal of Lot 113 to part accommodate the stormwater infrastructure’

Response: Stormwater detention areas have been updated following the layout re-design and location of roads and lots (refer **Attachment B**).

‘Direct remove lots 139 -140’

Response: The layout re-design now also includes lot 184 on RP173727 which now includes lots 528, 529 and 530 at the location of previous lot 139 and lot 140. The inclusion of these lots is considered suitable given the mapped waterways are being retained. This part of the waterway is highly modified by road upgrades (Courtney Drive) and rural residential uses. The retained area will remain at least 20 m wide in this area which is considered to provide a suitable buffer to a minor flow path.

‘Amalgamation of 43 – 45’

Response: Lots 43 – 45 have been retained following the inclusion of lot 184 on RP173727 in the project area, the layout design has been updated and the lot dimensions altered. The inclusion of these lots does not significantly alter the functionality of the retained corridor which is maintained at a width of at least 30 m. This width is considered a suitable buffer distance.

Provide road frontage (relocation) to lots 106 -112 and 46-53

Response: The layout re-design has significantly increased road frontages along retained areas where practicable. The previous locations of lots 46 – 53 and 106 - 112 is now a road frontage. The increase in road frontages will assist in reducing indirect impacts to retained areas that may occur as a result of residential uses. Ultimately, the location of roads needs to fulfil the planning intent of the area, however every effort has been made to increase road frontages abutting retained areas where possible.

Summary

This document provides a response to specific environmental items raised in the IR. The inclusion of lot 184 with extremely minimal ecological value has enabled a significant development re-design to occur. The impact area associated with the development is located within highly modified parts of the project site with retained areas including mapped waterways and higher value vegetation. Waterways have suitable setbacks resulting in large areas of functional retained vegetation that will maintain and enhance movement opportunities for fauna in the future. Furthermore, the development design has



minimised the risk of indirect impacts from the development on retained vegetation by providing increased road frontages.



Attachment A

Gold Coast City Council Information Request – 28 January 2025



Date: 28 January 2025
Contact: Kyra Reid
Location: City Development
Telephone: 5582 8730
Your reference: 11694
Our reference: ROL/2024/116

Norfolk Estates Pty Ltd ATF The Solander Investments Unit Trust
C/- Saunders Havill Group
9 Thomas St
BOWEN HILLS QLD 4006

Dear Sir/Madam

Information Request

I refer to the development application lodged by:

Norfolk Estates Pty Ltd ATF The Solander Investments Unit Trust C/- Saunders Havill Group

in relation to development of land/premises described as:

Lot 183 RP156422, Lot 185 RP173727, Lot 186 RP173728, Lot 56 RP162858, Lot 57
SP214370, Lot 58 SP191940 – 176 Baileys Mountain Road, UPPER COOMERA QLD 4209

Council of the City of Gold Coast (Council) officers have reviewed the development application and supporting information and determined that further information is required to properly assess the application.

Pursuant to sections 13.2 and 13.3 of the Development Assessment Rules under the *Planning Act 2016*, the applicant may respond to this information request by giving to the assessing authority:

- 1 all of the information requested below; or
- 2 part of the information requested below; or
- 3 part of the information requested below together with a notice advising the assessing authority that it must proceed with the assessment of the application; or
- 4 a notice stating that none of the information requested below will be provided; or
- 5 a notice stating that none of the information requested below will be provided together with a notice advising the assessing authority that it must proceed with the assessment of the application.

You are advised that pursuant to section 13.1 of the Development Assessment Rules, the period for the applicant to respond to this information request is three (3) months of the date of this letter.

If no response is provided or only part of the information is provided to this request within the three (3) month period, Council will continue its assessment of the application based on the information submitted.

It would be in the applicant's best interest to address all of the information requested. Please note that the provision of sufficient information to properly assess an application is a requirement for a favourable decision.

Information Request

Preamble - Prior to a formal response to this information request, the applicant is invited to workshop aspects the development layout in response to information request items below with Council officers.

Planning Assessment

1. Plan of Development

Officers acknowledge that the applicant has provided a document which resembles a Plan of Development, including built form parameters and design controls for future Dwelling houses on the proposed lots (including small lots). This cannot be endorsed through a Reconfiguring a lot application. Officers will assist with advising the appropriate mechanism for the delivery of dwelling house product on future lots and will discuss potential further application mechanisms after the layout of the current application is better refined.

2. Adjacent development

It is noted that Lot 58 SP191940 is included in the subject application. An application is currently being assessed over this site (COM/2024/317), which includes a boundary realignment (to facilitate the subject application) as well as a new road to Baileys Mountain Road and LGIP recreation linkage. The development footprint of the adjacent development and associated infrastructure are to be superimposed on the proposed site plan to show the relationship between the two developments.

It should be noted that all infrastructure within both lots will be conditioned for each application, should a favourable outcome be reached.

3. Small lots

The proposed development includes a number of small lots (under 400m²). While it is acknowledged that the Courtney North-east sub precinct does not preclude small lots, and rather encourages a higher density (compared to the other sub-precincts in the Courtney Drive), Officers have concerns that these small lots are clustered together rather than distributed amongst the larger lots. This creates uncertainty regarding the ability for crossovers, on street car parking and street trees between each lot (refer Subdivision Engineering and Landscape Assessment items).

In accordance with Performance outcome PO12 and Performance outcome PO13 of the Reconfiguring a lot code, the applicant is requested to provide greater distribution between the proposed small lots and larger lots.

Additionally, the applicant is requested to provide a VXO allocation plan which incorporates all information required by Subdivision Engineering (VXO width and separation to gully pits) and Landscape Assessment (i.e., location of street trees) as well as on-street parking availability on the one plan. The applicant should note that all VXO's for narrow lots will be required to be delivered by the developer prior to plan sealing each stage.

The applicant is also encouraged to consider the applicable mechanism for assessing/establishing future Dwelling houses on these small lots, noting the proposed 'building envelopes' cannot be endorsed through this Reconfiguring a lot application.

4. Future road connection

The applicant proposes five (5) roads with "temporary turn around lots" to facilitate future road network connection with adjacent Lot 184 on RP173727. This lot does not form part of the

application, and as discussed by Subdivision Engineering below, these roads result in substantial level difference which necessitate substantial earthworks to make a future road connection feasible. The applicant has also not provided an indicative road network plan.

The applicant is requested to demonstrate why five (5) roads with no permanent turn around facility (i.e., cul-de-sac head) are necessary to demonstrate that the future local road network is permeable and facilitates high connectivity in accordance with Specific outcome 3.6.4.1(2) of the Transport system efficiency element of the Strategic framework.

Additionally, as each proposed 'temporary turnaround lot' will be private property, the applicant is also required to ensure these areas are burdened by an easement benefitting Council to allow future access for the purpose of vehicle turnaround.

5. Amended plan

The applicant is requested to update all relevant plans and drawings to reflect any changes to the subdivision layout as a result of the Information Request items.

The applicant is to ensure the site plan clearly shows the delineation between the development components including the respective area calculations. The applicant is requested to include the following area annotations within the site plan:

- a Road dedication area;
- b Land dedication area for conservation;
- c Recreation link dedication area;
- d New road reserve area;
- e Development area;
- f Any amendments to the bio-basin area; and
- g All infrastructure and service easement areas.

Subdivision Engineering

6. Indicative road network plan

The application supporting material does not include an indicative road network plan, nor is the external road network considered in the Traffic Impact Assessment (TIA). In accordance with the assessment benchmarks (including the Overall outcomes of the Reconfiguring a lot code and the Transport system efficiency element of the Strategic framework), the applicant is requested to provide the following:

- a Indicative road connection from all proposed public roads to adjoining Lot 182 on RP156422, Lot 184 on RP173727 and Lot 187 on RP173728. Indicative road connection within Lot 187 on RP173728 should be connected to approved internal public roads within western adjoining lot of Lot 187 (Council's reference number: COM/2019/82);
- b Estimated daily traffic volumes should be shown on all proposed public roads and section of Courtney Drive at frontage of the stie based on a scenario of post subdivisions within Lots 182 on RP156422 , 184 on RP173727, 187 on RP173728, Lot 58 on SP191940 (proposed 73 town houses) and including property of existing ROL approval (COM/2019/82). Information of estimated daily traffic volumes should be provided by a RPEQ specialising in traffic engineering; and

- c The applicant is requested to confirm that all proposed public roads within the subject site do not have any physical constraints (e.g. retaining walls and extremely steep batters) to the abovementioned adjoining lots. This information should be included as an annotation.

7. Road connectivity

Proposal Plan for Stage 3 shows proposed cul-de-sac head extending from Richardson Crescent (adjacent to 141 – 143). Proposed Plan for Stage 4 shows proposed 286m long cul-de-sac head road.

These proposed roads do not comply with the relevant assessment benchmarks requiring a permeable and legible street network, including Performance outcome PO20 and Overall outcome OO9.4.8.2 (2) (d) of the Reconfiguring a lot code and Specific outcome 3.3.4.1 (8) (e) of the New communities element of the Strategic framework. To demonstrate compliance with these benchmarks, the applicant is requested to:

- a Amend Stage 3 to show the proposed cul-de-sac relocated to the common boundary of Lots 186 on RP173728 and 187 on RP173728. Design of proposed cul-de-sac head should allow extension of future public road into adjoining Lot 187 on RP173728;
- b Amend Stage 4 to show an additional 16.5m wide western connection road (in vicinity of proposed Lots 104 – 106) to allow extension of future public road into adjoining Lot 187; and
- c Proposed cul-de-sac head within Stage 4 should be relocated to Courtney Drive adjacent to Lots 137 and 138. Design of proposed cul-de-sac head should allow a footpath connection between the cul-de-sac head and proposed footpath within southern verge of Courtney Drive. In this instance, bollards should be installed between the cul-de-sac head and Courtney Drive to prevent vehicle movement.

8. Earthworks for future public road extensions

Proposed Longitudinal Section for Road 1 shows that level difference between proposed finish level of proposed Road 1 and existing ground level of adjoining property (Lot 184 on RP173728) will be 3.11m. Proposed Longitudinal Section for Road 2 shows that level difference between proposed finish level of proposed Road 2 and existing ground level of adjoining property (Lot 184) will be 1.6m. Proposed Longitudinal Section for Road 3 shows that level difference between proposed finish level of proposed Road 3 and existing ground level of adjoining proposed (Lot 184) will be 1.23m.

As such, the proposed longitudinal sections for the abovementioned proposed roads do not comply with Specific outcome 3.3.4.1 (8) (e) of the New communities element of the Strategic Framework. The applicant is requested to submit an amended longitudinal section/s for Road 1, Road 2 and Road 3 showing level differences between proposed finish level of proposed public roads and existing ground level of adjoining property (Lot 184 on RP173727) not exceeding 1m.

Alternatively, if proposed level differences will be retained, the applicant is requested to submit the written agreement from the owner/s of adjoining Lot 184 on RP173727 accepting and acknowledging the onus of future earthworks to rectify the level difference. Please note however, officers will not be able to support level differences which are to the detriment of parties not subject of this development application.

9. Proposed road upgrade for Courtney Drive

The proposed road upgrade for Courtney Drive will be a 5.5m wide carriage way and 0.75 between invert of kerb & channel and edge of the 5.5m wide carriage way. The proposed geometry profile of Courtney Drive does not comply with standard geometry profile requirement of Performance outcome PO15 and Performance outcome PO16 of the Reconfiguring a lot code or Specific outcome 3.6.1 (7) of the Improving transport outcomes element of the Strategic Framework.

The justification for this geometry in the Traffic Impact Assessment is not supported. It is noted that the road profile is not consistent with approved profile of existing cul-de-sac head of Courtney Drive (refer to Council's reference number: COM/2019/82). The applicant is requested to provide an amended typical cross section for Courtney Drive showing a 7.5m wide pavement (measuring from invert of new barrier kerb & channel (subdivision side) to edge of the new 7.5m wide pavement) and a 1m wide seal shoulder with line marking (opposite side).

Additionally, the Traffic Impact Assessment states that "*Courtney Drive at the full frontage of the site will be Residential Access Street classification*". Officers do not support this outcome with regard to pavement depths. Traffic volume at subject section of Courtney Drive will be more than 751 VPD. In order to comply with the abovementioned benchmarks and relevant Specific outcomes of Strategic Frameworks, the section of Courtney Drive at the subject site should meet a Residential Collector Street classification for the purpose of pavement depth design.

10. Typical section – Road 2 (CH.158.220 to CH.315.635)

The typical section for proposed Road 2 (CH.158.220 to CH.315.635) shows a 4.5m wide southern verge (standard verge profile), a 5.75m wide pavement and a 6.25m wide northern verge (table drainage with temporary 1 in 2 batter) on a 16.5m wide road.

Proposed 5.75m wide pavement and table drainage with temporary 1 in 2 batter do not comply with the standard geometry profile requirement of Residential Street classification, as required by Performance outcome PO15 of the Reconfiguring a lot code or Specific outcome 3.6.1 (7) of the Improving transport outcomes element of the Strategic Framework.

In order to comply with the abovementioned benchmarks and relevant Specific outcomes of the Strategic Framework, the applicant is requested to submit amended typical cross section for Road 2 showing standard geometry in accordance with a Residential Street classification.

11. Typical cross section for Road 5 (Short Stub Road)

Proposed typical cross section for Road 5 shows proposed kerb (B2) on the higher side of proposed one-way crossfall. Proposed B2 kerb and one-way crossfall result in concentrated water flowing across the road which is not supported. In this instance, the applicant is required to submit amended Typical Cross Section for Road 5 showing 2-way crossfalls and barrier kerb & channel (B1) on both sides in accordance with IPWEA Standard Drawing (RS-080)

12. Land dedication for road widening

The applicant is required to submit an amended site plan which shows the proposed land dedication area at the existing cul-de-sac head of Wright Court adjacent to proposed Lots 148 and 149. Proposed land dedication area should be achieved to provide (minimum) 4.5m wide verge measuring from invert of kerb line to proposed property lines of proposed Lots 148 and 149.

13. Pedestrian Network Plan

The proposed site plan shows a proposed 1.5m wide footpath on one side of the proposed public roads. This is not consistent with nearby approvals (refer to COM/2019/82). In this instance, all proposed footpaths should be 2m in width (except proposed short stub roads such as proposed road 5).

Proposed Road 6 will be a 287m long cul-de-sac head road which has 287m walking distance from the cul-de-sac head to Courtney Drive. This footpath design will be a poor permeable street network design for pedestrians. It does not comply with:

- AO15 (b), PO15 (a), (c) and 9.4.8.2 (2) (d) Overall Outcomes of the ROL code;
- 3.3.4.1 (8) (b) (Specific outcomes) of Element (New Communities);
- 3.6.1 (5) (Specific outcomes) of Improving transport outcomes;
- 3.6.3.1 (4) (Specific outcomes) of Element (Enhanced access and mobility);
- 3.6.4.1 (2) (Specific outcomes) of Element (Transport System efficiency); and
- *The Walkable neighbourhood requirements of the Planning Regulations 2017.*

In order to comply with the abovementioned benchmarks, the applicant is requested to submit a Pedestrian Networking Plan showing:

- a 2m wide footpath along both sides of proposed Roads which will be identified as Residential Collector Street (estimated traffic volumes will be more than 751 VPD);
- b 2m wide footpath along one side of all other proposed Roads (estimated traffic volumes will be up to 750 VPD) (except proposed short stub roads); and
- c 1.5m wide footpath along one side of proposed short stub roads adjacent to proposed Lots 8 – 10 and adjacent to proposed Lots 54 – 55.
- d Footpath connection between the relocated cul-de-sac head adjacent to Courtney Drive (as requested in item 7 of this information request) and the proposed footpath within the southern verge of Courtney Drive.

14. Vehicle crossings

In order to comply with the relevant assessment benchmarks, the applicant is requested to submit a VXO allocation plan/s showing:

- a Proposed VXOs for all proposed 10.5m wide frontage lots and neighbouring lots
- b Proposed VXOs for proposed lots fronting to all proposed cul-de-sac heads;
- c Proposed VXOs for proposed Lots 148 and 149;
- d Proposed VXOs should be 4m at the kerb line; and
- e (minimum) 7m separation at the kerb line between proposed VXOs for neighbouring lots should be provided. Maximum separation at the kerb line between proposed VXOs adjacent to all proposed cul-de-sac heads should be provided.

15. Services

The provided Plan of Development plans show indicative location of VXOs for all proposed lots and Preliminary Services Layout Plans (Sheet 1 -2) show proposed location of gully pits. According to the abovementioned Plans, the proposed VXO's conflict with the proposed gully pits and street trees.

In order to comply with the applicable benchmarks, the applicant is requested to submit a VXO allocation plan/s showing:

- a Proposed 4m wide VXOs at the kerb line for proposed Lots 2, 3, 5, 6, 13, 17, 20, 21, 24, 25, 28, 32, 33, 36, 37, 40, 41, 47, 48, 58, 59, 62, 65, 69, 75, 79, 82, 89, 92, 96, 103, 104, 107, 108, 112, 113, 125;
- b VXO for lot 148 and separation to existing gully pit;
- c Proposed gully pits;
- d Proposed street tree location; and
- e Proposed 4m wide VXOs shall have (minimum) 1m clearance from any parts of proposed gully pits at the kerb line.

16. Rear lots

The applicant is requested to provide longitudinal and cross sections for all proposed rear lots in order to demonstrate that access strip areas can achieve appropriate slope gradient from the road carriageway to future building envelopes in accordance with Council's land development guidelines and AS2890.2009.

17. Common Property for proposed CTS lots (not supported)

Proposed CTS Lots do not have nominated common property. It does not comply with the Body Corporate Act. In this instance, the applicant is required to submit an amended plan showing proposed common property for all proposed CTS lots.

Note – notwithstanding this item, this area is required to be removed pursuant to Environmental Assessment items below.

Environmental Assessment

18. Summary of changes to Plan of Development

The applicant is requested to amend the Plan of Development by providing the following changes to comply with the Strategic Framework 3.7 Living with Nature and Environmental significance overlay code:

- f Direct removal of 10 residential lots – lot 113 (1), lots 139 -140 (2), lots 141 to 143 (3) and lots 144 to 147 (4),
- g Removal of an additional three (3) residential lots from the amalgamation of two (2) lots 148 and 149 into one lot (1) and the amalgamation of three (3) lots 43 to 45 into one (1) residential lot and road frontage.
- h Provide road frontage (relocation) to lots 106 -112 – in discussion with Subdivision Engineering.
- i Provide road frontage to lots 46-53 if the wider section of the Yaun Creek riparian corridor is determined to be a Bushfire hazard area.

Further detail is provided below.

19. Yaun Creek riparian corridor

In accordance with Living with nature element of the Strategic framework, Performance outcome PO5 and Performance outcome PO11 of the Environmental significance overlay code the applicant is requested to provide an amended plan of development. Additionally, the applicant is requested to provide sustainable habitat for the Platypus (*Ornithorhynchus anatinus*) (Performance outcome PO18 & Performance outcome PO20 of the Environmental significance overlay code) of which there are historical and current records within Yaun Creek -

including in the conservation reserve adjacent to this site. The requested amendments are to include the following changes:

- a Removal of proposed residential lots 144 to 147 due to:
 - i. Insufficient buffer width of <10m to the high bank of Yaun Creek and Yaun Creek tributary.
 - ii. Significant edge to area ratio of the development footprint.
 - iii. Fragmentation of habitat and narrowing of Yaun Creek riparian corridor impacting on fauna movement.
 - iv. Damming effect of the footprint and road access infrastructure to the 4 lots – which is likely to increase the siltation of Yaun Creek and Yaun Creek tributary channel upstream of the road access crossing.
 - v. Removal of General priority vegetation has not been minimised.
 - vi. Likely to be subject to >40kW/m² radiant heat flux (BAL-FZ) from adjoining 1.4ha conservation reserve (Lot 900SP205578) and future restoration of Yaun Creek to RE12.3.11 and RE12.11.24
- b Removal of lots 141 to 143 to provide for the following:
 - i. an appropriate buffer to the high bank of Yaun Creek channel as the shown buffer is approximately 5m-10m wide in one section, and
 - ii. to provide road frontage connection to the adjoining western lot (187RP173728). Note that the approved plan of development for COM/2019/82 provided a road stub to facilitate road frontage along the southern bank of Yaun Creek within Lot 187RP173728 - in an easterly direction to this site.
- c Amalgamation of Lots 148 and 149 to provide one single lot of a smaller dimension - due to the following issues:
 - i. insufficient buffer to the high bank of Yaun Creek from Lot 149, and
 - ii. disturbance to General priority vegetation has not been minimised and is likely to be further fragmented due to the extent of the residential footprint – note that the amalgamated lot is requested to meet the following dimensions:
 - have a building setback of 10m to the property boundary with the Yaun Creek corridor to minimise tree safety and maintenance issues with existing vegetation (that is retained), and
 - a 30m setback from the property boundary to the high bank of Yaun Creek.
- d Removal of Lot 113 to part accommodate the stormwater infrastructure and reduce its footprint including batters and scour protection within the Yaun Creek riparian corridor. Refer to the request below to provide road frontage to the Yaun Creek corridor in this section of the site.
- e Increased road frontage to Yaun Creek as outlined below in corridor interface issues.

20. Yaun Creek tributary riparian corridor

The Yaun Creek tributary riparian corridor is a 3rd order waterway and consideration has been given to allow reduced buffer widths compared to Yaun Creek (4th order waterway). The issue of bank stability with reduced buffer widths is outlined further below in streambank stability item of this information request. Notwithstanding, the applicant is requested to amend the plan of development to remove lots 139 and 140 due to insufficient buffers to two (2) tributaries of Yaun Creek, in accordance with Performance outcome PO5 of the Environmental significance overlay code.

21. Waterway corridor frontage (interface issues)

Road frontage to waterway conservation corridors provides a clear separation between the built form and conservation area. Small urban lots fronting waterway corridors results in the following ongoing issues:

- life and property concern from the proximity of large canopy trees, potential bushfire impacts and ongoing creek bank erosion.
- potential dumping of green waste and other materials
- invasive weed maintenance from adjoining gardens.
- reduced rehabilitated setback to accommodate maintenance trail separation between residential properties.

In accordance with Strategic Framework Element 3.7.3 Green Space Network the applicant is requested to amend the plan of development to provide further road frontage to the Yaun Creek and Yaun Creek tributary riparian corridor: The following amendments to the riparian corridors are requested:

- a. Delete lot 113 and relocate Lots 106 to 112 to allow for perimeter road frontage to Yaun Creek riparian corridor as outlined in Subdivision Engineering's Information Request
- b. Delete lots 141 to 143 to provide an appropriate buffer to the high bank of Yaun Creek and provide road frontage connection to the adjoining lot (187RP173728). This is to facilitate future road frontage along the southern bank of Yaun Creek to the approved development road stub provided in COM/2019/82 (previously requested above)
- c. Amalgamate lots 43, 44 and 45 to provide road frontage (and an amended residential lot 44).

22. Maintenance path

In accordance with Strategic Framework Element 3.7.3 Green Space Network, the applicant is requested to provide a minimum 3m-5m wide maintenance path (allowing for vehicular access) between residential lots and (within) the conservation area (riparian corridor). This is applicable to the interface with Lots 46 to 53, lots 114 to 117 and lot 138. The applicant is requested to provide cross sectional detail to show the channel, high bank, rehabilitation area, maintenance track, park boundary and retaining walls (within residential lot)

23. Streambank stability – waterway corridors

Performance outcome PO5 of the Environmental significance overlay code includes the requirement for waterway buffers to provide for waterway bank stability. The Acceptable Outcome (AO5.5) for a mapped waterway is a 30m buffer to the waterway - which includes a general allowance for natural and anthropogenic waterway erosive processes.

The applicant is requested to provide confirmation/certification from a suitably qualified specialist such as riparian engineer or fluvial geomorphologist where buffers of <30m to the high bank of the waterway are provided. The certification is to demonstrate that the setbacks from the high bank of the waterway are appropriate for the waterway and underlying geology and soil associations.

Note – this should be considered in tandem with hydraulic and stormwater considerations.

24. Rehabilitation management plan

In accordance with Performance outcome PO26 of the Environmental significance overlay code, the applicant is requested to provide a Rehabilitation management plan for the proposed conservation areas generally in accordance with City Plan Policies Schedule 6.8 Environmental management plans.

Note - Pre-clear vegetation mapping of Yaun Creek further downstream of this site is mapped as 80/20 (RE12.3.11/RE12.3.1a). RE12.3.1a is described as complex notophyll vine forest (rainforest). Rehabilitation of the riparian corridors for this site with plantings of RE12.3.1a up to 5m width from the creek channel(s) on Landform 3 is acceptable to Environmental Assessment and Bushfire Assessment.

Bushfire Assessment

25. Bushfire hazard

The proposed site conservation areas are generally 40m to 60m wide rehabilitated riparian corridors. However, the adjoining Lot 900 SP202278 (existing conservation park) increases the rehabilitated Yaun Creek corridor width up to 120m. It is also noted that, in accordance with Environmental Assessments items above, lots 144-147 are requested to be removed due to their significant impact (current and future) on the Yaun creek riparian corridor.

Adjoining Lot 900 SP205578 is a 1.4ha Council conservation park and has not been assessed as a bushfire hazard area as it is not currently mapped. The size of the conservation area, its hazardous vegetation classes of VHC 9.1 and VHC 9.2 and proposed rehabilitation of Yaun Creek corridor could potentially result in proposed lots 144 to 147 and lots 47 to 53 being located within an area of $>40\text{kW/m}^2$ radiant heat flux.

- a The applicant is requested to amend the Bushfire Mitigation Report for QM Properties at 31-53 Courtney Drive, 176 Baileys Mountain Road and 288 Reserve Road Upper Coomera by Eldon Bottcher Architect Pty Ltd, 25/11/2024 by providing the following information:
 - i. Determination of whether the 1.4ha conservation reserve (Lot 900) is currently or a future bushfire hazard area.
 - ii. Determination of whether the 1.4ha conservation area and the additional rehabilitation of the adjoining Yaun Creek riparian corridor (primarily VHC9.1) results in the area being designated as a Bushfire hazard area.
 - iii. Produce a radiant heat flux contour map should any part of the site be designated as a Bushfire hazard area.
 - iv. Removal of, or relocation of any lots (BLE's) located within areas of equal to or $>29\text{kW/m}^2$ radiant heat flux.
 - v. Updated plan of development in response to City Officers Information Request.

Note - that Pre-clear vegetation mapping of Yaun Creek further downstream of this site is mapped as 80/20 (RE12.3.11/RE12.3.1a). RE12.3.1a described as complex notophyll vine forest (rainforest). Rehabilitation of the riparian corridors for this site with plantings of RE12.3.1a up to 5m width from the creek channel(s) on Landform 3 is acceptable to Environmental Assessment and Bushfire Assessment.

26. Reticulated water supply

The Bushfire Mitigation Report section 3.5 Proposed Fire Fighting Infrastructure states that the reticulated water supply "is to always have sufficient flow and pressure characteristics for fire-

fighting purposes” – but provides no detail on how this is to be achieved. The proposed development does not comply with the Acceptable outcome and limited information for assessment against Performance Outcome 10 has been provided.

- a The applicant is requested to demonstrate that in a bushfire hazard area, the development maintains the safety of people and property by ensuring that the water supply is reliable and has sufficient flow and pressure requirements for fire-fighting purposes at all times.

Transport Assessment

27. Circulation and street access design

To demonstrate compliance with Performance outcome PO16 of the Reconfiguring a lot code, the following assessments shall be undertaken:

- a Demonstrate the required form of intersection for the proposed new public road with Baileys Mountain Road. The physical configuration of the intersection shall be suitable, and provide sufficient capacity, to accommodate the ‘ultimate’ traffic demands intended to use this intersection (i.e. not only the subject development proposal, but other developments intended to use the proposed access location). The proposed intersection design shall be supported by an Austroads turning warrants assessment (if a priority-controlled intersection is appropriate), and also by SIDRA Intersection assessment based on ‘ultimate’ traffic volumes. Appropriate growth rates shall also be applied to background traffic volumes on Baileys Mountain Road (as per the table provided, below). Of note, the *Transport Engineering Report* does not sufficiently address intersection design as it does not quantify ‘ultimate’ traffic demands or demonstrate the results of a turning warrants assessment; additionally, the proposal for the provision of ‘basic’ left and right turning treatments, as identified in Section 7-1 of the report, has not been substantiated (it is also noted that this item remains unresolved as part of development application COM/2024/317, which is referenced in the applicant’s report). To be clear, the ‘ultimate’ intersection design must be identified at this stage so that appropriate infrastructure can be provided (in addition to any land dedication required). A revised, fully-dimensioned functional layout drawing showing the required intersection design, endorsed by an RPEQ Traffic Engineer, shall be submitted.
- b Demonstrate, through fully-dimensioned, functional layout drawings (endorsed by an RPEQ Traffic Engineer), any upgrades required to the existing Baileys Mountain Road / Courtney Drive intersection with the addition of proposed development traffic.
- c Undertake a turning warrants assessment (in accordance with Austroads guidelines) for the proposed access intersection in Courtney Drive (‘Stage 4’ of development). Of note, ‘through’ traffic volumes on Courtney Drive shall consider other development approvals granted with access from Courtney Drive. Submit a fully-dimensioned, functional layout drawing (endorsed by an RPEQ Traffic Engineer) for the required intersection design at this location.
- d All functional layout drawings must demonstrate that the proposed works achieve full compliance with all relevant design standards (including Council’s standards and Austroads guidelines) - this includes (but is not limited to) intersection geometries, horizontal alignments, lane widths, verge widths, corner truncations, etc. In addition, it must be demonstrated that the proposed works align with any Council road planning for

the respective roads / intersections (for example, upgrades planned along Baileys Mountain Road).

- e Submit swept paths demonstrating that all proposed intersections have suitable geometric configurations to accommodate movements by the relevant 'design service vehicle'.
- f Demonstrate compliant sight distances for all proposed intersections / access points, including:
 - i. New public road / Baileys Mountain Road
 - ii. New intersection in Courtney Drive ('Stage 4').
 - iii. Lots with direct access to Courtney Drive (in particular, lots 139 & 140).

Background traffic growth – Baileys Mountain Road (source: City of Gold Coast)

2-way flow	2021	2026	2031	2036	2041
Baily Mountain Road	3991	6209	6297	8904	8905
Absolute Growth (from 2021)	2021	2026	2031	2036	2041
Baily Mountain Road		56%	58%	123%	123%
CAGR (from 2021)	2021	2026	2031	2036	2041
Baily Mountain Road		9.2%	4.7%	5.5%	4.1%

Open Space and Landscape Assessment

28. Retaining works – private lot

The submitted preliminary earthworks plans nominate retaining works to be constructed within the individual lots which will front current and future road reserves in addition to conservation areas. Officers have concerns with the amenity appearance in accordance with Performance outcome PO9 of the General development provisions code and the applicant is requested to submit amended drawings reflecting the following:

- a. The proposed 1.5m – 3.0m high retaining wall nominated along the front boundary of Lot 100 is considered to negatively impact the frontage interface of Courtney Drive. Officers request for the retaining works (and associated footings) to be setback a minimum 600mm to provide space for screening shrub planting to be incorporated between the retaining wall and the boundary fronting Courtney Drive.
- b. The proposed retaining wall nominated along the front boundary of proposed Lots 16 & 17 adjacent future 'Road 01' are requested to be setback a minimum 600mm to provide space for screening shrub planting between the wall and the future road reserve.
- c. The proposed retaining wall nominated along the front boundary of proposed Lots 62 and 63 adjacent Road 02 are requested to be setback a minimum 600mm to provide space for screening shrub planting between the wall and the future road reserve.
- d. For any other proposed retaining walls (and associated footings) along a front boundary (or future front boundary) not listed above are requested to setback a minimum 600mm from the front boundary to allow for garden area between the retaining wall and front boundary.

- e. Any proposed retaining wall within the subject site is requested to incorporate a high-quality design by incorporating split face textured material which are provided in a charcoal colour. It is also requested that the type of wall is specified, noting that a wall type with a narrower footprint (e.g. concrete sleeper) will have less impact on the usable areas on the lots.
- f. An updated Statement of Landscape Intent (SLI) is requested to be submitted identifying the retaining wall locations within the private land and garden areas incorporating screening shrubs where these retaining works are requested to be setbacks from a boundary.
- g. Any retaining walls within the private lots adjoining the future Conservation lots (Lots 900 and 902) are requested to be adequately setback from the conservation lot in accordance with SC6.12 City Plan policy – Land development guidelines.
- h. Amended preliminary earthworks plan and updated cross-sections are requested to be included amending the retaining wall locations and design.

29. Street Tree Planting

Officers note the submitted drawings include stormwater infrastructure located within the new road reserves directly behind the back of kerb which may impact future street tree planting. Additionally, the submitted drawings do not identify the vehicle cross-over (VXO) locations for the proposed lots, which will limit opportunity for new street tree planting. In order to provide street tree planting within the road reserves in accordance with Performance outcomes PO15 and PO18 of the Reconfiguring a lot code, the applicant is requested to submit amended drawings reflecting the following:

- a. All infrastructure lines (including pipes for water, sewer and stormwater) nominated within the road reserve are requested to be located outside the area from the back of kerb to ensure street tree planting is able to be incorporated.
- b. An amended plan nominating the VXO location for each lot is requested to be submitted ensuring sufficient space is available for street tree planting.
- c. Street tree planting is requested to be nominated within the residential subdivision in compliance with SC6.12 City Plan policy – Land development guidelines and SC6.13 City Plan policy – Landscape work.
- d. An amended Statement of Landscape Intent (SLI) is requested to be submitted reflecting the amended street tree planting locations in conjunction with services and VXO locations within the new road reserves.

30. Change to ground level and infrastructure in conservation lots

The submitted preliminary earthworks drawings identify areas of cut within the future Lot 900 dedicated Conservation lot for the Yaun Creek waterway. Officers request for amended drawings to be submitted demonstrating that any cut/fill works are minimised within the future Conservation lot to be dedicated to Council, and that these cut/fill works will allow rehabilitative planting in accordance with Environmental Assessments information request items.

Additionally, where infrastructure is required to connect to legal point of discharge in the future conservation area, the infrastructure is limited to the greatest extent possible to reduce impacts to areas to be dedicated for conservation purposes.

31. Drainage reserve – Landscape interface

Officers have concerns with the lack of landscaping nominated with the Baileys Mountain Road

interface within proposed Lots 801 and 901. In order to enhance the interface of the estate when viewed from the road frontage, an amended Statement of Landscape Intent (SLI) is to be provided reflecting a combination of trees and screening shrub planting within the Baileys Mountain Road interface (outside the future road widening area) to assist addressing Performance outcome PO4 of the General development provisions code.

The stormwater management plan is also requested to be updated, ensuring the nominated swale within proposed Lots 801 and 901 can support large tree planting with batters not exceeding 1(V):3(H).

Community Facilities and Open Space Planning and Asset Management

32. DSS requirements – Local recreation park

Officers acknowledge that the shape of the proposed local recreation park (proposed Lot 1000 (**Park**)) doesn't specifically meet the desired standard of service outlined in the Local Government Infrastructure Plan (LGIP). Notwithstanding, the Park is considered to meet the size as well as the main components of the DSS (gradient, embellishments etc). The Applicant is requested to provide a bill of quantities to support determining offsets based on the proposed Park layout. Please note, at this stage, Officers are unable to confirm if all embellishments as proposed will be supported.

33. Batters within Park

The Applicant is requested to confirm the proposed grades within the Park. Please note, grades must not exceed 1:4 to allow future maintenance.

34. DSS requirements – Local recreation linkage

LGIP reference REC_LR_0021 demonstrates the requirement for a 15 metre wide path extending through the subject site. The plan set however does not demonstrate this infrastructure and rather proposes a 10 metre wide shared path which is not consistent with LGIP. Therefore, Offsets may not be applicable.

Notwithstanding, as per the specialist reports, it is identified that there is infrastructure encumbering this linkage including a 10 metre wide weir overflow area. The Applicant is advised that this outcome is not supported by officers in its current form. All infrastructure encumbering the recreational linkage must be designed in a manner which ensures the linkage path remains dry at all times.

The proposed recreational linkage is to be provided within a separate lot. The Applicant is requested to amend all applicable drawings to demonstrate this.

The applicant is also requested to provide a plan which shows alignment with the adjacent recreational linkage at 202 Baileys Mountain Road.

Note – officers request this matter is workshopped in consultation with the relevant asset custodians to achieve a suitable outcome.

35. Bin pads

As demonstrated within the specialist reports, the Applicant is proposing bin pads within the road reserve adjacent to the Park lot. With the proposed reduced verge and the 2m wide footpath abutting, the Applicant is advised this is not a suitable location for the bin pads. The Applicant is requested to submit amended plans demonstrating the relocation of the bin pads.

36. Retaining walls

The Preliminary earthworks plans demonstrate a 0-1.5 metre high retaining wall along the

frontage of the Park as well as within the Park. The applicant is to ensure that any retaining walls are appropriately identified on the preliminary earthwork plans for consistency.

a Retaining walls along the frontage of the Park:

The Applicant is advised that Officers do not support the proposed retaining walls along the frontage of the path. The retaining walls will impact on the City's ability to carry out maintenance and will also increase future maintenance costs. The Applicant is requested to remove all retaining walls along the frontage of the site. This includes surrounding the proposed pad mount.

b Retaining walls within the Park:

While's the City's policy position is to not accept retaining walls within public parks due to increased ongoing maintenance costs, Officers are however supportive of the retaining wall surrounding the perimeter of the playground and picnic shelter area (refer to wall located near #1 and #4 on the legend of page 6 of the SLI). To further understand the height of the proposed retaining walls and proposed material, the Applicant is requested to submit a retaining wall plan. Please note, for sandstone block, the required standard is A or B grade.

The proposed retaining wall on either side of the pathway as identified below is requested to be removed and replaced with a suitable batter.



37. Access to Lot 800

To support ongoing maintenance access, submit amended plans demonstrating the proposed access driveway to the bio-retention basin is concrete.

Water and Waste

38. Amended Water Reticulation Plan and Reporting

Council acknowledges the provided Preliminary Services Plans (OSK6521-P040 & P041). Officers have identified inconsistencies between these drawings and the planned water supply arrangement for the area.

The subject development is planned to be serviced via a new (WSSIP Identified) DN200 water supply main from Bailey's Mountain Road, along with a new booster pump station to service the catchment. Depending on the timing of surrounding developments, it may be the responsibility

of the subject development to undertake the infrastructure upgrades/extensions on behalf of Council to provide the development with water supply.

The applicant is required to consider the timing of implementation of the existing approval 'MIN/2024/449' at 155 Baileys Mountain Road, to determine sequencing of infrastructure upgrade works.

Council will not accept water supply to 41 and 53 Courtney Drive via an extension of the existing Courtney Drive reticulation main. The acceptable outcome for this proposal is to extend the WSSIP planned water supply infrastructure via Baileys Mountain Road, via Courtney Drive to service the proposal on 41 and 53 Courtney Drive. The applicant shall consider the required sizing for the new mains extension to service the subject proposal and the other properties/future developments on both sides of Courtney Drive.

Based on the above requirements, the applicant is requested to amend the Preliminary Services Plans, ensuring that

- a The reticulation layout plans are consistent with Council's planned servicing strategy for the area.
- b The proposed sizing of all mains are clearly noted on the drawings; and,
- c The Water and Wastewater Assessment Report (OSK6521-0005) by OSKA Consulting is consistent with the amended Preliminary Services Plans and Council's planned servicing strategy for the area.

Furthermore, following a review of the Water and Wastewater Assessment Report (OSK6521-0005) by OSKA Consulting, Council has the following concerns:

- a Section 3.1 of the report states that the *'The proposed development is gravity supplied by the Peanba Park Road tanks (47 ML) approximately 1.5 km to the southeast. Figure 3 illustrates the extent of the greater Worongary Low Level Zone (LLZ) assessed.'* The applicant is to clarify how the Worongary LLZ assessment is linked with servicing this development.
- b Section 3.3 of the report states that *'....using the InfoWater model for the City's **southern potable water network (Northern v95_WSSIP_2019)** provided by the City.'* The wording in bold lettering should be amended in the report.
- c Section 3.4 of the report states that *'All demands from the proposed Breakwater Road development have been allocated evenly across the modelled internal nodes.'* The applicant is to explain how the Breakwater Road development is linked with this development.
- d Section 3.3.2 of the report speaks to the Baileys Mountain Road Booster Pump Relocation. The applicant is requested to provide a layout plan clearly illustrating the servicing boundaries for the proposed booster pump station, servicing not only the subject development site but future lots within the supply catchment. The calculated EP demand/flow and required pressure head is to be provided in Excel format for Council's review of the modelling findings.

39. Sewer reticulation schematic plan

In addition to the Preliminary Services Layout Plan which outlines the proposed gravity sewer horizontal alignment and points of connection to downstream infrastructure, provide to Council a conceptual longitudinal section confirming that the proposed gravity sewer main extension has sufficient cover and fall in compliance with the SEQ WS&S D&C Code.

40. Circulation and street access design

Council acknowledges the provided RCV swept path diagrams by TTM Consulting, which show multiple dead-end points in the road network where the CoGC RCV is required to undertake a 3-point turn. It is unclear how the proposed layout (with dead ends) will facilitate safe and efficient access for the RCV in these areas. The applicant is therefore requested to address the items below in order to demonstrate compliance with Performance outcome PO15 of the Reconfiguring a lot code:

- a Demonstrate how the proposed temporary turning areas withing lots 24, 44, 73, & 98 will ensure a smooth transition into the proposed roadways to facilitate the proposed RCV turning movements. Furthermore, provide to Council an indication of how long these temporary turning arrangements are planned to be in place, noting that it is always Council's preference that 18m diameter cul-de-sac heads are provided to facilitate RCV turning on site.
- b Amend the RCV Swept Path diagrams to include vehicle specifications in accordance with the 'City Plan Policy – Solid Waste Management' including the kerb-to-kerb turning radius as nominated in Appendix C of SC6.15 City plan policy – solid waste management code.
- c Manoeuvring clearances in accordance with AS2890.2 must be clearly depicted on drawings and demonstrate no obstructions exist for all waste servicing manoeuvres.
- d Ensure all RCV Swept Paths are signed by an appropriately qualified RPEQ.

Geotechnical Engineering

41. Landslide hazard code

In accordance with Performance outcome PO1, PO3 and PO3 of the Landslide hazard overlay code, the applicant is required to demonstrate:

- a Development is certified by an RPEQ as being responsive to the constraints of steeply sloping land;
- b Cut and fill work will not adversely affect slope stability or create erosion potential; and
- c Demonstrate wastewater disposal will not create or increase the likelihood of instability on the site or neighbouring sites.

42. Slope constraints and stability

Demonstrate development on any lot partially or completely mapped as moderate, high or very high landslide hazard, as identified on the Landslide hazard overlay map, is supported by an RPEQ certified geotechnical report, which adequately assesses and documents the site's geotechnical stability and constraints and incorporates necessary mitigation measures so that the level of landslide risk to property and person is low.

The geotechnical report should be prepared by a Registered Professional Engineer of Queensland (RPEQ) specialising in geotechnical engineering addressing the following issues in accordance with SC6.10 City Plan policy - Geotechnical stability assessment guidelines:

- a. The report should provide a site-specific landslide risk assessment for each proposed lot impacted by the Landslide Hazard Overlay. The risk assessment should be based on surface and subsurface geotechnical information of the site/lot. The report should demonstrate that each proposed lot achieves a landslide risk rating of 'Low' or better. The report should provide a summary table of the landslide risk assessment for the proposed lots. If the report determines any lot with a 'Moderate' or worse risk rating, it

- should recommend appropriate and adequate risk mitigation measures to reduce the risk rating to 'Low' or better;
- b. The report should include a certification from a Registered Professional Engineer of Queensland (RPEQ) specialising in geotechnical engineering confirming that each proposed lot achieves a landslide risk rating of 'low' or better and each lot is suitable for its intended use; and
 - c. The report should provide appropriate engineering recommendations for any earthworks in order to achieve and maintain a factor of safety of at least 1.5 in the long-term conditions.

Hydraulics and Water Quality

43. Maintenance access for bioretention basin

The development proposes multiple bioretention basins and the applicant is requested to provide further information to demonstrate compliance with the Healthy waters code, Land Development Guidelines (LDG) and best practice design in accordance with Healthy Land and Waters guidelines for bioretention basins.

The applicant has proposed to combined detention and bioretention at 3 different locations. Officers understand that the device will be dedicated to Council for future ownership. The applicant is requested to demonstrate that suitable maintenance access will be provided for each bio basin. e.g. How could machinery access the basins for maintenance activities such as vegetation management or filter media replacement?

44. Flood immunity for stormwater treatment systems

The applicant has proposed bioretention basin (lot 802) for peak flow mitigation and stormwater quality management purposes. It is generally expected that the bioretention basin is designed to have an immunity against 2 year ARI flood level (additionally refer to Table 4.23: Flood immunity and protection requirement for stormwater treatment systems). As such, the applicant is requested to demonstrate that the stormwater treatment systems are protected from future damage resulting from local flooding and the location of proposed bioretention basin is suitable and at an appropriate level.

45. Private road

The applicant is requested to demonstrate that the proposed cross drainage culverts underneath the private road (providing access to Lot 144 to 147) have been designed to comply with QUDM and LDG requirements. Specifically, the applicant is requested to demonstrate that the private road is safe for vehicular access for all events up to the 1% AEP, in accordance with QUDM requirements for depth and velocity. Where flow is permitted over access road the maximum flow depth * velocity should be 0.3m²/s in a 1% event.

Note – The removal of lots 144 – 147 and the private road has been requested by Environmental Assessment.

Advice Note

The applicant is advised that should Council give further advice about the application (in accordance with s35 of the DA Rules) to resolve outstanding items not adequately addressed within the information request response, the applicant will be requested to complete a 'Notice to Stop the Current Period' for the above-mentioned application until the items within the further advice are adequately addressed. Alternatively, the applicant may choose to provide a reasonable extension to the Decision period, as advised by the Assessment manager. If the applicant does not stop the

Current Period or provide a reasonable extension to the Decision period, Council officers will proceed with assessing and deciding the application based on the information provided in the information request response, which could result in an unfavourable recommendation by Council officers.

Notice to Stop the Current Period Form:

<https://dsdmipprd.blob.core.windows.net/general/Applicanttemplate9.0-Noticeaboutstoppingthecurrentperiod.doc>

DA Rules extract:

s35.1 An assessment manager or concurrence agency for the application may, at any time before the application is decided, give further advice about the application to the applicant.

s35.2 Further advice may include advice about how the applicant may change the application.

Response format

As this application was lodged electronically, please direct all future correspondence regarding this application in the required PDF format i.e.:

- **Supporting documents** (separate the supporting documents into individual PDF appendices)
- **Plans** (combine as one single PDF)
- **Specialist reports** (separate each specialist report into individual PDF appendices)

Do not password protect the PDF.

The electronic response should be forwarded to mail@goldcoast.qld.gov.au with the Assessment Manager Kyra Reid copied into the email kreid@goldcoast.qld.gov.au

Please note, all development applications are publicly viewable on the Council's City of Gold Coast's PD Online: cityofgoldcoast.com.au/pdonline

Contacting us

Should you wish to clarify any issues contained in this letter, please do not hesitate to contact Planning Assessment on 07 5582 8866.

Yours faithfully




Adam Morris
Coordinator Development Assessment (North)
For the Chief Executive Officer
Council of the City of Gold Coast

Attachment B

Development Layout



CONCEPT PLAN



NOT TO BE USED FOR ENGINEERING DESIGN
OR CONSTRUCTION

NOTES

This plan was prepared as a conceptual layout only. The information on this plan is not suitable for any other purpose.

Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions.

No reliance should be placed on the information on this plan for detailed subdivision design or for any financial dealings involving the land.

Pavements and centrelines shown are indicative only and are subject to Engineering Design.

Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

DCDB © State of Queensland (Department of Natural Resources and Mines) 2019.
Lidar Data © State of Queensland (Department of Natural Resources and Mines) 2016.

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

PROJECTION: GDA2020 MGA56
SUBJECT BOUNDARIES: LOT CALCULATIONS BY LANDPARTNERS
DATED 25/11/2024


LEGEND

- Site Boundary
- Major Contour (1.0m interval)
- Minor Contour (0.5m interval)
- Vegetation Management
- Traffic Calming & Landscape Treatment
- Proposed Temporary Turnaround Easement
- Indicative Binpad Location
- Stage Boundary
- Stage No.

DEVELOPMENT STATISTICS			
RESIDENTIAL ALLOTMENTS	No. Lots	%	Net Area
10.5m - 12.49m Frontage	64	34.0%	2.152 ha
12.5m - 13.99m Frontage	71	37.8%	2.851 ha
14m - 14.99m Frontage	29	15.4%	1.244 ha
> 15m Frontage	17	9.0%	0.866 ha
Irregular Frontage	7	3.7%	0.439 ha
Total Residential Allotments	188	100.0%	7.552 ha

Land Budget	Area (Ha)	%	
Area of Subject Site / Stage	18.266 ha		
Net Residential Area (no roads)	7.552 ha	41.3%	
Detention / Drainage	0.881 ha	4.8%	
Local Park	1.070 ha	5.9%	
Environmental Open Space	5.280 ha	28.9%	
Road Widening	0.026 ha	0.1%	
Road Areas	3.457 ha	18.9%	
Total	18.266 ha	100.0%	

RP DESCRIPTION: Lot 183 RP156422, Lot 184 RP173727, Lot 185 on RP173727, Lot 186 on RP173728, Lot 57 on SP214370 & Lot 56 on RP162858, Lot 58 on SP191940



NORFOLK ESTATES PTY LTD ATF SOLANDER INVESTMENT UNIT TRUST

Attachment C

Development Impact Assessment



2.01 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.


Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Storm water/outlet design
- GPS Tree Plot
- Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree retention subject to rehab works
 - Tree to retain
 - Tree to retain (neighbouring)

AMENDMENTS		Description	Drawn	Checked
Issue	Date			
E	9/07/2025	Engineering added, layout updated	TC	LB



2.02 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatial.information.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

LEGEND

- Qld DCDB
- Project boundary
- Detention Area
- Environmental Open Space
- Local Park
- Groundtruth top of high bank
- Proposed works extent
- Proposed lots
- Proposed road pavement
- Proposed sewer
- Proposed water
- Proposed stormwater

GPS Tree Plot (w/ TPZ)


- Non-juvenile Koala Habitat Tree
- Dead Tree (stag)
- Native Tree
- Introduced Tree/Weed Tree
- Tree to remove
- Tree to retain
- Tree retention subject to rehab works
- Tree to retain (neighbouring)

AMENDMENTS		Issue	Date	Description	Drawn	Checked
E	1	9/07/2025	Engineering added, layout update	TC	LB	

Address / RPD: Courtney Drive, Upper Coomera
Date: 9/07/2025
11 694 E 2 02 Development Assessment E

Scale: 0 5 10 15 m
1:400 @ A3 | Transverse Mercator | GDA 2020 | Zone 56

2.03 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.


LEGEND

- Qld DCDB
- Project boundary
- Detention Area
- Environmental Open Space
- Local Park
- Groundtruth top of high bank
- Proposed works extent
- Proposed lots
- Proposed road pavement
- Proposed sewer
- Proposed water
- Proposed stormwater
- GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.04 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB




The image is a detailed site plan of a residential development. It shows a grid of plots, each labeled with a number and its area in square meters (m²). The plots are numbered 1 through 203. A large '2' is placed in the center-right area. The plan includes roads, paths, and various colored circles (purple, blue, red) around specific points, likely representing trees or landmarks. A red line runs along the top left, and a blue line runs along the bottom right. The overall layout is a rectangular block with internal divisions.

LEGEND

	Qld DCDB
	Project boundary
	Detention Area
	Environmental Open Space
	Local Park
	Groundtruth top of high bank
	Proposed works extent
	Proposed lots
	Proposed road pavement
	Proposed sewer
	Proposed water
	Proposed stormwater
GPS Tree Plot (w/ TPZ)	
	Non-juvenile Koala Habitat Tree
	Dead Tree (stag)
	Native Tree
	Introduced Tree/Weed Tree
	Tree to remove
	Tree to retain
	Tree retention subject to rehab works
	Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



Address / RPD: Courtney Drive, Upper Coomera
Date: 9/07/2025
11694 E 2 05 Development Assessment E

LEGEND

	Qld DCDB
	Project boundary
	Detention Area
	Environmental Open Space
	Local Park
	Groundtruth top of high bank
	Proposed works extent
	Proposed lots
	Proposed road pavement
	Proposed sewer
	Proposed water
	Proposed stormwater
GPS Tree Plot (w/ TPZ)	
	Non-juvenile Koala Habitat Tree
	Dead Tree (stag)
	Native Tree
	Introduced Tree/Weed Tree
	Tree to remove
	Tree to retain
	Tree retention subject to rehab works
	Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB




Address / RPD: Courtney Drive, Upper Coomera

Date: 9/07/2025

11694 E 2 06 Development Assessment E



2.07 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

LEGEND

- Qld DCDB
- Project boundary
- Detention Area
- Environmental Open Space
- Local Park
- Groundtruth top of high bank
- Proposed works extent
- Proposed lots
- Proposed road pavement
- Proposed sewer
- Proposed water
- Proposed stormwater

GPS Tree Plot (w/ TPZ)

- Non-juvenile Koala Habitat Tree
- Dead Tree (stag)
- Native Tree
- Introduced Tree/Weed Tree
- Tree to remove
- Tree to retain
- Tree retention subject to rehab works
- Tree to retain (neighbouring)

AMENDMENTS		Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB		


N

0 5 10 15 m

1:400 @ A3 | Transverse Mercator | GDA 2020 | Zone 56



2.08 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.


Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS		Description		Drawn	Checked
Issue	Date			TC	LB
E	9/07/2025	Engineering added, layout update			



2.09 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.


- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS		Description		Drawn	Checked
Issue	Date			TC	LB
E	9/07/2025	Engineering added, layout update			

Address / RPD: Courtney Drive, Upper Coomera
Date: 9/07/2025
11 694 E 2 09 Development Assessment E



2.10 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
- GPS Tree Plot (w/ TPZ)
- Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS		Description		Drawn	Checked
Issue	Date			TC	LB
E	9/07/2025	Engineering added, layout update			



The map displays a complex land layout with various plots and buildings. Key features include:

- Plots and Areas:**
 - 1267m² (Green area, top left)
 - 671m² 504 (Yellow area, top center)
 - 400m² 503 (Yellow area, top center)
 - 400m² 502 (Yellow area, top center)
 - 400m² 501 (Yellow area, top center)
 - 336m² 412 (Yellow area, top center)
 - 400m² 413 (Yellow area, top center)
 - 440m² 414 (Yellow area, top center)
 - 398m² 411 (Yellow area, top center)
 - 920m² 409 (Yellow area, center)
 - 833m² 410 (Yellow area, center)
 - 428 448m² (Blue area, right)
 - 427 400m² (Blue area, right)
 - 426 400m² (Blue area, right)
 - 425 448m² (Blue area, right)
 - 448m² 229 (Blue area, bottom right)
- Buildings and Structures:**
 - Blue buildings (e.g., 1368, 1367, 1370, 1371, 1372, 1373, 1374, 1375, 1376, 1377, 1378, 1379, 1383, 1389, 1390, 1391, 1392)
 - Yellow buildings (e.g., 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349)
 - Red buildings (e.g., 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450)
- Infrastructure:**
 - Roads (e.g., 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50)
 - Railway line (e.g., 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50)
 - Water bodies (e.g., 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50)
- Other Features:**
 - Large number '4' (bottom right)
 - Various symbols and markers (e.g., circles, squares, triangles, diamonds)

LEGEND

	Qld DCDB
	Project boundary
	Detention Area
	Environmental Open Space
	Local Park
	Groundtruth top of high bank
	Proposed works extent
	Proposed lots
	Proposed road pavement
	Proposed sewer
	Proposed water
	Proposed stormwater
GPS Tree Plot (w/ TPZ)	
	Non-juvenile Koala Habitat Tree
	Dead Tree (stag)
	Native Tree
	Introduced Tree/Weed Tree
	Tree to remove
	Tree to retain
	Tree retention subject to rehab works
	Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB




Date: 9/07/2025

11694 E 2 11 Development Assessment E



2.12 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
- GPS Tree Plot (w/ TPZ)
- Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.13 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
- GPS Tree Plot (w/ TPZ)
- Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)


AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



11694 E 2 14 Development Assessment E




2.15 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.16 DEVELOPMENT ASSESSMENT (TREE PLOT)




58
SP191940


Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qids.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.17 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.


Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qids.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS		Description		Drawn	Checked
Issue	Date			TC	LB
E	9/07/2025	Engineering added, layout update			



2.18 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

LEGEND

Qld DCDB

Project boundary

Detention Area

Environmental Open Space

Local Park

Groundtruth top of high bank

Proposed works extent

Proposed lots

Proposed road pavement

S

Proposed sewer

W

Proposed water

SW

Proposed stormwater

GPS Tree Plot (w/ TPZ)

Non-juvenile Koala Habitat Tree

Dead Tree (stag)

Native Tree

Introduced Tree/Weed Tree

Tree to remove

Tree to retain

Tree retention subject to rehab works

Tree to retain (neighbouring)

AMENDMENTS

Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB

N

0 5 10 15 m


1:400 @ A3 | Transverse Mercator | GDA 2020 | Zone 56

Address / RPD: Courtney Drive, Upper Coomera

Date: 9/07/2025

11 694 E 2 18 Development Assessment E

2.19 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.


Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatial.information.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.20 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.


Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.21 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatial.information.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

LEGEND

Qld DCDB

Project boundary

Detention Area

Environmental Open Space

Local Park

Groundtruth top of high bank

Proposed works extent

Proposed lots

Proposed road pavement

S

Proposed sewer

W

Proposed water

SW

Proposed stormwater

GPS Tree Plot (w/ TPZ)

Non-juvenile Koala Habitat Tree

Dead Tree (stag)

Native Tree

Introduced Tree/Weed Tree


Tree to remove

Tree to retain


Tree retention subject to rehab works

Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.22 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qids.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.


LEGEND

- Qld DCDB
- Project boundary
- Detention Area
- Environmental Open Space
- Local Park
- Groundtruth top of high bank
- Proposed works extent
- Proposed lots
- Proposed road pavement
- Proposed sewer
- Proposed water
- Proposed stormwater
- GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.23 DEVELOPMENT ASSESSMENT (TREE PLOT)



900
SP205578

A
SP205578
1
SP205578
B
SP205578


Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatial.information.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND
- Qld DCDB
 - Project boundary
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed sewer
 - Proposed water
 - Proposed stormwater
 - GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB



2.24 DEVELOPMENT ASSESSMENT (TREE PLOT)



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatial.information.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

LEGEND

- Qld DCDB
- Project boundary
- Detention Area
- Environmental Open Space
- Local Park
- Groundtruth top of high bank
- Proposed works extent
- Proposed lots
- Proposed road pavement
- Proposed sewer
- Proposed water
- Proposed stormwater
- GPS Tree Plot (w/ TPZ)
 - Non-juvenile Koala Habitat Tree
 - Dead Tree (stag)
 - Native Tree
 - Introduced Tree/Weed Tree
 - Tree to remove
 - Tree to retain
 - Tree retention subject to rehab works
 - Tree to retain (neighbouring)

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout update	TC	LB

Address / RPD: Courtney Drive, Upper Coomera

Date: 9/07/2025

11 694 E 2 24 Development Assessment E

0 5 10 15 m

1:400 @ A3 | Transverse Mercator | GDA 2020 | Zone 56

Attachment D

Development Impact Assessment (vegetation)



2.01 DEVELOPMENT ASSESSMENT (TREE PLOT)




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of Saunders Havill. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
© State of Queensland (Department of Resources) 2025.
Updated data available at
<http://qds.spatialinformation.qld.gov.au/catalogue/>
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- LEGEND**
- Qld DCDB
 - GC Vegetation Management - General
 - GC Vegetation Management - Medium
 - Project boundary
 - GC Regulated Vegetation
 - Detention Area
 - Environmental Open Space
 - Local Park
 - Groundtruth top of high bank
 - Proposed works extent
 - Proposed lots
 - Proposed road pavement
 - Proposed stormwater/outlets
 - 15m waterway offset
 - Veg. Management General - 1,415m²
 - Veg. Management Medium - 390m²

AMENDMENTS				
Issue	Date	Description	Drawn	Checked
E	9/07/2025	Engineering added, layout updates	TC	LB



Attachment E

Tree Schedule



TREE SCHEDULE V4 - 11694 COURTNEY DRIVE, UPPER COOMERA (Norfolk Estates Pty Ltd) Date: 2025/07/09																														
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1	<i>Eucalyptus siderophloia</i>	Grey Ironbark	700		700	220	24.0	9.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove	
2	<i>Eucalyptus siderophloia</i>	Grey Ironbark	500		500	157	22.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove	
3	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
4	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	12.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
5	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
6	<i>Corymbia intermedia</i>	Pink Bloodwood	330	200	386	121	12.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
7	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
8	<i>Syagrus romanzoffiana</i>	Cocos Palm	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
9	<i>Acacia disparrima</i>	Hickory Wattle	290		290	91	10.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
10	<i>Corymbia intermedia</i>	Pink Bloodwood	490	220	537	169	19.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
11	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
12	<i>Glochidion ferdinandi</i>	Cheese Tree	180		180	57	11.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
13	<i>Corymbia intermedia</i>	Pink Bloodwood	400		400	126	17.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
14	<i>Corymbia intermedia</i>	Pink Bloodwood	430	300, 300	604	190	22.0	12.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
15	<i>Acacia melanoxylon</i>	Australian Blackwood	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
16	<i>Acacia melanoxylon</i>	Australian Blackwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
17	<i>Acacia melanoxylon</i>	Australian Blackwood	140		140	44	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
18	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
19	<i>Corymbia intermedia</i>	Pink Bloodwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
20	<i>Acacia disparrima</i>	Hickory Wattle	450		450	141	16.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
21	<i>Corymbia intermedia</i>	Pink Bloodwood	590		590	185	23.0	10.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
22	<i>Corymbia intermedia</i>	Pink Bloodwood	1020		1020	320	20.0	10.0	12.2	3.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
23	<i>Acacia disparrima</i>	Hickory Wattle	240	190	306	96	12.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
24	<i>Lophostemon suaveolens</i>	Swamp Box	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
25	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
26	<i>Corymbia intermedia</i>	Pink Bloodwood	120		120	38	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
27	<i>Corymbia intermedia</i>	Pink Bloodwood	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
28	<i>Corymbia intermedia</i>	Pink Bloodwood	130	120	177	56	9.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
29	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
30	<i>Corymbia intermedia</i>	Pink Bloodwood	110	80	136	43	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
31	<i>Eucalyptus tereticornis</i>	Forest Red Gum	190		190	60	15.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
32	<i>Eucalyptus siderophloia</i>	Grey Ironbark	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
33	<i>Acacia disparrima</i>	Hickory Wattle	190	140	236	74	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
34	Acacia melanoxylon	Australian Blackwood	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
35	Corymbia intermedia	Pink Bloodwood	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
36	Eucalyptus siderophloia	Grey Ironbark	580		580	182	22.0	10.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
37	Acacia concurrens	Black Wattle	140	130	191	60	12.0	6.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
38	Corymbia intermedia	Pink Bloodwood	440		440	138	17.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
39	Acacia disparrima	Hickory Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
40	Acacia concurrens	Black Wattle	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
41	Acacia concurrens	Black Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
42	Eucalyptus siderophloia	Grey Ironbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
43	Acacia concurrens	Black Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
44	Acacia disparrima	Hickory Wattle	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
45	Corymbia torelliana	Cadaghi	220	180, 150	321	101	12.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
46	Eucalyptus siderophloia	Grey Ironbark	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
47	Eucalyptus siderophloia	Grey Ironbark	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
48	Corymbia intermedia	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
49	Corymbia intermedia	Pink Bloodwood	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
50	Eucalyptus tereticornis	Forest Red Gum	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
51	Acacia concurrens	Black Wattle	170	170	240	76	11.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
52	Eucalyptus siderophloia	Grey Ironbark	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
53	Acacia disparrima	Hickory Wattle	460	330, 300	641	201	15.0	7.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
54	Eucalyptus tereticornis	Forest Red Gum	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
55	Acacia disparrima	Hickory Wattle	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
56	Cinnamomum camphora	Camphor Laurel	200	200, 180, 170, 170, 160	442	139	14.0	11.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
57	Ficus macrophylla	Moreton Bay Fig	370		370	116	14.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
58	Brachychiton acerifolius	Illawara Flame Tree	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
59	Macaranga tanarius	Macaranga	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
60	Eucalyptus siderophloia	Grey Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
61	Schefflera actinophylla	Umbrella Tree	120	120, 120, 120, 120, 100	286	90	9.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
62	Acacia disparrima	Hickory Wattle	110	100, 100	179	56	9.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
63	Acacia disparrima	Hickory Wattle	110		110	35	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
64	Eucalyptus siderophloia	Grey Ironbark	590		590	185	22.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	
65	Acacia disparrima	Hickory Wattle	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
66	Acacia disparrima	Hickory Wattle	240		240	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
67	Corymbia intermedia	Pink Bloodwood	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
68	Acacia disparrima	Hickory Wattle	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
69	Acacia disparrima	Hickory Wattle	130		130	41	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
70	Eucalyptus siderophloia	Grey Ironbark	170	150	227	71	12.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
71	Acacia disparrima	Hickory Wattle	150	100, 100	206	65	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
72	Acacia disparrima	Hickory Wattle	120	100	156	49	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
73	Acacia disparrima	Hickory Wattle	180	170, 170, 160	340	107	11.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
74	Corymbia intermedia	Pink Bloodwood	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
75	Pinus elliotii	Slash Pine	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
76	Acacia disparrima	Hickory Wattle	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
77	Acacia disparrima	Hickory Wattle	520		520	163	12.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
78	Pinus elliotii	Slash Pine	140	140	198	62	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
79	Corymbia torelliana	Cadaghi	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
80	Corymbia intermedia	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
81	DEAD/STAG		560		560	176	15.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
82	Acacia melanoxydon	Australian Blackwood	140	140	198	62	6.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
83	Eucalyptus tereticornis	Forest Red Gum	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
84	Eucalyptus tereticornis	Forest Red Gum	620	560	835	262	18.0	10.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
85	Acacia disparrima	Hickory Wattle	400		400	126	14.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
86	Corymbia intermedia	Pink Bloodwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
87	Brachychiton acerifolius	Illawara Flame Tree	250		250	79	9.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
88	Inga edulis	Ice-cream Bean	380		380	119	12.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
89	Archontophoenix cunninghamiana	Bangalow Palm	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
90	Schizolobium parahyba	Yellow Jacaranda	710		710	223	22.0	12.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
91	Archontophoenix cunninghamiana	Bangalow Palm	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
92	Archontophoenix cunninghamiana	Bangalow Palm	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
93	Archontophoenix cunninghamiana	Bangalow Palm	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
94	Archontophoenix cunninghamiana	Bangalow Palm	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
95	Syagrus romanzoffiana	Cocos Palm	280		280	88	14.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
96	Citharexylum spinosum	Fiddlewood	480	400	625	196	16.0	12.0	7.5	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
97	Acacia melanoxydon	Australian Blackwood	140	120	184	58	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
98	Acacia melanoxydon	Australian Blackwood	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
99	Corymbia torelliana	Cadaghi	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
100	Acacia melanoxydon	Australian Blackwood	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
101	Acacia melanoxydon	Australian Blackwood	170	170	240	76	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
102	Acacia disparrima	Hickory Wattle	220	170	278	87	12.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
103	Acacia disparrima	Hickory Wattle	280		280	88	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
104	Acacia melanoxydon	Australian Blackwood	170	130	214	67	9.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
105	Acacia disparrima	Hickory Wattle	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
106	Acacia melanoxydon	Australian Blackwood	170	120	208	65	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
107	Acacia disparrima	Hickory Wattle	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
108	<i>Corymbia intermedia</i>	Pink Bloodwood	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
109	<i>Lophostemon suaveolens</i>	Swamp Box	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
110	<i>Acacia disparrima</i>	Hickory Wattle	190	120	225	71	12.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
111	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	8.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
112	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	8.0	7.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
113	<i>Acacia disparrima</i>	Hickory Wattle	230	150	275	86	12.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
114	<i>Acacia disparrima</i>	Hickory Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
115	<i>Acacia melanoxyton</i>	Australian Blackwood	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
116	<i>Acacia melanoxyton</i>	Australian Blackwood	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
117	<i>Acacia melanoxyton</i>	Australian Blackwood	290		290	91	16.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
118	<i>Acacia melanoxyton</i>	Australian Blackwood	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
119	<i>Acacia melanoxyton</i>	Australian Blackwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
120	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
121	<i>Glochidion sumatranum</i>	Long leaf Cheese Tree	220		220	69	10.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
122	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
123	<i>Acacia disparrima</i>	Hickory Wattle	160	140	213	67	8.0	7.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
124	<i>Corymbia intermedia</i>	Pink Bloodwood	750		750	236	23.0	13.0	9.0	2.9	Regular	-	-	-	-	-	Typical	-	Both	-	-	Typical	-	-	-	-	-	-	Remove	
125	<i>Acacia disparrima</i>	Hickory Wattle	290	160	331	104	15.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
126	<i>Eriobotrya japonica</i>	Loquat	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
127	<i>Glochidion sumatranum</i>	Long leaf Cheese Tree	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
128	<i>Citharexylum spinosum</i>	Fiddlewood	200	200	283	89	12.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
129	<i>Mangifera indica</i>	Mango	250	250	354	111	11.0	5.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
130	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
131	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
132	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	120		120	38	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
133	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
134	<i>Acacia disparrima</i>	Hickory Wattle	220	220, 200	370	116	12.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
135	<i>Angophora leiocarpa</i>	Smooth-barked Apple	300		300	94	14.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
136	<i>Angophora leiocarpa</i>	Smooth-barked Apple	280		280	88	8.0	5.0	3.4	1.9	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
137	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
138	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
139	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
140	<i>Corymbia torelliana</i>	Cadaghi	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
141	<i>Acacia concurrens</i>	Black Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
142	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	11.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
143	<i>Acacia disparrima</i>	Hickory Wattle	330		330	104	12.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
144	<i>Acacia disparrima</i>	Hickory Wattle	480		480	151	14.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
145	Acacia concurrens	Black Wattle	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
146	Acacia concurrens	Black Wattle	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
147	Acacia disparrima	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
148	Acacia disparrima	Hickory Wattle	340		340	107	12.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
149	Acacia disparrima	Hickory Wattle	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
150	Acacia disparrima	Hickory Wattle	120	120	170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
151	Acacia disparrima	Hickory Wattle	180	180	255	80	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
152	Corymbia intermedia	Pink Bloodwood	180		180	57	8.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
153	Acacia disparrima	Hickory Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
154	Acacia disparrima	Hickory Wattle	140	120	184	58	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
155	Acacia disparrima	Hickory Wattle	430		430	135	12.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
156	Corymbia torelliana	Cadaghi	500		500	157	15.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
157	Corymbia torelliana	Cadaghi	650		650	204	16.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
158	Corymbia intermedia	Pink Bloodwood	290		290	91	15.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
159	Acacia disparrima	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
160	Acacia disparrima	Hickory Wattle	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
161	Acacia disparrima	Hickory Wattle	250	170	302	95	12.0	7.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
162	Eucalyptus siderophloia	Grey Ironbark	320		320	101	16.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
163	Acacia disparrima	Hickory Wattle	150	150	212	67	9.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
164	Acacia disparrima	Hickory Wattle	190		190	60	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
165	Acacia disparrima	Hickory Wattle	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
166	Eucalyptus tereticornis	Forest Red Gum	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
167	Pinus elliotii	Slash Pine	150	150	212	67	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
168	Pinus elliotii	Slash Pine	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
169	Corymbia intermedia	Pink Bloodwood	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
170	Corymbia intermedia	Pink Bloodwood	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
171	Pinus elliotii	Slash Pine	250		250	79	16.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
172	Acacia disparrima	Hickory Wattle	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
173	Pinus elliotii	Slash Pine	370		370	116	22.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
174	Eucalyptus tereticornis	Forest Red Gum	220		220	69	14.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
175	Eucalyptus tereticornis	Forest Red Gum	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
176	Acacia disparrima	Hickory Wattle	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
177	Acacia disparrima	Hickory Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
178	Acacia disparrima	Hickory Wattle	450		450	141	14.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
179	Acacia disparrima	Hickory Wattle	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
180	Corymbia intermedia	Pink Bloodwood	520		520	163	20.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
181	Pinus elliotii	Slash Pine	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
182	<i>Pinus elliotii</i>	Slash Pine	180		180	57	10.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
183	<i>Lophostemon suaveolens</i>	Swamp Box	100		100	31	7.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
184	<i>Pinus elliotii</i>	Slash Pine	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
185	<i>Eucalyptus tereticornis</i>	Forest Red Gum	390		390	123	15.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
186	<i>Koelreuteria elegans</i>	Golden Raintree	360	150	390	123	12.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
187	<i>Pinus elliotii</i>	Slash Pine	500		500	157	20.0	10.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
188	<i>Pinus elliotii</i>	Slash Pine	410		410	129	19.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
189	<i>Alphitonia excelsa</i>	Soap Tree	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
190	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	16.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
191	<i>Eucalyptus tereticornis</i>	Forest Red Gum	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
192	<i>Eucalyptus tereticornis</i>	Forest Red Gum	320		320	101	22.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
193	<i>Eucalyptus tereticornis</i>	Forest Red Gum	380		380	119	23.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
194	<i>Eucalyptus tereticornis</i>	Forest Red Gum	420		420	132	23.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
195	<i>Pinus elliotii</i>	Slash Pine	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
196	<i>Pinus elliotii</i>	Slash Pine	230		230	72	12.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
197	<i>Pinus elliotii</i>	Slash Pine	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
198	<i>Pinus elliotii</i>	Slash Pine	320	100	335	105	12.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
199	<i>Pinus elliotii</i>	Slash Pine	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
200	<i>Pinus elliotii</i>	Slash Pine	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
201	<i>Pinus elliotii</i>	Slash Pine	390		390	123	14.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
202	<i>Acacia dispartima</i>	Hickory Wattle	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
203	<i>Pinus elliotii</i>	Slash Pine	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
204	<i>Pinus elliotii</i>	Slash Pine	310		310	97	12.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
205	<i>Pinus elliotii</i>	Slash Pine	340		340	107	14.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
206	<i>Pinus elliotii</i>	Slash Pine	280		280	88	14.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
207	<i>Pinus elliotii</i>	Slash Pine	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
208	<i>Pinus elliotii</i>	Slash Pine	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
209	<i>Pinus elliotii</i>	Slash Pine	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
210	<i>Pinus elliotii</i>	Slash Pine	220		220	69	14.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
211	<i>Pinus elliotii</i>	Slash Pine	410		410	129	16.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
212	<i>Pinus elliotii</i>	Slash Pine	450		450	141	16.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
213	<i>Pinus elliotii</i>	Slash Pine	360		360	113	17.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
214	<i>Pinus elliotii</i>	Slash Pine	320		320	101	17.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
215	<i>Pinus elliotii</i>	Slash Pine	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
216	<i>Acacia dispartima</i>	Hickory Wattle	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
217	<i>Grevillea robusta</i>	Silky Oak	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
218	<i>Pinus elliotii</i>	Slash Pine	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
219	<i>Pinus elliotii</i>	Slash Pine	400		400	126	17.0	6.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
220	<i>Pinus elliotii</i>	Slash Pine	310		310	97	16.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
221	<i>Pinus elliotii</i>	Slash Pine	370		370	116	14.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
222	<i>Pinus elliotii</i>	Slash Pine	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
223	<i>Pinus elliotii</i>	Slash Pine	400		400	126	18.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
224	<i>Pinus elliotii</i>	Slash Pine	300		300	94	14.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
225	<i>Pinus elliotii</i>	Slash Pine	150	150	212	67	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
226	<i>Pinus elliotii</i>	Slash Pine	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
227	<i>Pinus elliotii</i>	Slash Pine	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
228	<i>Pinus elliotii</i>	Slash Pine	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
229	<i>Pinus elliotii</i>	Slash Pine	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
230	<i>Pinus elliotii</i>	Slash Pine	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
231	<i>Pinus elliotii</i>	Slash Pine	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
232	<i>Pinus elliotii</i>	Slash Pine	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
233	<i>Pinus elliotii</i>	Slash Pine	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
234	<i>Pinus elliotii</i>	Slash Pine	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
235	<i>Pinus elliotii</i>	Slash Pine	360		360	113	13.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
236	<i>Pinus elliotii</i>	Slash Pine	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
237	<i>Pinus elliotii</i>	Slash Pine	390		390	123	16.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
238	<i>Pinus elliotii</i>	Slash Pine	330		330	104	15.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
239	<i>Pinus elliotii</i>	Slash Pine	420		420	132	16.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
240	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
241	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
242	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
243	<i>Acacia concurrens</i>	Black Wattle	150		150	47	8.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
244	<i>Eucalyptus tereticornis</i>	Forest Red Gum	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
245	<i>Acacia disparrima</i>	Hickory Wattle	450		450	141	9.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
246	<i>Acacia disparrima</i>	Hickory Wattle	450		450	141	10.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
247	<i>Pinus elliotii</i>	Slash Pine	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
248	<i>Acacia melanoxylon</i>	Australian Blackwood	170		170	53	7.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
249	<i>Eucalyptus grandis</i>	Flooded Gum	630		630	198	25.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
250	<i>Melaleuca saligna</i>	White Bottlebrush	290	260	389	122	12.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
251	<i>Pinus elliotii</i>	Slash Pine	340		340	107	16.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
252	<i>Pinus elliotii</i>	Slash Pine	340		340	107	17.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
253	<i>Pinus elliotii</i>	Slash Pine	330		330	104	17.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
254	<i>Pinus elliotii</i>	Slash Pine	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
255	<i>Pinus elliotii</i>	Slash Pine	360		360	113	19.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
256	<i>Pinus elliotii</i>	Slash Pine	270		270	85	16.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
257	<i>Pinus elliotii</i>	Slash Pine	240	100	260	82	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
258	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
259	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
260	<i>Acacia melanoxylon</i>	Australian Blackwood	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
261	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
262	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	10.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
263	<i>Lophostemon confertus</i>	Brush Box	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
264	<i>Acacia disparrima</i>	Hickory Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
265	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
266	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
267	<i>Eucalyptus grandis</i>	Flooded Gum	530	230	578	182	17.0	9.0	6.9	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
268	<i>Pinus elliotii</i>	Slash Pine	200		200	63	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
269	<i>Pinus elliotii</i>	Slash Pine	320		320	101	15.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
270	<i>Pinus elliotii</i>	Slash Pine	330		330	104	15.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
271	<i>Ficus watkinsiana</i>	Strangler Fig	500		500	157	8.0	7.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
272	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
273	<i>Syagrus romanzoffiana</i>	Cocos Palm	300		300	94	8.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
274	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
275	<i>Jacaranda mimosifolia</i>	Jacaranda	270		270	85	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
276	<i>Jacaranda mimosifolia</i>	Jacaranda	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
277	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	15.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
278	<i>Corymbia citriodora</i>	Spotted Gum	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
279	<i>Corymbia torelliana</i>	Cadaghi	600		600	188	12.0	8.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
280	<i>Eucalyptus grandis</i>	Flooded Gum	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
281	<i>Eucalyptus grandis</i>	Flooded Gum	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
282	<i>Eucalyptus grandis</i>	Flooded Gum	450		450	141	18.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
283	<i>Eucalyptus grandis</i>	Flooded Gum	220		220	69	13.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
284	<i>Eucalyptus grandis</i>	Flooded Gum	550		550	173	19.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
285	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	120	100	156	49	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
286	<i>Eucalyptus tereticornis</i>	Forest Red Gum	100	100	141	44	4.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
287	<i>Acacia disparrima</i>	Hickory Wattle	380		380	119	16.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
288	<i>Jacaranda mimosifolia</i>	Jacaranda	260		260	82	6.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
289	<i>Spathodea companulata</i>	African Tulip	320	220, 200, 180, 160, 160	524	165	8.0	7.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
290	<i>Eucalyptus grandis</i>	Flooded Gum	530		530	167	21.0	9.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
291	<i>Lophostemon suaveolens</i>	Swamp Box	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
292	<i>Pinus elliotii</i>	Slash Pine	440		440	138	18.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
293	<i>Pinus elliotii</i>	Slash Pine	350		350	110	16.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
294	<i>Pinus elliotii</i>	Slash Pine	430		430	135	17.0	8.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
295	<i>Pinus elliotii</i>	Slash Pine	340		340	107	18.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
296	<i>Pinus elliotii</i>	Slash Pine	480		480	151	18.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
297	<i>Pinus elliotii</i>	Slash Pine	600		600	188	18.0	9.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
298	<i>Eucalyptus siderophloia</i>	Grey Ironbark	180		180	57	5.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
299	<i>Eucalyptus siderophloia</i>	Grey Ironbark	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
300	<i>Corymbia intermedia</i>	Pink Bloodwood	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
301	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	15.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
302	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	16.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
303	<i>Corymbia intermedia</i>	Pink Bloodwood	130		130	41	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
304	<i>Eucalyptus siderophloia</i>	Grey Ironbark	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
305	<i>Corymbia intermedia</i>	Pink Bloodwood	150	130	198	62	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
306	<i>Glochidion sumatranum</i>	Long leaf Cheese Tree	340		340	107	11.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
307	<i>Acacia melanoxylon</i>	Australian Blackwood	130		130	41	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
308	<i>Acacia melanoxylon</i>	Australian Blackwood	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
309	<i>Corymbia intermedia</i>	Pink Bloodwood	410		410	129	19.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
310	<i>Glochidion sumatranum</i>	Long leaf Cheese Tree	340		340	107	14.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
311	<i>Acacia disparrima</i>	Hickory Wattle	360		360	113	11.0	6.0	4.3	2.2	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
312	<i>Eucalyptus siderophloia</i>	Grey Ironbark	350		350	110	17.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
313	<i>Eucalyptus siderophloia</i>	Grey Ironbark	540		540	170	20.0	9.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
314	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	6.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
315	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
316	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
317	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
318	<i>Acacia melanoxylon</i>	Australian Blackwood	340		340	107	8.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
319	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
320	<i>Acacia melanoxylon</i>	Australian Blackwood	340		340	107	9.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
321	<i>Acacia melanoxylon</i>	Australian Blackwood	220		220	69	7.0	5.0	2.6	1.8	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
322	<i>Acacia melanoxylon</i>	Australian Blackwood	280		280	88	8.0	5.0	3.4	1.9	Regular	-	Thinning	Die-back	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
323	<i>Acacia melanoxylon</i>	Australian Blackwood	230		230	72	6.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
324	<i>Acacia melanoxylon</i>	Australian Blackwood	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
325	<i>Acacia melanoxylon</i>	Australian Blackwood	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
326	<i>Acacia melanoxylon</i>	Australian Blackwood	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
327	<i>Corymbia intermedia</i>	Pink Bloodwood	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
328	<i>Corymbia intermedia</i>	Pink Bloodwood	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
329	<i>Corymbia torelliana</i>	Cadaghi	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
330	Acacia disparrima	Hickory Wattle	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
331	Acacia disparrima	Hickory Wattle	220	180	284	89	14.0	10.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
332	Acacia disparrima	Hickory Wattle	380		380	119	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
333	Acacia disparrima	Hickory Wattle	420		420	132	17.0	11.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
334	Corymbia intermedia	Pink Bloodwood	470		470	148	22.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
335	Acacia disparrima	Hickory Wattle	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
336	Acacia leiocalyx	Early Flowering Wattle	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
337	Eucalyptus siderophloia	Grey Ironbark	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
338	Acacia disparrima	Hickory Wattle	220	210	304	96	11.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
339	Eucalyptus siderophloia	Grey Ironbark	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
340	Acacia leiocalyx	Early Flowering Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
341	Eucalyptus siderophloia	Grey Ironbark	220		220	69	12.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
342	Eucalyptus siderophloia	Grey Ironbark	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
343	Corymbia intermedia	Pink Bloodwood	220		220	69	13.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
344	Corymbia intermedia	Pink Bloodwood	410		410	129	19.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
345	Corymbia intermedia	Pink Bloodwood	250		250	79	12.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
346	Acacia disparrima	Hickory Wattle	230	230	325	102	14.0	6.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
347	Eucalyptus siderophloia	Grey Ironbark	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
348	Acacia leiocalyx	Early Flowering Wattle	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
349	Alphitonia excelsa	Soap Tree	150	140, 130	243	76	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
350	Corymbia intermedia	Pink Bloodwood	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
351	Syagrus romanzoffiana	Cocos Palm	180		180	57	3.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
352	Corymbia intermedia	Pink Bloodwood	330		330	104	15.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
353	Alphitonia excelsa	Soap Tree	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
354	Eucalyptus siderophloia	Grey Ironbark	490		490	154	21.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Remove	
355	Acacia disparrima	Hickory Wattle	220		220	69	6.0	3.0	2.6	1.8	Regular	-	Thinning	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
356	Acacia disparrima	Hickory Wattle	150		150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
357	Acacia disparrima	Hickory Wattle	140		140	44	7.0	3.0	2.0	1.4	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
358	Eucalyptus tereticornis	Forest Red Gum	695		695	218	25.0	16.0	8.3	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	
359	Jagera pseudorhus	Foam Bark	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
360	Corymbia intermedia	Pink Bloodwood	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
361	Glochidion ferdinandi	Cheese Tree	270		270	85	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
362	Archontophoenix cunninghamiana	Bangalow Palm	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
363	Eucalyptus siderophloia	Grey Ironbark	340		340	107	16.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain	
364	Eucalyptus siderophloia	Grey Ironbark	405		405	127	27.0	15.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	
365	Acacia disparrima	Hickory Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
366	Acacia disparrima	Hickory Wattle	190		190	60	6.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
367	Acacia leiocalyx	Early Flowering Wattle	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
368	Corymbia intermedia	Pink Bloodwood	210		210	66	14.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
369	Acacia leiocalyx	Early Flowering Wattle	170		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
370	Acacia disparrima	Hickory Wattle	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
371	Eucalyptus tereticornis	Forest Red Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
372	Acacia disparrima	Hickory Wattle	180		180	57	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
373	Eucalyptus siderophloia	Grey Ironbark	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
374	Acacia disparrima	Hickory Wattle	360		360	113	13.0	8.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
375	Acacia disparrima	Hickory Wattle	280		280	88	11.0	5.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
376	Acacia leiocalyx	Early Flowering Wattle	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
377	Acacia disparrima	Hickory Wattle	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
378	Acacia disparrima	Hickory Wattle	210	150	258	81	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
379	Eucalyptus siderophloia	Grey Ironbark	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
380	Corymbia intermedia	Pink Bloodwood	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
381	Acacia disparrima	Hickory Wattle	280		280	88	8.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
382	Acacia disparrima	Hickory Wattle	370	330	496	156	7.0	9.0	5.9	2.5	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Poor	-	-	-	-	-	-	Retain	
383	Acacia disparrima	Hickory Wattle	310		310	97	8.0	5.0	3.7	2.0	Regular	-	Thinning	Die-back	-	-	Poor	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
384	Corymbia torelliana	Cadaghi	230		230	72	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
385	Eucalyptus siderophloia	Grey Ironbark	180		180	57	7.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
386	Acacia leiocalyx	Early Flowering Wattle	210		210	66	5.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
387	Acacia leiocalyx	Early Flowering Wattle	140		140	44	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
388	Acacia disparrima	Hickory Wattle	190	170	255	80	7.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
389	Pinus elliotii	Slash Pine	240		240	75	6.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
390	Acacia disparrima	Hickory Wattle	210		210	66	6.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
391	Acacia leiocalyx	Early Flowering Wattle	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
392	Acacia disparrima	Hickory Wattle	340		340	107	11.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
393	Pinus elliotii	Slash Pine	300		300	94	9.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
394	Corymbia intermedia	Pink Bloodwood	390		390	123	20.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain	
395	Corymbia intermedia	Pink Bloodwood	270		270	85	15.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
396	Corymbia intermedia	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
397	Acacia disparrima	Hickory Wattle	250	230	340	107	12.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
398	Corymbia intermedia	Pink Bloodwood	240		240	75	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
399	Corymbia intermedia	Pink Bloodwood	190		190	60	9.0	2.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
400	Acacia disparrima	Hickory Wattle	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
401	Ficus benamina	Weeping Fig	420	410	587	184	16.0	11.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
402	Radermachera sinica	China Doll Tree	210	160	264	83	8.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
403	Delonix regia	Poinciana	140	120	184	58	6.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
404	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	340		340	107	21.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
405	<i>Araucaria bidwillii</i>	Bunya Pine	560		560	176	17.0	9.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
406	<i>Jacaranda mimosifolia</i>	Jacaranda	560		560	176	17.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
407	<i>Araucaria heterophylla</i>	Norfolk Island Pine	450		450	141	15.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
408	<i>Ficus obliqua</i>	Small-leaved Fig	1985		1985	624	24.0	20.0	15.0	4.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
409	<i>Castanospermum australe</i>	Black Bean	280	260	382	120	17.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
410	<i>Mangifera indica</i>	Mango	360		360	113	12.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
411	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
412	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	240		240	75	13.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
413	<i>Macadamia integrifolia</i>	Macadamia Nut	270	240, 200	413	130	14.0	6.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
414	<i>Libidibia ferrea</i>	Leopard Tree	410	290	502	158	17.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
415	<i>Macadamia tetraphylla</i>	Rough-shelled Macadamia Nut	290	240, 140	402	126	13.0	5.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
416	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	7.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
417	<i>Acacia disparrima</i>	Hickory Wattle	360		360	113	8.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
418	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
419	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
420	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	10.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
421	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	370		370	116	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
422	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
423	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
424	<i>Acacia disparrima</i>	Hickory Wattle	190	160, 140	285	90	12.0	7.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
425	<i>Acacia disparrima</i>	Hickory Wattle	170	130	214	67	12.0	6.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
426	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	13.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
427	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
428	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
429	<i>Glochidion sumatranum</i>	Long leaf Cheese Tree	310	220	380	119	13.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
430	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
431	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
432	<i>Glochidion sumatranum</i>	Long leaf Cheese Tree	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
433	<i>Acacia melanoxyton</i>	Australian Blackwood	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
434	<i>Acacia melanoxyton</i>	Australian Blackwood	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
435	<i>Acacia melanoxyton</i>	Australian Blackwood	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
436	<i>Acacia melanoxyton</i>	Australian Blackwood	170		170	53	10.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
437	<i>Acacia disparrima</i>	Hickory Wattle	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
438	<i>Acacia disparrima</i>	Hickory Wattle	330		330	104	14.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
439	<i>Acacia disparrima</i>	Hickory Wattle	270		270	85	14.0	8.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
440	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
441	Acacia disarrima	Hickory Wattle	130		130	41	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
442	Syagrus romanzoffiana	Cocos Palm	220	210, 170	348	109	10.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
443	Syagrus romanzoffiana	Cocos Palm	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
444	Corymbia intermedia	Pink Bloodwood	280		280	88	17.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
445	Acacia disarrima	Hickory Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
446	Schefflera actinophylla	Umbrella Tree	190		190	60	9.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
447	Acacia disarrima	Hickory Wattle	130		130	41	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
448	Acacia disarrima	Hickory Wattle	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
449	Schizolobium parahyba	Yellow Jacaranda	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
450	Corymbia intermedia	Pink Bloodwood	290		290	91	13.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
451	Eriobotrya japonica	Loquat	110	100	149	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
452	Syagrus romanzoffiana	Cocos Palm	240		240	75	12.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
453	Citharexylum spinosum	Fiddlewood	170	170, 150	283	89	9.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
454	Citharexylum spinosum	Fiddlewood	160	140, 130	249	78	9.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
455	Syagrus romanzoffiana	Cocos Palm	260		260	82	9.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
456	Citharexylum spinosum	Fiddlewood	140	140, 130	237	74	7.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
457	Citharexylum spinosum	Fiddlewood	160	140, 120	244	77	6.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
458	Citharexylum spinosum	Fiddlewood	140	120, 120, 100	242	76	7.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
459	Citharexylum spinosum	Fiddlewood	200	130, 120	267	84	6.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
460	Acacia disarrima	Hickory Wattle	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
461	Angophora leiocarpa	Smooth-barked Apple	1040		1040	327	26.0	17.0	12.5	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
462	Acacia disarrima	Hickory Wattle	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
463	Acacia disarrima	Hickory Wattle	190		190	60	6.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
464	Acacia disarrima	Hickory Wattle	160	100	189	59	7.0	3.0	2.3	1.6	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
465	Acacia disarrima	Hickory Wattle	210	170	270	85	7.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
466	Acacia disarrima	Hickory Wattle	210		210	66	9.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
467	Acacia disarrima	Hickory Wattle	210		210	66	11.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
468	Acacia disarrima	Hickory Wattle	460	350	578	182	13.0	8.0	6.9	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
469	Acacia disarrima	Hickory Wattle	390		390	123	14.0	9.0	4.7	2.2	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
470	Corymbia intermedia	Pink Bloodwood	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
471	Glochidion ferdinandi	Cheese Tree	230		230	72	6.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
472	Acacia disarrima	Hickory Wattle	250		250	79	5.0	3.0	3.0	1.8	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
473	Corymbia intermedia	Pink Bloodwood	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
474	Acacia disarrima	Hickory Wattle	240		240	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
475	Acacia disarrima	Hickory Wattle	250	220	333	105	11.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
476	Acacia leiocalyx	Early Flowering Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
477	Acacia leiocalyx	Early Flowering Wattle	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
478	Acacia leiocalyx	Early Flowering Wattle	170	130	214	67	7.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
479	Acacia leiocalyx	Early Flowering Wattle	180		180	57	8.0	3.0	2.2	1.6	Regular	-	Thinning	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
480	Acacia leiocalyx	Early Flowering Wattle	180		180	57	10.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
481	Acacia leiocalyx	Early Flowering Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
482	Acacia leiocalyx	Early Flowering Wattle	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
483	Acacia leiocalyx	Early Flowering Wattle	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
484	Acacia disparrima	Hickory Wattle	220	140	261	82	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
485	Acacia disparrima	Hickory Wattle	200	140, 140	281	88	9.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
486	Acacia disparrima	Hickory Wattle	240		240	75	6.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
487	Acacia disparrima	Hickory Wattle	150	140	205	64	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
488	Acacia disparrima	Hickory Wattle	250		250	79	9.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
489	Acacia disparrima	Hickory Wattle	170	130	214	67	9.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
490	Acacia disparrima	Hickory Wattle	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
491	Acacia disparrima	Hickory Wattle	130		130	41	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
492	Acacia disparrima	Hickory Wattle	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
493	Corymbia intermedia	Pink Bloodwood	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
494	Corymbia intermedia	Pink Bloodwood	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
495	Acacia disparrima	Hickory Wattle	260		260	82	11.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
496	Acacia leiocalyx	Early Flowering Wattle	230		230	72	13.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
497	Acacia leiocalyx	Early Flowering Wattle	230	180	292	92	12.0	6.0	3.5	2.0	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
498	Acacia leiocalyx	Early Flowering Wattle	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
499	Acacia leiocalyx	Early Flowering Wattle	160		160	50	8.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
500	Acacia disparrima	Hickory Wattle	120	110	163	51	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
501	Acacia disparrima	Hickory Wattle	120	110, 100	191	60	5.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
502	Eucalyptus siderophloia	Grey Ironbark	310		310	97	15.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
503	Acacia disparrima	Hickory Wattle	210		210	66	5.0	3.0	2.5	1.7	Regular	-	Thinning	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
504	Acacia disparrima	Hickory Wattle	260	210, 140	362	114	9.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
505	Eucalyptus siderophloia	Grey Ironbark	280	230	362	114	14.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
506	Eucalyptus tereticornis	Forest Red Gum	130	90	158	50	4.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
507	Eucalyptus siderophloia	Grey Ironbark	350		350	110	17.0	9.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
508	Eucalyptus major	Grey Gum	360		360	113	17.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
509	Acacia leiocalyx	Early Flowering Wattle	170		170	53	5.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
510	Lophostemon suaveolens	Swamp Box	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
511	Eucalyptus tereticornis	Forest Red Gum	140		140	44	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
512	Eucalyptus tereticornis	Forest Red Gum	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
513	Eucalyptus tereticornis	Forest Red Gum	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
514	Eucalyptus tereticornis	Forest Red Gum	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
515	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
516	<i>Eucalyptus tereticornis</i>	Forest Red Gum	140	100	172	54	6.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
517	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
518	<i>Corymbia intermedia</i>	Pink Bloodwood	100	90	135	42	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
519	<i>Lophostemon suaveolens</i>	Swamp Box	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
520	<i>Eucalyptus tereticornis</i>	Forest Red Gum	120		120	38	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
521	<i>Eucalyptus tereticornis</i>	Forest Red Gum	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
522	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
523	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
524	<i>Pinus elliotii</i>	Slash Pine	250		250	79	17.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
525	<i>Pinus elliotii</i>	Slash Pine	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
526	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	4.0	3.0	2.4	1.7	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
527	<i>Eucalyptus tereticornis</i>	Forest Red Gum	410		410	129	17.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
528	<i>Pinus elliotii</i>	Slash Pine	150		150	47	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
529	<i>Pinus elliotii</i>	Slash Pine	210		210	66	16.0	7.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
530	<i>Pinus elliotii</i>	Slash Pine	210		210	66	15.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
531	<i>Pinus elliotii</i>	Slash Pine	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
532	<i>Corymbia intermedia</i>	Pink Bloodwood	370	280	464	146	19.0	13.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove	
533	<i>Pinus elliotii</i>	Slash Pine	260		260	82	13.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
534	<i>Pinus elliotii</i>	Slash Pine	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
535	<i>Pinus elliotii</i>	Slash Pine	200		200	63	10.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
536	<i>Pinus elliotii</i>	Slash Pine	260		260	82	16.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
537	<i>Pinus elliotii</i>	Slash Pine	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
538	<i>Pinus elliotii</i>	Slash Pine	160		160	50	15.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
539	<i>Pinus elliotii</i>	Slash Pine	390		390	123	20.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
540	<i>Pinus elliotii</i>	Slash Pine	350		350	110	21.0	13.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
541	<i>Pinus elliotii</i>	Slash Pine	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
542	<i>Pinus elliotii</i>	Slash Pine	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
543	<i>Pinus elliotii</i>	Slash Pine	260		260	82	15.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
544	<i>Pinus elliotii</i>	Slash Pine	230		230	72	16.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
545	<i>Pinus elliotii</i>	Slash Pine	360		360	113	20.0	12.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
546	<i>Pinus elliotii</i>	Slash Pine	380		380	119	22.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
547	<i>Pinus elliotii</i>	Slash Pine	300		300	94	19.0	13.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
548	<i>Pinus elliotii</i>	Slash Pine	390		390	123	22.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
549	<i>Pinus elliotii</i>	Slash Pine	320		320	101	20.0	12.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
550	<i>Acacia disparima</i>	Hickory Wattle	350	320	474	149	10.0	8.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
551	<i>Acacia disparima</i>	Hickory Wattle	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
552	<i>Pinus elliotii</i>	Slash Pine	330		330	104	16.0	12.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
553	<i>Eucalyptus tereticornis</i>	Forest Red Gum	840		840	264	24.0	14.0	10.1	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
554	<i>Pinus elliotii</i>	Slash Pine	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
555	<i>Pinus elliotii</i>	Slash Pine	350		350	110	20.0	14.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
556	<i>Pinus elliotii</i>	Slash Pine	370		370	116	18.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
557	<i>Pinus elliotii</i>	Slash Pine	280		280	88	16.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
558	<i>Pinus elliotii</i>	Slash Pine	180		180	57	14.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
559	<i>Pinus elliotii</i>	Slash Pine	180		180	57	16.0	7.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
560	<i>Pinus elliotii</i>	Slash Pine	160		160	50	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
561	<i>Pinus elliotii</i>	Slash Pine	120		120	38	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
562	<i>Pinus elliotii</i>	Slash Pine	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
563	<i>Pinus elliotii</i>	Slash Pine	180		180	57	17.0	8.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
564	<i>Pinus elliotii</i>	Slash Pine	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
565	<i>Pinus elliotii</i>	Slash Pine	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
566	<i>Pinus elliotii</i>	Slash Pine	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
567	<i>Pinus elliotii</i>	Slash Pine	220		220	69	14.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
568	<i>Pinus elliotii</i>	Slash Pine	130		130	41	9.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
569	<i>Pinus elliotii</i>	Slash Pine	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
570	<i>Pinus elliotii</i>	Slash Pine	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
571	<i>Pinus elliotii</i>	Slash Pine	280		280	88	15.0	9.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
572	<i>Pinus elliotii</i>	Slash Pine	150		150	47	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
573	<i>Pinus elliotii</i>	Slash Pine	260		260	82	15.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
574	<i>Pinus elliotii</i>	Slash Pine	210		210	66	16.0	8.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
575	<i>Pinus elliotii</i>	Slash Pine	130		130	41	10.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
576	<i>Pinus elliotii</i>	Slash Pine	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
577	<i>Pinus elliotii</i>	Slash Pine	290		290	91	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
578	<i>Pinus elliotii</i>	Slash Pine	280		280	88	14.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
579	<i>Pinus elliotii</i>	Slash Pine	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
580	<i>Pinus elliotii</i>	Slash Pine	170		170	53	11.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
581	<i>Pinus elliotii</i>	Slash Pine	290		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
582	<i>Pinus elliotii</i>	Slash Pine	300		300	94	15.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
583	<i>Pinus elliotii</i>	Slash Pine	400		400	126	17.0	10.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
584	<i>Eucalyptus tereticornis</i>	Forest Red Gum	130	100	164	52	4.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
585	<i>Pinus elliotii</i>	Slash Pine	410		410	129	20.0	13.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
586	<i>Pinus elliotii</i>	Slash Pine	320		320	101	18.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
587	<i>Pinus elliotii</i>	Slash Pine	340		340	107	18.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
588	<i>Pinus elliotii</i>	Slash Pine	340		340	107	15.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
589	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	210		210	66	8.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
590	<i>Melaleuca bracteata</i>	Black Tea-tree	280	250, 250, 240, 200	549	172	9.0	8.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
591	<i>Syagrus romanzoffiana</i>	Cocos Palm	270		270	85	10.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
592	<i>Syagrus romanzoffiana</i>	Cocos Palm	240		240	75	13.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
593	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
594	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
595	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
596	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	13.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
597	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	230		230	72	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
598	<i>Syagrus romanzoffiana</i>	Cocos Palm	240		240	75	14.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
599	<i>Ficus benjamina</i>	Weeping Fig	170	140	220	69	7.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
600	<i>Eucalyptus grandis</i>	Flooded Gum	560		560	176	21.0	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
601	<i>Syagrus romanzoffiana</i>	Cocos Palm	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
602	<i>Ficus benjamina</i>	Weeping Fig	160	160, 150, 130	301	95	10.0	11.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
603	<i>Syagrus romanzoffiana</i>	Cocos Palm	230		230	72	13.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
604	<i>Pinus elliotii</i>	Slash Pine	330		330	104	21.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
605	<i>Pinus elliotii</i>	Slash Pine	280		280	88	18.0	12.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
606	<i>Pinus elliotii</i>	Slash Pine	460		460	145	22.0	15.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
607	<i>Araucaria heterophylla</i>	Norfolk Island Pine	290		290	91	16.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
608	<i>Syagrus romanzoffiana</i>	Cocos Palm	210		210	66	9.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
609	<i>Eucalyptus grandis</i>	Flooded Gum	530	410, 210	702	221	20.0	13.0	8.4	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
610	<i>Syagrus romanzoffiana</i>	Cocos Palm	310		310	97	11.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
611	<i>Syagrus romanzoffiana</i>	Cocos Palm	300		300	94	12.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
612	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	13.0	7.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
613	<i>Pinus elliotii</i>	Slash Pine	390		390	123	20.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
614	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	360	260, 240	505	159	13.0	6.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
615	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
616	<i>Eucalyptus grandis</i>	Flooded Gum	280	220, 130	379	119	12.0	8.0	4.5	2.2	Regular	-	-	Die-back	-	Lopped	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
617	<i>Pinus elliotii</i>	Slash Pine	370		370	116	17.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
618	<i>Pinus elliotii</i>	Slash Pine	330		330	104	18.0	10.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
619	<i>Pinus elliotii</i>	Slash Pine	360		360	113	17.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
620	<i>Pinus elliotii</i>	Slash Pine	290		290	91	17.0	9.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
621	<i>Acacia melanoxylon</i>	Australian Blackwood	140		140	44	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
622	<i>Acacia disparrima</i>	Hickory Wattle	180	140	228	72	9.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
623	<i>Acacia melanoxylon</i>	Australian Blackwood	230	140	269	85	8.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
624	<i>Pinus elliotii</i>	Slash Pine	310		310	97	16.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
625	<i>Melaleuca saligna</i>	White Bottlebrush	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
626	Acacia disparrima	Hickory Wattle	390	270	474	149	13.0	6.0	5.7	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
627	Acacia melanoxyton	Australian Blackwood	220	190	291	91	9.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
628	Acacia melanoxyton	Australian Blackwood	210		210	66	5.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
629	Eucalyptus saligna	Flooded Gum	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
630	Acacia disparrima	Hickory Wattle	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
631	Melaleuca quinquenervia	Broad-leaved Paperbark	520	520	735	231	14.0	8.0	8.8	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
632	Grevillea robusta	Silky Oak	230		230	72	10.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
633	Acacia disparrima	Hickory Wattle	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
634	Acacia disparrima	Hickory Wattle	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
635	Eucalyptus siderophloia	Grey Ironbark	320		320	101	12.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
636	Acacia disparrima	Hickory Wattle	380	300	484	152	10.0	6.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
637	Acacia disparrima	Hickory Wattle	220		220	69	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
638	Corymbia citriodora	Spotted Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
639	Melaleuca saligna	White Bottlebrush	140	120	184	58	5.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
640	Melaleuca quinquenervia	Broad-leaved Paperbark	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
641	Cinnamomum camphora	Camphor Laurel	260	170, 140	341	107	8.0	4.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
642	Eucalyptus grandis	Flooded Gum	460		460	145	21.0	13.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
643	Eucalyptus tereticornis	Forest Red Gum	380		380	119	21.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
644	Pinus elliotii	Slash Pine	520		520	163	22.0	15.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
645	Eucalyptus grandis	Flooded Gum	370		370	116	22.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
646	Pinus elliotii	Slash Pine	460		460	145	23.0	15.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
647	Pinus elliotii	Slash Pine	430		430	135	22.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
648	Cinnamomum camphora	Camphor Laurel	190	100	215	67	6.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
649	Corymbia tessellaris	Moreton Bay Ash	830		830	261	26.0	11.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
650	Pinus elliotii	Slash Pine	310		310	97	14.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
651	Pinus elliotii	Slash Pine	450		450	141	25.0	6.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
652	Pinus elliotii	Slash Pine	240		240	75	13.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
653	Pinus elliotii	Slash Pine	250		250	79	12.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
654	Pinus elliotii	Slash Pine	390		390	123	24.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
655	Acacia disparrima	Hickory Wattle	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
656	Eucalyptus siderophloia	Grey Ironbark	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
657	Pinus elliotii	Slash Pine	250		250	79	13.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
658	Syagrus romanzoffiana	Cocos Palm	170		170	53	5.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
659	Pinus elliotii	Slash Pine	310		310	97	14.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
660	Pinus elliotii	Slash Pine	290		290	91	12.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Present	-	Retain	with excavation
661	Eucalyptus siderophloia	Grey Ironbark	160		160	50	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
662	Acacia disparrima	Hickory Wattle	360		360	113	12.0	3.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
663	<i>Eucalyptus microcorys</i>	Tallowwood	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
664	<i>Eucalyptus microcorys</i>	Tallowwood	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
665	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	400		400	126	22.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
666	<i>Wodyetia bifurcata</i>	Foxtail Palm	130		130	41	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
667	<i>Syagrus romanzoffiana</i>	Cocos Palm	160		160	50	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
668	<i>Syagrus romanzoffiana</i>	Cocos Palm	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
669	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	220		220	69	8.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
670	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	170		170	53	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
671	<i>Eucalyptus microcorys</i>	Tallowwood	290		290	91	9.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
672	<i>Eucalyptus microcorys</i>	Tallowwood	370		370	116	13.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
673	<i>Celtis sinensis</i>	Chinese Celtis	210	80	225	71	9.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
674	<i>Celtis sinensis</i>	Chinese Celtis	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
675	<i>Cinnamomum camphora</i>	Camphor Laurel	370		370	116	16.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
676	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	170		170	53	11.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
677	<i>Pinus elliotii</i>	Slash Pine	410		410	129	17.0	4.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
678	<i>Pinus elliotii</i>	Slash Pine	440		440	138	17.0	8.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
679	<i>Pinus elliotii</i>	Slash Pine	210		210	66	9.0	2.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
680	<i>Corymbia intermedia</i>	Pink Bloodwood	990		990	311	14.0	9.0	11.9	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
681	<i>Grevillea robusta</i>	Silky Oak	240		240	75	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
682	<i>Ficus watkinsiana</i>	Strangler Fig	1780		1780	559	16.0	17.0	15.0	4.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
683	<i>Ficus coronata</i>	Sandpaper Fig	180		180	57	6.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
684	<i>Ficus macrophylla</i>	Moreton Bay Fig	2120		2120	666	14.0	16.0	15.0	4.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
685	<i>Grevillea robusta</i>	Silky Oak	440		440	138	7.0	4.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
686	<i>Grevillea robusta</i>	Silky Oak	280		280	88	10.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
687	<i>Grevillea robusta</i>	Silky Oak	640		640	201	13.0	9.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain (neighbouring)	
688	<i>Syagrus romanzoffiana</i>	Cocos Palm	300		300	94	16.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
689	<i>Jacaranda mimosifolia</i>	Jacaranda	240	220	326	102	8.0	9.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
690	<i>Jacaranda mimosifolia</i>	Jacaranda	330	250	414	130	11.0	13.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
691	<i>Delonix regia</i>	Poinciana	170		170	53	5.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
692	<i>Libidibia ferrea</i>	Leopard Tree	770		770	242	13.0	13.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
693	<i>Jagera pseudorhus</i>	Foam Bark	330	280, 210	481	151	12.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
694	<i>Syagrus romanzoffiana</i>	Cocos Palm	260		260	82	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
695	<i>Acacia dispartima</i>	Hickory Wattle	360	200	412	129	11.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
696	<i>Schefflera actinophylla</i>	Umbrella Tree	260	200, 170, 220	430	135	6.0	4.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
697	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
698	<i>Ficus benjamina</i>	Weeping Fig	100	90, 80, 80, 100	202	64	5.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
699	<i>Pinus elliotii</i>	Slash Pine	370		370	116	17.0	5.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
700	<i>Pinus elliotii</i>	Slash Pine	350		350	110	17.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
701	<i>Pinus elliotii</i>	Slash Pine	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
702	<i>Pinus elliotii</i>	Slash Pine	480		480	151	15.0	8.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
703	<i>Pinus elliotii</i>	Slash Pine	170		170	53	11.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
704	<i>Pinus elliotii</i>	Slash Pine	310		310	97	16.0	4.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
705	<i>Pinus elliotii</i>	Slash Pine	280		280	88	17.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
706	<i>Pinus elliotii</i>	Slash Pine	410		410	129	13.0	6.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
707	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
708	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	5.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
709	<i>Delonix regia</i>	Poinciana	130	120	177	56	8.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
710	<i>Eucalyptus tindaliae</i>	Tindale's Stringybark	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
711	<i>Acacia disparrima</i>	Hickory Wattle	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
712	<i>Acacia disparrima</i>	Hickory Wattle	160	120	200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
713	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
714	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
715	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
716	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
717	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
718	<i>Eucalyptus siderophloia</i>	Grey Ironbark	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
719	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	120	80	144	45	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
720	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	9.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
721	<i>Eucalyptus major</i>	Grey Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
722	<i>Eucalyptus siderophloia</i>	Grey Ironbark	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
723	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
724	<i>Angophora leiocarpa</i>	Smooth-barked Apple	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
725	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	210		210	66	7.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
726	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
727	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	180		180	57	5.0	1.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
728	<i>Corymbia intermedia</i>	Pink Bloodwood	140		140	44	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
729	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	5.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
730	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
731	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	7.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
732	<i>Schefflera actinophylla</i>	Umbrella Tree	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
733	<i>Eucalyptus tereticornis</i>	Forest Red Gum	330		330	104	13.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
734	<i>Lophostemon confertus</i>	Brush Box	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
735	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
736	<i>Acacia disparrima</i>	Hickory Wattle	190	180, 160	307	96	8.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
737	<i>Lophostemon confertus</i>	Brush Box	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
738	<i>Acacia disparrima</i>	Hickory Wattle	230	160, 110	301	95	8.0	6.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
739	<i>Lophostemon confertus</i>	Brush Box	200		200	63	12.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
740	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	100		100	31	8.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
741	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
742	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
743	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	8.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
744	<i>Acacia disparrima</i>	Hickory Wattle	260	230	347	109	9.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
745	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	12.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
746	<i>Acacia disparrima</i>	Hickory Wattle	360		360	113	12.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
747	<i>Acacia disparrima</i>	Hickory Wattle	190	170, 130	286	90	12.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
748	<i>Acacia disparrima</i>	Hickory Wattle	260	240	354	111	8.0	4.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
749	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	6.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
750	<i>Acacia disparrima</i>	Hickory Wattle	260	190	322	101	7.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
751	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
752	<i>Acacia disparrima</i>	Hickory Wattle	250	150	292	92	9.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
753	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	12.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
754	<i>Acacia disparrima</i>	Hickory Wattle	410		410	129	12.0	4.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
755	<i>Acacia disparrima</i>	Hickory Wattle	310	250	398	125	13.0	4.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
756	<i>Ficus benjamina</i>	Weeping Fig	180	60, 60	199	63	5.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
757	<i>Acacia disparrima</i>	Hickory Wattle	410		410	129	8.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
758	<i>Acacia disparrima</i>	Hickory Wattle	200	140	244	77	8.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
759	<i>Eucalyptus tereticornis</i>	Forest Red Gum	830		830	261	16.0	13.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
760	<i>Eucalyptus tereticornis</i>	Forest Red Gum	920		920	289	14.0	13.0	11.0	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
761	<i>Syagrus romanzoffiana</i>	Cocos Palm	190		190	60	9.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
762	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
763	<i>Jacaranda mimosifolia</i>	Jacaranda	270	180, 180, 230, 290, 240	576	181	14.0	12.0	6.9	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
764	<i>Syzygium luehmannii</i>	small opposite leaves	180	120, 120	247	78	11.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
765	<i>Syagrus romanzoffiana</i>	Cocos Palm	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
766	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	13.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
767	<i>Mangifera indica</i>	Mango	220	180	284	89	7.0	4.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
768	<i>Waterhousea floribunda</i>	Weeping Lillipilli	260		260	82	13.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
769	<i>Castanospermum australe</i>	Black Bean	330	170, 310	484	152	14.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
770	<i>Corymbia torelliana</i>	Cadaghi	280		280	88	15.0	8.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
771	<i>Taxodium distichum</i>	Swamp Cypress	210		210	66	12.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
772	<i>Libidibia ferrea</i>	Leopard Tree	640		640	201	13.0	15.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		
773	<i>Melicope elleryana</i>	Pink Doughwood	270		270	85	13.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain		



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
774	Melicope elleryana	Pink Doughwood	130		130	41	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
775	Schefflera actinophylla	Umbrella Tree	130	70, 10	148	46	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
776	Melaleuca quinquenervia	Broad-leaved Paperbark	270		270	85	7.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
777	Melaleuca quinquenervia	Broad-leaved Paperbark	530		530	167	15.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
778	Acacia disparrima	Hickory Wattle	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
779	Grevillea robusta	Silky Oak	540		540	170	9.0	7.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
780	Melaleuca bracteata	Black Tea-tree	220	190	291	91	11.0	5.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
781	Murraya paniculata	Mock Orange	110	80, 70, 70, 60	179	56	5.0	8.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
782	Inga edulis	Ice-cream Bean	120	80, 80, 60, 120, 60	221	69	10.0	14.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
783	Jacaranda mimosifolia	Jacaranda	310	240, 270, 140, 110, 230	558	175	14.0	15.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
784	Melaleuca quinquenervia	Broad-leaved Paperbark	330		330	104	8.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
785	Acacia disparrima	Hickory Wattle	320		320	101	12.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
786	Melaleuca quinquenervia	Broad-leaved Paperbark	160	110	194	61	8.0	2.0	2.3	1.7	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
787	Acacia disparrima	Hickory Wattle	210		210	66	8.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
788	Pinus elliotii	Slash Pine	720		720	226	15.0	11.0	8.6	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
789	Grevillea robusta	Silky Oak	280	270	389	122	14.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
790	Syagrus romanzoffiana	Cocos Palm	200		200	63	9.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
791	Syagrus romanzoffiana	Cocos Palm	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
792	Eucalyptus robusta	Swamp Mahogany	260		260	82	12.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
793	Acacia disparrima	Hickory Wattle	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
794	Melaleuca quinquenervia	Broad-leaved Paperbark	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
795	Acacia disparrima	Hickory Wattle	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
796	Grevillea robusta	Silky Oak	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
797	Acacia disparrima	Hickory Wattle	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
798	Grevillea robusta	Silky Oak	280	190	338	106	9.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
799	Melaleuca linariifolia	Snow-in-summer	170	130	214	67	4.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
800	Melaleuca linariifolia	Snow-in-summer	130	60	143	45	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
801	Acacia disparrima	Hickory Wattle	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
802	Eucalyptus populnea	Poplar Box	300		300	94	13.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
803	Glochidion ferdinandi	Cheese Tree	190	160	248	78	5.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
804	Acacia disparrima	Hickory Wattle	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
805	Ficus benjamina	Weeping Fig	280	180, 280, 140, 130, 120, 80, 80	503	158	6.0	11.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
806	Acacia disparrima	Hickory Wattle	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
807	Acacia disparrima	Hickory Wattle	320		320	101	8.0	5.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
808	Acacia disparrima	Hickory Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
809	Acacia disparrima	Hickory Wattle	130		130	41	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
810	Acacia disparrima	Hickory Wattle	220		220	69	6.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
811	Acacia disparrima	Hickory Wattle	130	120, 80	194	61	6.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
812	Acacia disparrima	Hickory Wattle	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
813	Corymbia intermedia	Pink Bloodwood	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
814	Schefflera actinophylla	Umbrella Tree	130	120, 90, 110, 120, 80	269	84	8.0	4.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
815	Glochidion ferdinandi	Cheese Tree	240		240	75	8.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
816	Archontophoenix cunninghamiana	Bangalow Palm	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
817	Schefflera actinophylla	Umbrella Tree	280	180, 150, 130, 170, 90	433	136	8.0	3.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
818	Liquidambar styraciflua	Liquidambar	180	160	241	76	5.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
819	Jacaranda mimosifolia	Jacaranda	220		220	69	6.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
820	Acacia disparrima	Hickory Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
821	Acacia disparrima	Hickory Wattle	210	200	290	91	9.0	3.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
822	Acacia disparrima	Hickory Wattle	200		200	63	9.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
823	Lophostemon suaveolens	Swamp Box	170		170	53	9.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
824	Acacia disparrima	Hickory Wattle	320	240, 230	461	145	9.0	4.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
825	Grevillea robusta	Silky Oak	160		160	50	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
826	Acacia disparrima	Hickory Wattle	280		280	88	5.0	3.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
827	Acacia disparrima	Hickory Wattle	240		240	75	4.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
828	Araucaria cunninghamii	Hoop Pine	530		530	167	17.0	8.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
829	Archontophoenix cunninghamiana	Bangalow Palm	220		220	69	13.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
830	Mangifera indica	Mango	320	310, 270, 240, 230, 320	696	219	8.0	9.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
831	Melaleuca linariifolia	Snow-in-summer	180	130	222	70	6.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
832	Macadamia integrifolia	Macadamia Nut	210		210	66	5.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
833	Macadamia integrifolia	Macadamia Nut	150	140, 120	238	75	5.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
834	Acacia disparrima	Hickory Wattle	120	100, 110	191	60	5.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	
835	Syagrus romanzoffiana	Cocos Palm	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
836	Syagrus romanzoffiana	Cocos Palm	180		180	57	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
837	Syagrus romanzoffiana	Cocos Palm	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
838	Acacia disparrima	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
839	Acacia disparrima	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
840	Syagrus romanzoffiana	Cocos Palm	220		220	69	6.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
841	Syagrus romanzoffiana	Cocos Palm	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
842	Acacia disparrima	Hickory Wattle	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
843	Acacia disparrima	Hickory Wattle	160	110	194	61	7.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
844	Syagrus romanzoffiana	Cocos Palm	190		190	60	8.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
845	Syagrus romanzoffiana	Cocos Palm	200		200	63	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
846	Syagrus romanzoffiana	Cocos Palm	180		180	57	7.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
847	Araucaria cunninghamii	Hoop Pine	280		280	88	8.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
848	Angophora woodsiana	Rough-barked Apple	880		880	276	25.0	6.0	10.6	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
849	Grevillea robusta	Silky Oak	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
850	Araucaria cunninghamii	Hoop Pine	290		290	91	9.0	4.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
851	Macadamia integrifolia	Macadamia Nut	160	130, 110, 130	267	84	5.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
852	Citharexylum spinosum	Fiddlewood	180		180	57	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
853	Corymbia intermedia	Pink Bloodwood	170		170	53	6.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
854	Araucaria cunninghamii	Hoop Pine	460		460	145	8.0	3.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
855	Syagrus romanzoffiana	Cocos Palm	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
856	Mangifera indica	Mango	290	180, 210	401	126	6.0	7.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
857	Libidibia ferrea	Leopard Tree	330	160	367	115	6.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
858	Syagrus romanzoffiana	Cocos Palm	270		270	85	9.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
859	Syagrus romanzoffiana	Cocos Palm	210		210	66	8.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
860	Syagrus romanzoffiana	Cocos Palm	120		120	38	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
861	Araucaria cunninghamii	Hoop Pine	250		250	79	6.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
862	Syagrus romanzoffiana	Cocos Palm	210		210	66	9.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
863	Archontophoenix cunninghamiana	Bangalow Palm	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
864	Grevillea robusta	Silky Oak	220	180	284	89	6.0	3.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
865	Acacia disparrima	Hickory Wattle	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
866	Melaleuca bracteata	Black Tea-tree	210	130, 120, 120, 110	319	100	7.0	6.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
867	Syagrus romanzoffiana	Cocos Palm	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
868	Ficus benjamina	Weeping Fig	290	250, 160	415	130	6.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
869	Syagrus romanzoffiana	Cocos Palm	250		250	79	8.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
870	Libidibia ferrea	Leopard Tree	130	100	164	52	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
871	Grevillea robusta	Silky Oak	150		150	47	6.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
872	Syagrus romanzoffiana	Cocos Palm	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
873	Syagrus romanzoffiana	Cocos Palm	250		250	79	7.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
874	Syagrus romanzoffiana	Cocos Palm	260		260	82	8.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
875	Syagrus romanzoffiana	Cocos Palm	240		240	75	8.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
876	Syagrus romanzoffiana	Cocos Palm	260		260	82	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
877	Syagrus romanzoffiana	Cocos Palm	230		230	72	7.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
878	Citharexylum spinosum	Fiddlewood	170	80, 70, 110	229	72	5.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
879	Acacia disparrima	Hickory Wattle	330		330	104	7.0	5.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
880	Corymbia torelliana	Cadaghi	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
881	Acacia disparrima	Hickory Wattle	160	110, 80	210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
882	Acacia disparrima	Hickory Wattle	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
883	Acacia disparrima	Hickory Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
884	Citharexylum spinosum	Fiddlewood	140	140	198	62	6.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
885	Melaleuca bracteata	Black Tea-tree	190	190	269	84	6.0	5.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
886	Syagrus romanzoffiana	Cocos Palm	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
887	Citharexylum spinosum	Fiddlewood	140	110	178	56	6.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
888	Acacia disparrima	Hickory Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
889	Ficus benjamina	Weeping Fig	210	200, 190, 180	391	123	8.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
890	Syagrus romanzoffiana	Cocos Palm	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
891	Ficus benjamina	Weeping Fig	280	250	375	118	11.0	7.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
892	Melaleuca bracteata	Black Tea-tree	100	70	122	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
893	Syagrus romanzoffiana	Cocos Palm	190		190	60	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
894	Acacia disparrima	Hickory Wattle	140	130, 130, 100	252	79	7.0	3.0	3.0	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
895	Acacia disparrima	Hickory Wattle	110		110	35	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
896	Acacia disparrima	Hickory Wattle	120	100	156	49	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
897	Syagrus romanzoffiana	Cocos Palm	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
898	Acacia disparrima	Hickory Wattle	260		260	82	8.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
899	Citharexylum spinosum	Fiddlewood	180	150, 120	263	83	8.0	3.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
900	Libidibia ferrea	Leopard Tree	330		330	104	12.0	14.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
901	Ficus benjamina	Weeping Fig	490	410, 300, 320, 350, 370, 290, 280	1011	318	13.0	17.0	12.1	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
902	Ficus benjamina	Weeping Fig	790	490, 330, 370	1054	331	14.0	18.0	12.6	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
903	Syagrus romanzoffiana	Cocos Palm	220		220	69	7.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
904	Syagrus romanzoffiana	Cocos Palm	220		220	69	8.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
905	Araucaria bidwillii	Bunya Pine	620		620	195	13.0	13.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
906	Dillenia indica	Elephant Apple	140	100, 90, 70	206	65	6.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
907	Archontophoenix cunninghamiana	Bangalow Palm	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
908	Planted Native spp.	Planted Native spp	360		360	113	12.0	5.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
909	Ficus benjamina	Weeping Fig	510	230, 330	650	204	9.0	13.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
910	Araucaria cunninghamii	Hoop Pine	380		380	119	12.0	4.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
911	Archontophoenix cunninghamiana	Bangalow Palm	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
912	Archontophoenix cunninghamiana	Bangalow Palm	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
913	Ficus benjamina	Weeping Fig	310	280, 220, 280, 210, 150	607	191	12.0	16.0	7.3	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
914	Liquidambar styraciflua	Liquidambar	290	180, 160	377	118	8.0	5.0	4.5	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
915	Tipuana tipu	Tipuana	370	260, 340, 350	665	209	13.0	14.0	8.0	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
916	Grevillea robusta	Silky Oak	210		210	66	13.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
917	Macadamia integrifolia	Macadamia Nut	190		190	60	8.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
918	Archontophoenix cunninghamiana	Bangalow Palm	230		230	72	11.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
919	Jacaranda mimosifolia	Jacaranda	180	110	211	66	8.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
920	Dillenia indica	Elephant Apple	180	170, 180, 130, 140	361	113	7.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
921	Harpephyllum caffrum	South African Wild Plum	320	290, 240	494	155	8.0	12.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
922	<i>Cinnamomum camphora</i>	Camphor Laurel	220	220	311	98	10.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
923	<i>Pinus elliotii</i>	Slash Pine	550		550	173	22.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
924	<i>Pinus elliotii</i>	Slash Pine	340		340	107	17.0	9.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
925	<i>Cinnamomum camphora</i>	Camphor Laurel	180	180	255	80	9.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
926	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	140		140	44	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
927	<i>Eucalyptus major</i>	Grey Gum	460		460	145	23.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
928	<i>Pinus elliotii</i>	Slash Pine	350		350	110	12.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
929	<i>Pinus elliotii</i>	Slash Pine	340		340	107	16.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
930	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	490		490	154	24.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
931	<i>Corymbia intermedia</i>	Pink Bloodwood	170	160	233	73	9.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
932	<i>Eucalyptus major</i>	Grey Gum	390		390	123	24.0	10.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
933	<i>Lophostemon confertus</i>	Brush Box	250		250	79	12.0	8.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
934	<i>Pinus elliotii</i>	Slash Pine	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
935	<i>Celtis sinensis</i>	Chinese Celtis	200		200	63	13.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
936	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	150		150	47	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
937	<i>Syagrus romanzoffiana</i>	Cocos Palm	130		130	41	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
938	<i>Eucalyptus tereticornis</i>	Forest Red Gum	470	230	523	164	25.0	9.0	6.3	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
939	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
940	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
941	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	12.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
942	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
943	<i>Pinus elliotii</i>	Slash Pine	300		300	94	18.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
944	<i>Pinus elliotii</i>	Slash Pine	590		590	185	25.0	9.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
945	<i>Pinus elliotii</i>	Slash Pine	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
946	<i>Pinus elliotii</i>	Slash Pine	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
947	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
948	<i>Cinnamomum camphora</i>	Camphor Laurel	600	300, 300, 200	762	239	18.0	12.0	9.1	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
949	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	170		170	53	9.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
950	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	200		200	63	9.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
951	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
952	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
953	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	160		160	50	9.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
954	<i>Corymbia intermedia</i>	Pink Bloodwood	150	150, 100	235	74	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
955	<i>Grevillea robusta</i>	Silky Oak	110		110	35	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
956	<i>Syagrus romanzoffiana</i>	Cocos Palm	140		140	44	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
957	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	11.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
958	<i>Eucalyptus seeana</i>	Narrow-leaved Red Gum	990		990	311	24.0	13.0	11.9	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
959	<i>Grevillea robusta</i>	Silky Oak	260		260	82	14.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
960	<i>Corymbia intermedia</i>	Pink Bloodwood	900		900	283	25.0	14.0	10.8	3.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
961	<i>Grevillea robusta</i>	Silky Oak	450		450	141	16.0	7.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
962	<i>Grevillea robusta</i>	Silky Oak	490		490	154	22.0	9.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
963	<i>Grevillea robusta</i>	Silky Oak	700		700	220	24.0	10.0	8.4	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
964	<i>Cinnamomum camphora</i>	Camphor Laurel	170		170	53	9.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
965	<i>Araucaria cunninghamii</i>	Hoop Pine	510	390	642	202	24.0	13.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
966	<i>Araucaria cunninghamii</i>	Hoop Pine	490		490	154	18.0	10.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
967	<i>Araucaria heterophylla</i>	Norfolk Island Pine	590		590	185	22.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
968	<i>Delonix regia</i>	Poinciana	400	380, 300	628	197	15.0	14.0	7.5	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
969	<i>Jacaranda mimosifolia</i>	Jacaranda	250		250	79	15.0	9.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
970	<i>Acacia disarrima</i>	Hickory Wattle	240		240	75	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
971	<i>Schefflera actinophylla</i>	Umbrella Tree	180	170, 120, 120, 120, 120, 120	365	115	11.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
972	<i>Corymbia intermedia</i>	Pink Bloodwood	360		360	113	15.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
973	<i>Corymbia intermedia</i>	Pink Bloodwood	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
974	<i>Acacia disarrima</i>	Hickory Wattle	200		200	63	9.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
975	<i>Lophostemon confertus</i>	Brush Box	300		300	94	18.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
976	<i>Pinus elliotii</i>	Slash Pine	650		650	204	22.0	9.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
977	<i>Pinus elliotii</i>	Slash Pine	400		400	126	18.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
978	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	250		250	79	0.0	0.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
979	<i>Pinus elliotii</i>	Slash Pine	600		600	188	18.0	8.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
980	<i>Jacaranda mimosifolia</i>	Jacaranda	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
981	<i>Pinus elliotii</i>	Slash Pine	410		410	129	24.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
982	<i>Pinus elliotii</i>	Slash Pine	540		540	170	17.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
983	<i>Pinus elliotii</i>	Slash Pine	590		590	185	22.0	9.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
984	<i>Syagrus romanzoffiana</i>	Cocos Palm	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
985	<i>Syagrus romanzoffiana</i>	Cocos Palm	150		150	47	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
986	<i>Pinus elliotii</i>	Slash Pine	550		550	173	26.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
987	<i>Pinus elliotii</i>	Slash Pine	390		390	123	18.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
988	<i>Pinus elliotii</i>	Slash Pine	500		500	157	22.0	9.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
989	<i>Pinus elliotii</i>	Slash Pine	450		450	141	21.0	9.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
990	<i>Pinus elliotii</i>	Slash Pine	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
991	<i>Pinus elliotii</i>	Slash Pine	100		100	31	10.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
992	<i>Pinus elliotii</i>	Slash Pine	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
993	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	14.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
994	<i>Pinus elliotii</i>	Slash Pine	160		160	50	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
995	<i>Pinus elliotii</i>	Slash Pine	200		200	63	11.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
996	Acacia disparrima	Hickory Wattle	350	240	424	133	17.0	8.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
997	Acacia disparrima	Hickory Wattle	300		300	94	12.0	4.0	3.6	2.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
998	Acacia disparrima	Hickory Wattle	380		380	119	15.0	6.0	4.6	2.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
999	Corymbia intermedia	Pink Bloodwood	390		390	123	16.0	5.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1000	Angophora leiocarpa	Smooth-barked Apple	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1001	Acacia disparrima	Hickory Wattle	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1002	Acacia disparrima	Hickory Wattle	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1003	Acacia disparrima	Hickory Wattle	160		160	50	7.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1004	Eucalyptus carnea	Broad-leaved White Mahogany	170		170	53	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1005	Acacia disparrima	Hickory Wattle	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1006	Acacia disparrima	Hickory Wattle	150	130	198	62	12.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1007	Acacia disparrima	Hickory Wattle	200	130	239	75	12.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1008	Corymbia intermedia	Pink Bloodwood	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1009	Angophora leiocarpa	Smooth-barked Apple	290		290	91	14.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1010	Eucalyptus siderophloia	Grey Ironbark	550		550	173	25.0	9.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1011	Acacia disparrima	Hickory Wattle	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1012	Eucalyptus siderophloia	Grey Ironbark	170		170	53	12.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1013	Acacia disparrima	Hickory Wattle	190	140	236	74	14.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1014	Acacia disparrima	Hickory Wattle	190		190	60	12.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1015	Acacia disparrima	Hickory Wattle	170		170	53	8.0	5.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1016	Acacia disparrima	Hickory Wattle	180	160	241	76	11.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1017	Eucalyptus carnea	Broad-leaved White Mahogany	660		660	207	20.0	9.0	7.9	2.8	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1018	Acacia disparrima	Hickory Wattle	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1019	Corymbia intermedia	Pink Bloodwood	190		190	60	12.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1020	Eucalyptus carnea	Broad-leaved White Mahogany	150		150	47	7.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1021	Eucalyptus siderophloia	Grey Ironbark	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1022	Eucalyptus tereticornis	Forest Red Gum	180		180	57	13.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Retain	
1023	Eucalyptus siderophloia	Grey Ironbark	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1024	Acacia disparrima	Hickory Wattle	390		390	123	15.0	8.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1025	Eucalyptus siderophloia	Grey Ironbark	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1026	Eucalyptus carnea	Broad-leaved White Mahogany	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1027	Eucalyptus carnea	Broad-leaved White Mahogany	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1028	Acacia disparrima	Hickory Wattle	420		420	132	13.0	7.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1029	Lophostemon confertus	Brush Box	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1030	Eucalyptus carnea	Broad-leaved White Mahogany	130		130	41	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1031	Corymbia intermedia	Pink Bloodwood	130		130	41	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1032	Eucalyptus carnea	Broad-leaved White Mahogany	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1033	<i>Eucalyptus major</i>	Grey Gum	290		290	91	14.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1034	<i>Acacia disparrima</i>	Hickory Wattle	220	150	266	84	13.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1035	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1036	<i>Acacia disparrima</i>	Hickory Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1037	<i>Acacia disparrima</i>	Hickory Wattle	170	140	220	69	9.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1038	<i>Eucalyptus siderophloia</i>	Grey Ironbark	120		120	38	9.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1039	<i>Acacia disparrima</i>	Hickory Wattle	160	160, 150, 140	305	96	12.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1040	<i>Eucalyptus siderophloia</i>	Grey Ironbark	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1041	<i>Eucalyptus siderophloia</i>	Grey Ironbark	180		180	57	15.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1042	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1043	<i>Acacia disparrima</i>	Hickory Wattle	230	190	298	94	16.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1044	<i>Eucalyptus siderophloia</i>	Grey Ironbark	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1045	<i>Acacia disparrima</i>	Hickory Wattle	190	150	242	76	12.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1046	<i>Corymbia intermedia</i>	Pink Bloodwood	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1047	<i>Acacia disparrima</i>	Hickory Wattle	450		450	141	8.0	5.0	5.4	2.4	Regular	-	-	-	-	-	Typical	Major	-	-	-	-	Typical	-	-	-	-	-	Retain	
1048	<i>Acacia disparrima</i>	Hickory Wattle	280	280	396	124	14.0	9.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1049	<i>Acacia disparrima</i>	Hickory Wattle	320		320	101	16.0	8.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1050	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1051	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	17.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1052	<i>Acacia disparrima</i>	Hickory Wattle	300	250	391	123	16.0	9.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1053	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1054	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1055	<i>Acacia disparrima</i>	Hickory Wattle	170	170, 160, 140	321	101	16.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1056	<i>Acacia disparrima</i>	Hickory Wattle	280		280	88	16.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1057	<i>Acacia disparrima</i>	Hickory Wattle	170	160, 150	277	87	12.0	6.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1058	<i>Acacia disparrima</i>	Hickory Wattle	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1059	<i>Acacia disparrima</i>	Hickory Wattle	250	210	326	103	15.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1060	<i>Acacia disparrima</i>	Hickory Wattle	360		360	113	15.0	7.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	
1061	<i>Acacia disparrima</i>	Hickory Wattle	590		590	185	18.0	12.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1062	<i>Pinus elliotii</i>	Slash Pine	350		350	110	14.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1063	<i>Acacia disparrima</i>	Hickory Wattle	350		350	110	16.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1064	<i>Acacia disparrima</i>	Hickory Wattle	440	340	556	175	16.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	
1065	<i>Acacia disparrima</i>	Hickory Wattle	390		390	123	17.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1066	<i>Acacia disparrima</i>	Hickory Wattle	240	200	312	98	14.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1067	<i>Acacia disparrima</i>	Hickory Wattle	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1068	<i>Grevillea robusta</i>	Silky Oak	250		250	79	14.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1069	<i>Acacia disparrima</i>	Hickory Wattle	250	190, 130	340	107	15.0	6.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1070	<i>Grevillea robusta</i>	Silky Oak	180		180	57	12.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1071	<i>Acacia disparrima</i>	Hickory Wattle	260	240, 220, 180	454	143	15.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1072	<i>Grevillea robusta</i>	Silky Oak	120		120	38	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1073	<i>Grevillea robusta</i>	Silky Oak	320		320	101	16.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1074	<i>Mangifera indica</i>	Mango	320		320	101	14.0	6.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1075	<i>Corymbia intermedia</i>	Pink Bloodwood	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1076	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1077	<i>Acacia disparrima</i>	Hickory Wattle	320	220	388	122	16.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1078	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	16.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1079	<i>Acacia disparrima</i>	Hickory Wattle	310	260	405	127	16.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1080	<i>Syagrus romanzoffiana</i>	Cocos Palm	170		170	53	8.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1081	<i>Acacia disparrima</i>	Hickory Wattle	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1082	<i>Acacia disparrima</i>	Hickory Wattle	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1083	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1084	<i>Syagrus romanzoffiana</i>	Cocos Palm	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1085	<i>Syagrus romanzoffiana</i>	Cocos Palm	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1086	<i>Acacia disparrima</i>	Hickory Wattle	360		360	113	16.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1087	<i>Ficus macrophylla</i>	Moreton Bay Fig	1100		1100	346	20.0	16.0	13.2	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1088	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	14.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1089	<i>Acacia disparrima</i>	Hickory Wattle	210		210	66	15.0	6.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1090	<i>Corymbia citriodora</i>	Spotted Gum	440		440	138	17.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1091	<i>Schefflera actinophylla</i>	Umbrella Tree	160		160	50	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1092	<i>Grevillea robusta</i>	Silky Oak	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1093	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	16.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1094	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	
1095	<i>Syagrus romanzoffiana</i>	Cocos Palm	150		150	47	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1096	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	13.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1097	<i>Bauhinia galpinii</i>	Orchid Tree	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1098	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	200		200	63	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1099	<i>Jacaranda mimosifolia</i>	Jacaranda	280	260, 190	427	134	16.0	9.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1100	<i>Grevillea robusta</i>	Silky Oak	250	250	354	111	15.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1101	<i>Grevillea robusta</i>	Silky Oak	470		470	148	19.0	9.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1102	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1103	<i>Bauhinia galpinii</i>	Orchid Tree	270	170	319	100	8.0	8.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1104	<i>Banksia robur</i>	Wallum Banksia	330	250, 220	469	147	15.0	7.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1105	<i>Persea americana</i>	Avocado	150		150	47	11.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1106	<i>Syagrus romanzoffiana</i>	Cocos Palm	170		170	53	11.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1107	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1108	<i>Syagrus romanzoffiana</i>	Cocos Palm	190		190	60	11.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1109	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	11.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1110	<i>Syzygium luehmannii</i>	Small-leaved Lillipilli	220	170	278	87	12.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1111	<i>Araucaria heterophylla</i>	Norfolk Island Pine	450		450	141	15.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1112	<i>Syagrus romanzoffiana</i>	Cocos Palm	260		260	82	12.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1113	<i>Litchi chinensis</i>	Lychee	280	240	369	116	10.0	11.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1114	<i>Jacaranda mimosifolia</i>	Jacaranda	310	300, 280, 230, 200	598	188	14.0	10.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1115	<i>Ficus macrophylla</i>	Moreton Bay Fig	520		520	163	18.0	14.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1116	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1117	<i>Spathodea companulata</i>	African Tulip	300	290	417	131	12.0	5.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1118	<i>Ficus macrophylla</i>	Moreton Bay Fig	370		370	116	16.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1119	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1120	<i>Cupaniopsis anacardioides</i>	Tuckeroo	310	300, 280	514	162	14.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1121	<i>Corymbia intermedia</i>	Pink Bloodwood	260		260	82	14.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1122	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	12.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1123	<i>Eucalyptus robusta</i>	Swamp Mahogany	440	380, 290	650	204	21.0	12.0	7.8	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1124	<i>Corymbia intermedia</i>	Pink Bloodwood	220		220	69	12.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1125	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1126	<i>Spathodea companulata</i>	African Tulip	190		190	60	13.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1127	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	200	150, 150, 140, 140, 140	379	119	13.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1128	<i>Spathodea companulata</i>	African Tulip	200		200	63	12.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1129	<i>Acacia disparrima</i>	Hickory Wattle	300		300	94	12.0	8.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1130	<i>Waterhousia floribunda</i>	Weeping Lillipilli	170	150, 130	261	82	14.0	9.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1131	<i>Pinus elliotii</i>	Slash Pine	515		515	162	16.0	8.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1132	<i>Corymbia citriodora</i>	Spotted Gum	215		215	68	16.0	5.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1133	<i>Grevillea robusta</i>	Silky Oak	370		370	116	15.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1134	<i>Jacaranda mimosifolia</i>	Jacaranda	235	150, 140, 130	338	106	8.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1135	<i>Acacia leiocalyx</i>	Early Flowering Wattle	135		135	42	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1136	<i>Acacia leiocalyx</i>	Early Flowering Wattle	110	100	149	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1137	<i>Eucalyptus moluccana</i>	Gum-topped Box	980	470	1087	341	20.0	13.0	13.0	3.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1138	<i>Pinus elliotii</i>	Slash Pine	395		395	124	16.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1139	<i>Syagrus romanzoffiana</i>	Cocos Palm	175		175	55	6.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1140	<i>Taxodium distichum</i>	Swamp Cypress	840		840	264	17.0	13.0	10.1	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1141	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	170		170	53	8.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1142	<i>Melaleuca quinquenervia</i>	Broad-leaved Paperbark	180	170	248	78	9.0	3.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1143	<i>Acacia leiocalyx</i>	Early Flowering Wattle	130		130	41	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1144	Acacia leiocalyx	Early Flowering Wattle	185		185	58	7.0	2.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1145	Corymbia citriodora	Spotted Gum	130		130	41	6.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	
1146	Allocasuarina littoralis	Black She-oak	325		325	102	17.0	8.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1147	Allocasuarina littoralis	Black She-oak	300		300	94	11.0	5.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1148	Lophostemon suaveolens	Swamp Box	180		180	57	8.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1149	Tristaniopsis laurina	Water Gum	160	90	184	58	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1150	Eucalyptus tereticornis	Forest Red Gum	380		380	119	24.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1151	Syagrus romanzoffiana	Cocos Palm	185		185	58	13.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1152	Ficus rubiginosa	Rock Fig	425		425	134	17.0	9.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1153	Syagrus romanzoffiana	Cocos Palm	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1154	Schefflera actinophylla	Umbrella Tree	120	70	139	44	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1155	Celtis sinensis	Chinese Celtis	520		520	163	16.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1156	Grevillea robusta	Silky Oak	540	420, 340	764	240	21.0	13.0	9.2	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1157	Spathodea companulata	African Tulip	265		265	83	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1158	Archontophoenix cunninghamiana	Bangalow Palm	180		180	57	16.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1159	Melaleuca quinquenervia	Broad-leaved Paperbark	290		290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1160	Syagrus romanzoffiana	Cocos Palm	120		120	38	7.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1161	Spathodea companulata	African Tulip	200		200	63	15.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1162	Mangifera indica	Mango	340	300	453	142	13.0	8.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1163	Syagrus romanzoffiana	Cocos Palm	155		155	49	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1164	Liquidambar styraciflua	Liquidambar	1015		1015	319	21.0	16.0	12.2	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1165	Ravenala madagascariensis	Travellers Palm	130		130	41	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1166	Ficus rubiginosa	Rock Fig	560		560	176	16.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1167	Macadamia integrifolia	Macadamia Nut	140	100, 100	199	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1168	Syagrus romanzoffiana	Cocos Palm	175		175	55	7.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1169	Syagrus romanzoffiana	Cocos Palm	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1170	Araucaria cunninghamii	Hoop Pine	345		345	108	14.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1171	Syagrus romanzoffiana	Cocos Palm	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1172	Syagrus romanzoffiana	Cocos Palm	125		125	39	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1173	Syagrus romanzoffiana	Cocos Palm	175		175	55	8.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1174	Syagrus romanzoffiana	Cocos Palm	175		175	55	8.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1175	Araucaria cunninghamii	Hoop Pine	235		235	74	12.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1176	Syagrus romanzoffiana	Cocos Palm	225		225	71	8.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1177	Syagrus romanzoffiana	Cocos Palm	205		205	64	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1178	Syagrus romanzoffiana	Cocos Palm	245		245	77	9.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1179	Syagrus romanzoffiana	Cocos Palm	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1180	Macadamia integrifolia	Macadamia Nut	280		280	88	7.0	4.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details			
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
1181	<i>Syagrus romanzoffiana</i>	Cocos Palm	205		205	64	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1182	<i>Syagrus romanzoffiana</i>	Cocos Palm	235		235	74	9.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1183	<i>Syagrus romanzoffiana</i>	Cocos Palm	255		255	80	9.0	4.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1184	<i>Grevillea robusta</i>	Silky Oak	285		285	90	11.0	6.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1185	<i>Libidibia ferrea</i>	Leopard Tree	240		240	75	9.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1186	DEAD/STAG		495		495	156	13.0	6.0	5.9	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove		
1187	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	9.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1188	<i>Syagrus romanzoffiana</i>	Cocos Palm	210		210	66	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1189	<i>Syagrus romanzoffiana</i>	Cocos Palm	205		205	64	9.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1190	<i>Citharexylum spinosum</i>	Fiddlewood	210	195	287	90	7.0	5.0	3.4	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1191	<i>Acacia dispartima</i>	Hickory Wattle	410		410	129	14.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1192	<i>Syagrus romanzoffiana</i>	Cocos Palm	195		195	61	9.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove		
1193	<i>Citharexylum spinosum</i>	Fiddlewood	250	210, 120	348	109	11.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1194	<i>Citharexylum spinosum</i>	Fiddlewood	390	160	422	132	13.0	7.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1195	<i>Citharexylum spinosum</i>	Fiddlewood	250		250	79	13.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1196	<i>Grevillea robusta</i>	Silky Oak	230	190	298	94	13.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1197	<i>Libidibia ferrea</i>	Leopard Tree	195		195	61	6.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1198	<i>Macadamia integrifolia</i>	Macadamia Nut	140	120, 120	220	69	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1199	<i>Araucaria cunninghamii</i>	Hoop Pine	235		235	74	7.0	3.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1200	<i>Libidibia ferrea</i>	Leopard Tree	160	125	203	64	6.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1201	<i>Macadamia integrifolia</i>	Macadamia Nut	170	125, 110, 110	262	82	6.0	3.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1202	<i>Cupaniopsis anacardioides</i>	Tuckeroo	290		290	91	10.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1203	<i>Libidibia ferrea</i>	Leopard Tree	310	170, 160	388	122	9.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1204	<i>Acacia dispartima</i>	Hickory Wattle	150	120	192	60	9.0	5.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1205	<i>Leucaena leucocephala</i>	Leucaena	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1206	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	140		140	44	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1207	<i>Grevillea robusta</i>	Silky Oak	295		295	93	15.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1208	<i>Jacaranda mimosifolia</i>	Jacaranda	340		340	107	13.0	7.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1209	<i>Acacia leiocalyx</i>	Early Flowering Wattle	110		110	35	9.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1210	<i>Syagrus romanzoffiana</i>	Cocos Palm	215		215	68	6.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1211	<i>Syagrus romanzoffiana</i>	Cocos Palm	155		155	49	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1212	<i>Syagrus romanzoffiana</i>	Cocos Palm	175		175	55	7.0	4.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1213	<i>Syagrus romanzoffiana</i>	Cocos Palm	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1214	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	6.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1215	<i>Syagrus romanzoffiana</i>	Cocos Palm	190		190	60	6.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1216	<i>Ficus benjamina</i>	Weeping Fig	160	140, 130	249	78	8.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1217	<i>Acacia dispartima</i>	Hickory Wattle	200	125	236	74	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		



Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1218	<i>Syagrus romanzoffiana</i>	Cocos Palm	185		185	58	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1219	<i>Syagrus romanzoffiana</i>	Cocos Palm	185		185	58	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1220	<i>Acacia disparrima</i>	Hickory Wattle	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1221	<i>Melaleuca bracteata</i>	Black Tea-tree	195		195	61	3.0	1.0	2.3	1.7	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1222	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	6.0	2.0	2.0	1.5	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1223	<i>Syagrus romanzoffiana</i>	Cocos Palm	195		195	61	8.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1224	<i>Melaleuca bracteata</i>	Black Tea-tree	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1225	<i>Acacia leiocalyx</i>	Early Flowering Wattle	110		110	35	8.0	3.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1226	<i>Acacia concurrens</i>	Black Wattle	165		165	52	6.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1227	<i>Syagrus romanzoffiana</i>	Cocos Palm	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1228	<i>Syagrus romanzoffiana</i>	Cocos Palm	245		245	77	7.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1229	<i>Syagrus romanzoffiana</i>	Cocos Palm	225		225	71	8.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1230	<i>Jacaranda mimosifolia</i>	Jacaranda	220	220, 110	330	104	7.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1231	<i>Syagrus romanzoffiana</i>	Cocos Palm	235		235	74	7.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
1232	<i>Syagrus romanzoffiana</i>	Cocos Palm	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1233	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1234	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1235	<i>Spathodea companulata</i>	African Tulip	175		175	55	9.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1236	<i>Araucaria cunninghamii</i>	Hoop Pine	430		430	135	13.0	7.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1237	<i>Syagrus romanzoffiana</i>	Cocos Palm	190		190	60	7.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1238	<i>Acacia leiocalyx</i>	Early Flowering Wattle	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1239	<i>Acacia leiocalyx</i>	Early Flowering Wattle	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1240	<i>Syagrus romanzoffiana</i>	Cocos Palm	170		170	53	5.0	2.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1241	<i>Jacaranda mimosifolia</i>	Jacaranda	240		240	75	5.0	2.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1242	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	5.0	2.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1243	<i>Syagrus romanzoffiana</i>	Cocos Palm	155		155	49	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1244	<i>Acacia leiocalyx</i>	Early Flowering Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1245	<i>Melaleuca bracteata</i>	Black Tea-tree	220	210	304	96	7.0	4.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1246	<i>Grevillea robusta</i>	Silky Oak	155		155	49	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1247	<i>Araucaria cunninghamii</i>	Hoop Pine	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1248	<i>Acacia leiocalyx</i>	Early Flowering Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1249	<i>Syagrus romanzoffiana</i>	Cocos Palm	210		210	66	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1250	<i>Cinnamomum camphora</i>	Camphor Laurel	220	210, 215, 170	409	129	14.0	8.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1251	<i>Citharexylum spinosum</i>	Fiddlewood	150	130, 140	243	76	7.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1252	<i>Acacia disparrima</i>	Hickory Wattle	125		125	39	5.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	Remove	
1253	<i>Syagrus romanzoffiana</i>	Cocos Palm	165		165	52	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1254	<i>Acacia leiocalyx</i>	Early Flowering Wattle	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
1255	<i>Citharexylum spinosum</i>	Fiddlewood	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1256	<i>Araucaria cunninghamii</i>	Hoop Pine	465		465	146	19.0	8.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1257	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	13.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1258	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	12.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1259	<i>Schefflera actinophylla</i>	Umbrella Tree	180	140, 110, 110	276	87	8.0	5.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1260	<i>Dillenia indica</i>	Elephant Apple	140	130	191	60	6.0	4.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1261	<i>Phoenix dactylifera</i>	Date Palm	320		320	101	3.0	3.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1262	<i>Acacia leiocalyx</i>	Early Flowering Wattle	125		125	39	8.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1263	<i>Acacia leiocalyx</i>	Early Flowering Wattle	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1264	<i>Citharexylum spinosum</i>	Fiddlewood	115		115	36	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1265	<i>Acacia leiocalyx</i>	Early Flowering Wattle	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1266	<i>Acacia leiocalyx</i>	Early Flowering Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1267	<i>Syagrus romanzoffiana</i>	Cocos Palm	215		215	68	8.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1268	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1269	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1270	<i>Acacia disparrima</i>	Hickory Wattle	130	120	177	56	8.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1271	<i>Syagrus romanzoffiana</i>	Cocos Palm	190		190	60	6.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1272	<i>Syagrus romanzoffiana</i>	Cocos Palm	180		180	57	8.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1273	<i>Citharexylum spinosum</i>	Fiddlewood	140	100, 90	194	61	5.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1274	<i>Acacia disparrima</i>	Hickory Wattle	240		240	75	11.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1275	<i>Citharexylum spinosum</i>	Fiddlewood	180	150	234	74	6.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1276	<i>Acacia disparrima</i>	Hickory Wattle	155		155	49	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1277	<i>Acacia disparrima</i>	Hickory Wattle	290	365	466	146	13.0	7.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)		
1278	<i>Citharexylum spinosum</i>	Fiddlewood	210	155	261	82	12.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1279	<i>Citharexylum spinosum</i>	Fiddlewood	255	170, 150, 140	369	116	12.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1280	<i>Grevillea robusta</i>	Silky Oak	190		190	60	17.0	10.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1281	<i>Citharexylum spinosum</i>	Fiddlewood	980		980	308	16.0	9.0	11.8	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1282	<i>Dillenia indica</i>	Elephant Apple	180	180, 145, 120	317	99	7.0	4.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1283	<i>Araucaria cunninghamii</i>	Hoop Pine	515		515	162	19.0	9.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1284	<i>Grevillea robusta</i>	Silky Oak	335		335	105	18.0	9.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1285	<i>Dillenia indica</i>	Elephant Apple	430		430	135	8.0	6.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1286	<i>Delonix regia</i>	Poinciana	240		240	75	6.0	3.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1287	<i>Erythrina sykesii</i>	Common Coral Tree	160		160	50	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1288	<i>Acacia leiocalyx</i>	Early Flowering Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1289	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	215		215	68	7.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1290	<i>Grevillea robusta</i>	Silky Oak	365		365	115	16.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		
1291	<i>Grevillea robusta</i>	Silky Oak	265		265	83	16.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove		

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1292	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	145		145	46	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1293	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	185		185	58	9.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1294	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1295	<i>Phoenix dactylifera</i>	Date Palm	340		340	107	6.0	5.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1296	<i>Dillenia indica</i>	Elephant Apple	165	135	213	67	5.0	3.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1297	<i>Acacia fimbriata</i>	Brisbane Wattle	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1298	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1299	<i>Corymbia intermedia</i>	Pink Bloodwood	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1300	<i>Grevillea robusta</i>	Silky Oak	255		255	80	13.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1301	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	160	155	223	70	8.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1302	<i>Grevillea robusta</i>	Silky Oak	290		290	91	13.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1303	<i>Araucaria cunninghamii</i>	Hoop Pine	145		145	46	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1304	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1305	<i>Citharexylum spinosum</i>	Fiddlewood	155	150	216	68	6.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1306	<i>Citharexylum spinosum</i>	Fiddlewood	140	135	194	61	5.0	3.0	2.3	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1307	<i>Libidibia ferrea</i>	Leopard Tree	145		145	46	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1308	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	165		165	52	8.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1309	<i>Syagrus romanzoffiana</i>	Cocos Palm	225		225	71	11.0	6.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1310	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	165		165	52	9.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1311	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1312	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	200		200	63	13.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1313	<i>Acacia disparrima</i>	Hickory Wattle	275		275	86	15.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1314	<i>Archontophoenix cunninghamiana</i>	Bangalow Palm	165		165	52	15.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1315	<i>Planted Native spp.</i>	Planted Native spp	265		265	83	14.0	7.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1316	<i>Acacia disparrima</i>	Hickory Wattle	260		260	82	8.0	6.0	3.1	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1317	<i>Acacia concurrens</i>	Black Wattle	140		140	44	5.0	5.0	1.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1318	<i>Acacia concurrens</i>	Black Wattle	120	120 100 110	226	71	5.0	6.0	2.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1319	<i>Acacia concurrens</i>	Black Wattle	150		150	47	6.0	4.0	1.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1320	<i>Acacia concurrens</i>	Black Wattle	220		220	69	7.0	4.0	2.6	0.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
1321	<i>Acacia disparrima</i>	Hickory Wattle	170	160 120	262	82	6.0	10.0	3.1	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1322	<i>Corymbia trachyphloia</i>	Brown Bloodwood	290		290	91	8.0	8.0	3.5	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1323	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	120		120	38	9.0	4.0	1.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1324	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	11.0	4.0	3.5	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1325	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	6.0	2.0	1.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1326	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	110	100	149	47	5.0	3.0	1.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1327	<i>Acacia disparrima</i>	Hickory Wattle	530	280	599	188	14.0	12.0	7.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1328	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	8.0	6.0	2.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1329	Acacia concurrens	Black Wattle	130		130	41	7.0	4.0	1.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1330	Acacia concurrens	Black Wattle	140		140	44	7.0	5.0	1.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1331	Acacia disparrima	Hickory Wattle	280		280	88	14.0	6.0	3.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1332	Acacia disparrima	Hickory Wattle	180		180	57	7.0	8.0	2.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1333	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	44	6.0	4.0	1.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1334	Eucalyptus acmenoides	White Mahogany	420		420	132	14.0	8.0	5.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1335	Corymbia intermedia	Pink Bloodwood	130		130	41	7.0	3.0	1.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1336	Eucalyptus siderophloia	Northern Grey Ironbark	120		120	38	9.0	6.0	1.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1337	Eucalyptus siderophloia	Northern Grey Ironbark	170		170	53	7.0	4.0	2.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1338	Corymbia intermedia	Pink Bloodwood	160		160	50	12.0	6.0	1.9	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1339	Acacia disparrima	Hickory Wattle	210		210	66	8.0	4.0	2.5	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1340	Corymbia intermedia	Pink Bloodwood	140		140	44	11.0	6.0	1.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1341	Dead/Stag		770		770	242	16.0	8.0	9.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Yes	-	-	-	Remove	
1342	Corymbia intermedia	Pink Bloodwood	110		110	35	5.0	3.0	1.3	0.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
1343	Eucalyptus siderophloia	Northern Grey Ironbark	550		550	173	10.0	10.0	6.6	0.0	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
1344	Corymbia intermedia	Pink Bloodwood	190		190	60	10.0	6.0	2.3	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1345	Eucalyptus siderophloia	Northern Grey Ironbark	660		660	207	17.0	10.0	7.9	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1346	Eucalyptus siderophloia	Northern Grey Ironbark	500		500	157	15.0	7.0	6.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1347	Eucalyptus siderophloia	Northern Grey Ironbark	220		220	69	10.0	4.0	2.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1348	Corymbia trachyphloia	Brown Bloodwood	260		260	82	10.0	7.0	3.1	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1349	Acacia disparrima	Hickory Wattle	480	220	528	166	7.0	10.0	6.3	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1350	Eucalyptus siderophloia	Northern Grey Ironbark	150		150	47	7.0	4.0	1.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1351	Schefflera actinophylla	Umbrella tree	260		260	82	10.0	6.0	3.1	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1352	Corymbia torelliana	Cadaghi	290		290	91	11.0	12.0	3.5	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1353	Acacia disparrima	Hickory Wattle	160		160	50	9.0	4.0	1.9	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1354	Acacia disparrima	Hickory Wattle	350		350	110	12.0	8.0	4.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1355	Acacia disparrima	Hickory Wattle	180	140	228	72	7.0	10.0	2.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1356	Acacia disparrima	Hickory Wattle	170	160 150	277	87	13.0	8.0	3.3	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1357	Eucalyptus siderophloia	Northern Grey Ironbark	320		320	100	15.0	8.0	3.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1358	Eucalyptus tereticornis	Forest Red Gum	190	180	262	82	10.0	6.0	3.1	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1359	Eucalyptus siderophloia	Northern Grey Ironbark	130		130	41	7.0	3.0	1.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1360	Acacia disparrima	Hickory Wattle	330		330	104	12.0	8.0	4.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1361	Corymbia intermedia	Pink Bloodwood	250		250	79	12.0	6.0	3.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	
1362	Acacia disparrima	Hickory Wattle	290	180	341	107	12.0	10.0	4.1	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1363	Acacia disparrima	Hickory Wattle	160		160	50	13.0	4.0	1.9	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1364	Acacia disparrima	Hickory Wattle	180		180	57	8.0	5.0	2.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1365	Acacia disparrima	Hickory Wattle	320		320	100	9.0	10.0	3.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1366	Acacia disarrima	Hickory Wattle	350	210 200	455	143	10.0	6.0	5.5	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1367	Acacia melanoxyton	Australian Blackwood	150		150	47	8.0	4.0	1.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1368	Acacia melanoxyton	Australian Blackwood	260	250 150	391	123	6.0	7.0	4.7	0.0	Regular	-	-	Die-back	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove	
1369	Acacia disarrima	Hickory Wattle	150		150	47	8.0	4.0	1.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1370	Acacia disarrima	Hickory Wattle	350		350	110	8.0	4.0	4.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1371	Eucalyptus tereticornis	Forest Red Gum	210		210	66	7.0	5.0	2.5	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1372	Alphitonia excelsa	Soap Tree	220		220	69	8.0	4.0	2.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1373	Acacia disarrima	Hickory Wattle	230		230	72	8.0	7.0	2.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1374	Acacia disarrima	Hickory Wattle	230		230	72	7.0	5.0	2.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1375	Schefflera actinophylla	Umbrella tree	130		130	41	5.0	4.0	1.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1376	Melaleuca bracteata	Black Tea Tree	140		140	44	6.0	2.0	1.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1377	Acacia melanoxyton	Australian Blackwood	140		140	44	6.0	5.0	1.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1378	Melaleuca bracteata	Black Tea Tree	140	110	178	56	7.0	4.0	2.1	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1379	Acacia melanoxyton	Australian Blackwood	140		140	44	8.0	5.0	1.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1380	Melaleuca bracteata	Black Tea Tree	310	150 140 120	391	123	8.0	6.0	4.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1381	Melaleuca bracteata	Black Tea Tree	120	120	170	53	7.0	5.0	2.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1382	Melaleuca bracteata	Black Tea Tree	380	250 190	493	155	9.0	8.0	5.9	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1383	Pinus elliotii	Slash Pine	520		520	163	13.0	8.0	6.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1384	Pinus elliotii	Slash Pine	550		550	173	17.0	10.0	6.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1385	Pinus elliotii	Slash Pine	390		390	122	20.0	14.0	4.7	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1386	Eucalyptus tereticornis	Forest Red Gum	915		915	287	22.0	18.0	11.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1387	Eucalyptus tereticornis	Forest Red Gum	160	120	200	63	10.0	6.0	2.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1388	Pinus elliotii	Slash Pine	500		500	157	22.0	9.0	6.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1389	Syagrus romanzoffiana	Cocos Palm	300		300	94	8.0	6.0	3.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1390	Syagrus romanzoffiana	Cocos Palm	330		330	104	9.0	5.0	4.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1391	Syagrus romanzoffiana	Cocos Palm	280		280	88	9.0	5.0	3.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1392	Syagrus romanzoffiana	Cocos Palm	280		280	88	7.0	5.0	3.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1393	Syagrus romanzoffiana	Cocos Palm	300		300	94	16.0	6.0	3.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1394	Syagrus romanzoffiana	Cocos Palm	290	210	358	112	12.0	6.0	4.3	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1395	Archontophoenix cunninghamiana	Bangalow Palm	130		130	41	10.0	4.0	1.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1396	Macaranga tanarius	Blush Macaranga	200		200	63	6.0	8.0	2.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1397	Archontophoenix cunninghamiana	Bangalow Palm	340		340	107	13.0	8.0	4.1	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1398	Eucalyptus tereticornis	Forest Red Gum	100		100	31	7.0	3.0	1.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1399	Eucalyptus tereticornis	Forest Red Gum	100		100	31	7.0	3.0	1.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1400	Ficus obliqua	Small Leaf Fig	300	300 280 250	566	178	15.0	15.0	6.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1401	Ficus obliqua	Small Leaf Fig	650		650	204	16.0	14.0	7.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1402	Ficus obliqua	Small Leaf Fig	250	250	354	111	15.0	14.0	4.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	



Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1403	<i>Ficus obliqua</i>	Small Leaf Fig	500		500	157	14.0	12.0	6.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1404	<i>Ficus obliqua</i>	Small Leaf Fig	400	350 350	636	200	17.0	13.0	7.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1405	<i>Ficus obliqua</i>	Small Leaf Fig	550		550	173	16.0	14.0	6.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1406	<i>Ficus obliqua</i>	Small Leaf Fig	550		550	173	15.0	13.0	6.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1407	<i>Ficus opposita</i>	Sweet Fig	350	250	430	135	16.0	13.0	5.2	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1408	<i>Ficus obliqua</i>	Small Leaf Fig	350	300	461	145	15.0	14.0	5.5	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1409	<i>Ficus obliqua</i>	Small Leaf Fig	300	300 250	492	154	16.0	15.0	5.9	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1410	<i>Ficus obliqua</i>	Small Leaf Fig	750		750	236	16.0	16.0	9.0	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1411	<i>Ficus obliqua</i>	Small Leaf Fig	700		700	220	15.0	13.0	8.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1412	<i>Jacaranda mimosifolia</i>	Jacaranda	150		150	47	7.0	4.0	1.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1413	<i>Jacaranda mimosifolia</i>	Jacaranda	130		130	41	8.0	5.0	1.6	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1414	<i>Eucalyptus tereticornis</i>	Forest Red Gum	200		200	63	10.0	5.0	2.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain (neighbouring)	
1415	<i>Acacia disarrima</i>	Hickory Wattle	120	120 100	197	62	7.0	4.0	2.4	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	
1416	<i>Acacia melanoxyton</i>	Australian Blackwood	200	180 160	313	98	6.0	5.0	3.8	0.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	

