


PROPOSED WAREHOUSE

PROPOSED LOT 505 on SP316171 301 Coastlink Court, Stapylton



LOCALITY PLAN



76 BUSINESS STREET, YATALA
Tel: +61 7 3807 3333
Fax: +61 7 3287 5461
E: mail@gassman.com.au
W: www.gassman.com.au

DRAWING INDEX

6349-L-OW-PRI-CP01	Locality Plan
6349-L-OW-PRI-SP01	Specifications & Planting Schedule
6349-L-OW-PRI-DT01	Detail Drawings
6349-L-OW-PRI-ST01	Surface Treatment Plan
6349-L-OW-PRI-ST02	Surface Treatment Plan
6349-L-OW-PRI-ST03	Surface Treatment Plan
6349-L-OW-PRI-ST04	Surface Treatment Plan
6349-L-OW-PRI-ST05	Surface Treatment Plan
6349-L-OW-PRI-ST06	Surface Treatment Plan
6349-L-OW-PRI-PP01	Planting Plan
6349-L-OW-PRI-PP02	Planting Plan
6349-L-OW-PRI-PP03	Planting Plan
6349-L-OW-PRI-PP04	Planting Plan
6349-L-OW-PRI-PP05	Planting Plan
6349-L-OW-PRI-PP06	Planting Plan



planning | environment | landscape | engineering | survey
T: 3807 3333 | F: 3287 5461 | www.gassman.com.au
76 Business Street, Yatala QLD | PO Box 392, Beerleigh 4207

Client:



Project:

Warehouse Facility

Site Address:

301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

DRAWING TITLE

Landscape Operational Works

3	17.09.25	FOR APPROVAL	JLS	MG
2	29.03.25	TENDER PACKAGE	JLS	MG
1	16.09.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK

Scale:

Designed:	JLS
Checked:	JLS
Approved:	MG
Date:	17.09.25

Drawing No: L-PRI-CP00 Rev. No: 3

LANDSCAPE SPECIFICATIONS

GENERAL

The Operational Works Plans are to be read in conjunction with Survey, Civil Engineering and Architectural Plans, Hydraulic and Electrical Reticulation Drawings and specifications for this project.

All works are to be in accordance with City of Gold Coast - City Plan - Landscape Work Code and COGC approval conditions, and also to Fraser Properties Industrial Landscape Guidelines V2.

Any discrepancy between these plans and other relevant drawings and specifications shall be brought to the notice of the Developments Managers Representative before commencement or continuation of works.

LEVELS

Existing and finished surface level shown within this plan have been derived from survey and civil engineering plans authored by Gassman Development Perspectives. Refer to these plans for further information, where required. Any discrepancy found between these plans and the survey and civil drawing series shall be brought to the attention of the Development Managers Representative before the commencement or continuation of works.

CONCRETE EDGING

Supply and install 100mm x 100mm formed concrete edging in grey to areas indicated within this set of plans.

STEEL EDGING

Supply and install steel edging in locations shown within this plan series. Steel edging is to be 100mmD and 8mm thick, and to be positioned via tack welds onto N16 rio bar. Steel edge to remain flush with adjacent surfaces. Refer to detail drawing within this package for further detail.

PODIUM PLANTERS

Planter designed and built by others.

Waterproofing by others.

Drainage points by others.

Refer to architects plan series for further information. Any discrepancy found between these plans and the architectural drawing series shall be brought to the attention of the Development Managers Representative before the commencement or continuation of works.

Supply and install Internal drainage cell, geotextile, growing media and mulch as outlined below. Refer to detail drawing on SP02

DRAINAGE CELL

Supply and install Atlantis 25mm Flowcell drainage cell or similar approved drainage cell with dimensions of 25mm (H) x 40mm (W) and flow rate of a minimum of 7.4L/s/m width. Drainage cell to be positioned within podium planter boxes as outlined and shown within detailed drawings shown within this set of drawings.

GEOFABRIC

Supply and install a non woven geofabric textile (such as Bindim 14/24, by Geofabrics or similar approved) for the purpose of separation and filtration of growing media to drainage cell located within podium planters and as depicted within detailed drawings found within this set of drawings. Selected Geofabric textile to comply with ISO9001.

ROOT BARRIER

Supply and install 800mm root barrier in locations indicated, at a minimum offset minimum 1500mm distance from trunk of the tree. Photo evidence of the installation of the root control barriers must be supplied to the Landscape Architect for submission to council.

STRATA VAULT SYSTEM

Supply and install City Green Strata Vault system to areas indicated on this plan series and as per manufactures instruction. Strat Vault is to be installed in two layer system (808mm in depth) to 400lt trees proposed near built form, as indicated within detail drawings on page SP02.

TREE GUARD ANCHOR SYSTEM

Supply and install tree guard system to trees in high wind zoned (roof top) areas as indicated within this plan series. Tree guard systems to be a deadman system Plati Mat, capable of supporting root ball of specified palm and tree species within a podium planter of 1m in depth. Platimat to be secured with bolt system on the floor of the podium planter. Tree guards to be installed as per manufactures instructions.

Photo evidence of the installation of the anchor systems must be supplied to the Landscape Architect for submission to council.

TREE GRATE

Supply and install 1200mm dia. hot galvanized dipped steel grate with centre cut out of 380mm by Urban Fountains and Furniture (or similar approved) with TG4 laser cut design / finish, in locations indicated within this set of plans. Antislip W rating required. Galvanized angle support frame, with quick release cam locks and 6mm bolt required. Install as per manufactures instruction.

GROWING MEDIA (Deep Planting Beds and Turf)

The Landscape Contractor is to provide sufficient surface and subsurface drainage to street tree garden beds to ensure positively drain areas free from ponding and water logging of soils. Cultivation of subgrade is to a minimum depth of 150mm prior to placing under turf topsoil for all turf areas and to a minimum depth of 200mm for all planting areas. Cultivate manually within 300mm of paths or structures and within the drip line of trees to a minimum depth of 100mm. Remove stones exceeding 25mm, clods of earth exceeding 50mm, and all weed material. Grub out stumps and roots over 50mm in diameter to a minimum depth of 300mm below sub-grade. Tree and shrub stumps less than 75mm in diameter must be cut off at ground level and treated to prevent re-growth. trim the surface to design levels after cultivation. Apply additives after ripping or cultivation and incorporate into the upper 100mm layer of the subgrade. gypsum: incorporate at the rate in accordance with the manufactures guidelines.

Fill required for leveling must be from previous earthworks on site or imported from a certified supplier as required. all fill material to be used must be free from:

- Logs, stumps and other vegetative material;
- Materials susceptible to spontaneous combustion;
- Clay of liquid limit exceeding 90 and/or plasticity index exceeding 65;
- Refuse and rubbish;
- Concrete and masonry rubble, and
- Toxic materials and substances.

Supply and install imported topsoil complying with as 4419 - 1996. Spread topsoil on prepared sub-grade and grade evenly, making allowances for required finished levels and contours (allow for light compaction). The reuse of modified topsoil must be free from stones, vegetative matter, stumps, clods greater than 75mm and toxic materials. Modified site soil must have good drainage and be high in organic matter. All modified soils to comply with AS4419. Refer to detail drawing no DD01 on 4002 for further detail.

GROWING MEDIA (Podlum Planters)

Supply and install podium blend consisting of compost, ash, sand and hydro flec in potting mix. Growing media is to fill podium planter to 75mm below podium planter container edge, as shown within detail drawings within this set of plans. Ensure growing media is graded evenly ensuring required finished levels are achieved after light compaction. Growing media must comply with AS1289, AS2223, AS4419 ad AS 4454. Refer to detail drawing on SP02.

MULCH (Deep Planting & Podium Planter Areas)

Supply and install organic mulch (Hoop Fines or similar approved) to a minimum depth 100mm on top of growing media. Place mulch to the required depth, clear of plant stems. Spread mulch so that after settling it is smooth and evenly graded between design surface levels sloped towards the base of plant stems. All mulch to be free from stones and soils. Mulch must comply with AS1289, AS2223, AS 4419 and AS4454.

GRAVEL

Supply and install 75 - 150mm basalt gravel to areas indicated within this set of plans to a thickness of 100mm. Area to have weed mat placed between subgrade bed and gravel layers, as well as have pre-emergent weed control sprayed onto gravel after installation.

DECOMPOSED GRANITE

Supply and install compacted decomposed granite path to a depth of 100mm in areas indicated within this plan series. Decomposed granite to have a ratio of 2:8 cement to granite ratio for stabilisation.

FERTILIZER

Use Agriform (or similar approved) 10g fertilizer (N:P:K / 20:4.3:4.1) tablet at

a rate of 1 per 140mm pot or smaller pot, 2 per 200mm pot, 3 per 300mm pot or larger. Place fertilizer at plant rootball as indicated within detail drawings found within this set of plans.

PLANT MATERIAL

All plant material is to be inspected onsite prior to planting and shall be rejected if it is not found to meet the following criteria;

- All plant material is to be visibly free of disease and damage, is to be of true genus, species and cultivars specified and is to be the specified container size and appropriate height or spread.
- All plant material is to have a well developed root system, without girdling and spiraling, nor shall the plant be 'root bound'.

TURF (streetscape)

Make good any streetscape turf damage throughout construction. Green couch, laid on 100mm topsoil. Refer to detail drawing on SP02

PUBLIC STREET TREES (streetscape)

Replace any trees that are damaged throughout construction. Street tree species and sizing must be inline and compliant with overarching approval OPW/2023/1492.

Where a tree is removed for services or vehicle cross overs replacement of the same size and species (as listed in OPW/2023/1492) is to be made, and placed in accordance with Gold Coast City Council Street tree guidelines.

MULCH (streetscape)

Top up mulch required to the tree beds, where damage / reduction / compaction occurs throughout construction.

TURF

Supply and install A Grade wintergreen turf in areas nominated within this set of plans. Turf to be installed at even grade with no dips, troughs or diverts. Turf to have pop up sprinklers installed as irrigation.

TREE PLANTING

Supply and place trees according to the plant schedule and location on this set of drawings. Refer to detail drawing on SP02.

SHRUBS AND GROUND COVERS

Supply and place shrub and ground cover species according to the plant schedule and location on this set of drawings. Plant as per typical planting as per detail drawing on SP02.

IRRIGATION

Conduit installed by others. 14mm dripline irrigation system, to all communal garden areas, at 350mm spacing. Drip line system to have be a back to base irrigation system equivalent to Rainbird ESP Decoder controller with rain sensors. RPZ and take off points to be nominated at later stage. Penetration and soffit pipe works by others. Hydraulic point to be provided by others: 1Lps @ 450Kp (system flow + pressure requirement) (RPZ 25mm). Electrical take off to be provided by others; 1 x 10AMP weather proof GPO For turfed areas, pop up sprinkler system, with a back to base irrigation system equivalent to Rainbird ESP Decoder controller with rain sensors, to be installed.

GREENWALLS

Greenwall to be designed and constructed by Vertikal. Green wall system will incorporate polymer board attached to host wall, and individual 152mm x 126mm pots with plant species planted. Refer to architectural series for height and width of wall. Drainage for Greenwall provided by others. Irrigation take off points for sprays and drip line by others. Connection by Vertikal. Species list to be designed by Vertikal, and suitable for host wall location (light conditions). The species are to include; Russelia elaeagnifolia Liriope evergreen giant and Carissa desert star, which has been replicated in the surrounding landscape design.

ESTABLISHMENT / MAINTENANCE PERIOD

The planting establishment period commences at the date of practical completion as set out by the Superintendent in a written certification to the Landscape Subcontractor. Planting Establishment on all landscape works is for a 12 month period at

date of practical completion and shall incorporate as listed below.

General

Maintain all planted areas to ensure the establishment and continued growth of all shrub/ground cover material and palms. Areas shall be maintained in such a way as to ensure groundcover's and shrubs is encouraged to form a mass planting effect.

Weed Control

All planting areas are to be kept weed free through the use of chemical, mechanical and hand weeding as appropriate to the type of planting, its prominence and species involved. Translocated herbicides should be used in preference to contact products, and where applied in ornamental areas re-visits to remove dead growth will be required.

Pruning

Inspect planting areas regularly and prune out dead or diseased growth as and when discovered.

Groundcovers

Inspect areas of ground cover planting regularly. In areas of compacted soil surface lightly fork soil to improve establishment. Cut back plants significantly overhanging podium in a manner appropriate for the species and to the approval of the Superintendent.

Dusting and Spraying

Allow for regular inspections and spraying and dusting as may be necessary to control pests and diseases on plant stock. Report any occurrences to the Superintendent.

Replacements

Monitor plant growth and allow for the removal from site of any plants, which fail to thrive, and the leveling up of the planting area. Advise the Superintendent of number of plant failures after each maintenance visit. Monitor planting areas and report any incidents of malicious damage or theft.

Mulch

Inspect mulch depths to all planting areas regularly and allow for tidying and topping up levels to specified depths as required.

Log Book

Keep record of dates of visits, maintenance performed and photo evidence of results achieved for the area. Log book to be issued to the Development Managers Representative, at their request.

PLANTING SCHEDULE					
CODE	BOTANICAL NAME	COMMON NAME	POT SIZE	STAKE REQUIRED	TOTAL
TREES					
TR1lau	Tristania laurina 'luscious'	watergum	400lt	Y	2
ELAeum	Elaeocarpus eumundi	quondong	200lt	Y	32
WATflo	Waterhousia floribunda	weeping lillypilly	200lt	Y	8
SCREENING SHRUBS					
SYZres	Syzygium resilience	lillypilly	45lt		16
ACAall	Acmena smithii 'Allyn Magic'	lillypilly	45lt		99
FEATURE SHRUBS					
PHlrg	Philodendron rojo congo	rojo congo	300mm		4
PHlvan	Philodendron xanadu	xanadu	300mm		34
DORexc	Doryanthes excelsa	gynea lilly	300mm		52
SHRUBS					
WESg	Westringia jervis gem	coastal rosemary	200mm		208
NANDom	Nandina domestica nana	dwarf sacred bamboo	200mm		431
GROUNDCOVERS					
CAUj	Callistemon littlejohn	littlejohn bottle brush	140mm		1064
DIAcae	Dianella caerulea littlejess	littlejess	140mm		409
MYOeli	Myoporum ellipticum	coastal boobialla	140mm		415
DIAcb	Dianella cassia blue	cassia blue	140mm		1226



g a s s m a n

development perspectives

est 1985

planning | environment | landscape | engineering | survey

T: 3807 3333 | F: 3287 5461 | www.gassman.com.au

76 Business Street, Yatala QLD | PO Box 392, Beerleigh 4207

Client:



Project:


Warehouse Facility

Site Address:

301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.




DRAWING TITLE

Landscape Operational Works

SPECIFICATIONS & PLANTING SCHEDULE


3	17.09.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG

Issue	Date	Description	DRN	CHK
Scale:				
Designed:	JLS			
Checked:	JLS			
Approved:	MG			
Date:	17.09.25			
Drawing No:	L-PRI- SP01		Rev. No:	3




TYPICAL DETAIL: GARDEN TREATMENT


TYPICAL DETAIL: TREE PLANTING




TYPICAL DETAIL: SHRUB / GROUNDCOVER PLANTING




TYPICAL DETAIL: TURF INSTALLATION (IF MAKE GOOD REQUIRED)



TYPICAL DETAIL: STRATA VAULT



TYPICAL DETAIL: CONCRETE EDGE




TYPICAL DETAIL: STEEL EDGE

DRAWING TITLE
Landscape Operational Works
DETAIL DRAWINGS

Issue	Date	Description	DRN	CHK
3	17.09.25	FOR APPROVAL	JLS	MG
2	23.05.25	TENDER PACKAGE	JLS	MG
1	18.05.25	TENDER PACKAGE	JLS	MG

Scale:	
Designed:	JLS
Checked:	JLS
Approved:	MG
Date:	17.09.25



Client:


FRASERS
PROPERTY

Project:
Warehouse Facility

Site Address:
301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be
reproduced or transmitted in any form or by any
means, electronic, mechanical, photocopying,
recording, or otherwise, without the written
permission of Gassman Development Perspectives.



LEGEND

EXISTING TURF TO PUBLIC CORSE AS FOR OPERATIONAL WORKS TO BE REMOVED WITH WINTERGREEN TURF	ROOT BARRIER PROTECTION 800mm DEEP REFER TO SPECIFICATION FOR FURTHER DETAIL
EXISTING TREES TO PUBLIC CORSE AS FOR OPERATIONAL WORKS TO BE REMOVED WITH WINTERGREEN TURF	STRATA VAULT REFER TO SPECIFICATION FOR FURTHER DETAIL
PROPOSED A GRADE WINTERGREEN TURF	DEEP GARDEN / PODIUM GARDEN WITH IRRIGATION PLANTING AREAS REFER TO SPECIFICATIONS FOR FURTHER DETAIL
80mm IRRIGATION CONDUIT BY OTHERS REFER TO SPECIFICATION FOR FURTHER DETAIL	DECOMPOSED GRANITE WITH 25% RATIO OF CONCRETE TO GRANITE MIX
100mm THICK CONCRETE EDGE IN CHARCOAL REFER TO SPECIFICATIONS FOR FURTHER DETAIL	75mm - 150mm BASALT ROCK WITH WEED MAT UNDER, AS SPECIFIED
100mm x 4mm STEEL EDGING REFER TO SPECIFICATIONS FOR FURTHER DETAIL	GREEN WALL SPECIFICATION AND DETAIL DESCRIPTIVE
1.8m HIGH BLACK PALISADE FENCING OFFSET 2m FROM BOUNDARY REFER TO SPECIFICATION FOR FURTHER DETAIL	1200mm dia TREE GRATE REFER TO SPECIFICATION FOR FURTHER DETAIL

DRAWING TITLE
Landscape Operational Works
SURFACE TREATMENT PLAN

3	17.09.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK

Scale: 1:400 at A3

Designed:	JLS
Checked:	JLS
Approved:	MG
Date:	17.09.25

Drawing No: L-PRI-ST01 Rev. No: 3



Site Address:
301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES


© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.


EXISTING TURF TO PUBLIC USE (SEE SPECIFICATIONS FOR DETAILS)	EXISTING TURF TO PUBLIC USE (SEE SPECIFICATIONS FOR DETAILS)	ROOT BARRIER PROTECTION 800mm DEEP REFER TO SPECIFICATION FOR FURTHER DETAIL
EXISTING TURF TO PUBLIC USE (SEE SPECIFICATIONS FOR DETAILS)	EXISTING TURF TO PUBLIC USE (SEE SPECIFICATIONS FOR DETAILS)	STRATA WALL REFER TO SPECIFICATION FOR FURTHER DETAIL
PROPOSED GRADE WINTERGROWN TURF	PROPOSED GRADE WINTERGROWN TURF	DEEP GARDEN / PODIUM GARDEN WITH IRRIGATION PLANTING AREAS REFER TO SPECIFICATIONS FOR FURTHER DETAIL
90mm IRRIGATION CONDUIT BY OTHERS REFER TO SPECIFICATION FOR FURTHER DETAIL	90mm IRRIGATION CONDUIT BY OTHERS REFER TO SPECIFICATION FOR FURTHER DETAIL	DECOMPOSED GRANITE WITH 2% RATIO OF CONCRETE TO GRANITE MIX
100mm THICK CONCRETE EDGE IN CHARCOAL REFER TO SPECIFICATIONS FOR FURTHER DETAIL	100mm THICK CONCRETE EDGE IN CHARCOAL REFER TO SPECIFICATIONS FOR FURTHER DETAIL	75mm - 150mm SLAB LOCK WITH WEED MAT UNDER AS SPECIFIED
100mm x 3mm STEEL EDGING REFER TO SPECIFICATION FOR FURTHER DETAIL	100mm x 3mm STEEL EDGING REFER TO SPECIFICATION FOR FURTHER DETAIL	GREEN WALL SPECIAL SPECIFICATION AND DETAIL DESIGN TC
1.8m HIGH BLACK PALISADE FENCING OFFSET 200mm FROM BOUNDARY REFER TO SPECIFICATION FOR FURTHER DETAIL	1.8m HIGH BLACK PALISADE FENCING OFFSET 200mm FROM BOUNDARY REFER TO SPECIFICATION FOR FURTHER DETAIL	1200mm DEEP TREE GRATE REFER TO SPECIFICATION FOR FURTHER DETAIL

3	17.09.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK

Date:	17.09.25
-------	----------

Drawing No:	Rev. No:
L-PRI-ST02	3





Client:



FRASERS
PROPERTY

Project:


Warehouse Facility

Site Address:

301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.



LEGEND

	EXISTING TURF TO PUBLIC SHOULD BE MAINTAINED AND PROTECTED FROM ANY UNNECESSARY REMOVAL		ROOT BARRIER PROTECTION 800mm DEEP REFER TO SPECIFICATION FOR FURTHER DETAIL
	EXISTING TREES TO PUBLIC VERGE: THE REMAINING SPECIFIED AND EXISTING TREES SHOULD BE MAINTAINED AND PROTECTED FROM ANY UNNECESSARY REMOVAL AND SHOULD BE MAINTAINED AND PROTECTED FROM ANY UNNECESSARY REMOVAL		STRATA VAULT REFER TO SPECIFICATION FOR FURTHER DETAIL
	PROPOSED GRADE WINTERGREEN TURF		DEEP GARDEN / PODIUM GARDEN WITH IRRIGATION PLANTING AREAS REFER TO SPECIFICATIONS FOR FURTHER DETAIL
	80mm IRRIGATION CONDUIT BY OTHERS REFER TO SPECIFICATION FOR FURTHER DETAIL		DECOMPOSED GRANITE WITH 2% RATE OF CONCRETE TO GRANITE MIX
	100mm THICK CONCRETE EDGE IN CHARCOAL REFER TO SPECIFICATIONS FOR FURTHER DETAIL		75mm - 150mm BASALT ROCK WITH WEED MAT UNDER, AS SPECIFIED
	100mm x 8mm STEEL EDGING REFER TO SPECIFICATIONS FOR FURTHER DETAIL		GREEN WALL SPECIFICATION AND DETAIL DESIGN TBC
	1.8m HIGH BLACK PALISADE FENCING OFFSET 2m FROM BOUNDARY REFER TO SPECIFICATION FOR FURTHER DETAIL		1200mm dia TREE GRATE REFER TO SPECIFICATION FOR FURTHER DETAIL

DRAWING TITLE				
Landscape Operational Works				
SURFACE TREATMENT PLAN				
3	17.05.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK
Scale:			1:400 at A3	
Designed:			JLS	
Checked:			JLS	
Approved:			MG	
Date:			17.09.25	
Drawing No:			Rev. No:	
L-PRI-ST03			3	

Client:



Project:

Warehouse Facility


Site Address:

301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be
reproduced or transmitted in any form or by any
means, electronic, mechanical, photocopying,
recording, or otherwise, without the written
permission of Gassman Development Perspectives.

KEY PLAN



LEGEND

	EXISTING TURF TO PUBLIC SHOWN AS PER SPECIFICATION FOR FURTHER DETAIL		ROOT BARRIER PROTECTION 800mm DEEP REFER TO SPECIFICATION FOR FURTHER DETAIL
	EXISTING TREES TO PUBLIC SHOWN AS PER SPECIFICATION FOR FURTHER DETAIL		STRATA VAULT REFER TO SPECIFICATIONS FOR FURTHER DETAIL
	PROPOSED GRADE WINTERGREEN TURF REFER TO SPECIFICATION FOR FURTHER DETAIL		DEEP GARDEN / PODIUM GARDEN WITH IRRIGATION PLANTING AREAS REFER TO SPECIFICATIONS FOR FURTHER DETAIL
	80mm IRRIGATION CONDUIT BY OTHERS REFER TO SPECIFICATION FOR FURTHER DETAIL		DECOMPOSED GRANITE WITH 25% RATIO OF CONCRETE TO GRANITE MIX
	100mm THICK CONCRETE EDGE IN CHARCOAL REFER TO SPECIFICATIONS FOR FURTHER DETAIL		75mm - 150mm BASALT ROCK WITH WEED MAT UNDER, AS SPECIFIED
	100mm x 8mm STEEL EDGING REFER TO SPECIFICATIONS FOR FURTHER DETAIL		GREEN WALL SPECIFICATION AND DETAIL DESIGN TBC
	1.8m HIGH BLACK PALISADE FENCING OFFSET 2m FROM BOUNDARY REFER TO SPECIFICATION FOR FURTHER DETAIL		1200mm dia TREE GRATE REFER TO SPECIFICATION FOR FURTHER DETAIL

DRAWING TITLE

Landscape Operational Works
SURFACE TREATMENT PLAN

Issue	Date	Description	DRN	CHK
3	17.05.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	18.05.25	TENDER PACKAGE	JLS	MG

Scale: 1:400 at A3

Designed:	JLS
Checked:	JLS
Approved:	MG
Date:	17.09.25

Drawing No: L-PRI-ST04 Rev. No: 3





301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

EXISTING TURF TO PUBLIC REF TO SPECIFICATION 02010-0-40 REF TO SPECIFICATION 02010-0-40	--- ROOF BARRIER PROTECTION 800mm DEEP REFER TO SPECIFICATION FOR FURTHER DETAIL
EXISTING TREES TO PUBLIC REF TO SPECIFICATION 02010-0-40 REF TO SPECIFICATION 02010-0-40 REF TO SPECIFICATION 02010-0-40 REF TO SPECIFICATION 02010-0-40 REF TO SPECIFICATION 02010-0-40 REF TO SPECIFICATION 02010-0-40	--- STRAVAL WALL REFER TO SPECIFICATION FOR FURTHER DETAIL --- DEEP GARDEN / POULAM GARDEN WITH IRRIGATION PLANTING AREAS REFER TO SPECIFICATIONS FOR FURTHER DETAIL
PROPOSED AREA WATERGREEN TURF	--- DECOMPOSED GRANITE WITH 25% RATIO OF GRANITE MIX
80mm IRRIGATION CONDUIT BY OTHERS REFER TO SPECIFICATION FOR FURTHER DETAIL	--- 15mm - 150mm GRANULE ROCK WITH WEED MAT UNDER, AS SPECIFIED
100mm THICK CONCRETE EDGE IN CHANNEL REFER TO SPECIFICATIONS FOR FURTHER DETAIL	GREEN WALL GREEN WALL SPECIFICATION AND DETAIL DESIGN BIC
100mm x 80mm STEEL EDGING REFER TO SPECIFICATION FOR FURTHER DETAIL 1.3m HIGH BLACK PAULISIDE FENCING OFFSET 2m FROM BOUNDARY REFER TO SPECIFICATION FOR FURTHER DETAIL	--- 1200mm DEE GREEN GRATE REFER TO SPECIFICATION FOR FURTHER DETAIL

17.09.25	FOR APPROVAL	JLS	MG
29.05.25	TENDER PACKAGE	JLS	MG
16.05.25	TENDER PACKAGE	JLS	MG
Date	Description	DRN	CHK


Designed:	JL S
-----------	------


checked:	11 S
----------	------

Approved:	MG
-----------	----

ate:	17.09.25
------	----------

Drawing No: PRI-ST05	Rev. No: 3
-------------------------	---------------






Client: 

Project: Warehouse Facility

Site Address:
301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.



- LEGEND
- EXISTING TURF TO PUBLIC VERGE (SEE REMARKS) - REFER TO SPECIFICATION FOR FURTHER DETAIL
 - EXISTING TREES TO PUBLIC VERGE (SEE REMARKS) - REFER TO SPECIFICATION FOR FURTHER DETAIL
 - PROPOSED A GRADE WINTERGREEN TURF
 - 80mm IRRIGATION CONDUIT BY OTHERS - REFER TO SPECIFICATION FOR FURTHER DETAIL
 - 100mm THICK CONCRETE EDGE IN CHARCOAL REFER TO SPECIFICATIONS FOR FURTHER DETAIL
 - 100mm x 8mm STEEL EDGING REFER TO SPECIFICATIONS FOR FURTHER DETAIL
 - 1.8m HIGH BLACK PALISADE FENCING OFFSET 2m FROM BOUNDARY - REFER TO SPECIFICATION FOR FURTHER DETAIL
 - ROOT BARRIER PROTECTION 800mm DEEP REFER TO SPECIFICATION FOR FURTHER DETAIL
 - STRATA VAULT REFER TO SPECIFICATIONS FOR FURTHER DETAIL
 - DEEP GARDEN / PODIUM GARDEN WITH IRRIGATION PLANTING AREAS REFER TO SPECIFICATIONS FOR FURTHER DETAIL
 - DECOMPOSED GRANITE WITH 2% RATE OF CONCRETE TO GRANITE MIX
 - 75mm - 150mm BASALT ROCK WITH WEED MAT UNDER, AS SPECIFIED
 - GREEN WALL - SPECIFICATION AND DETAIL DESIGN TBC
 - 1200mm dia TREE GRATE REFER TO SPECIFICATION FOR FURTHER DETAIL

DRAWING TITLE
Landscape Operational Works
SURFACE TREATMENT PLAN

3	17.05.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	18.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK

Scale:	1:400 at A3
Designed:	JLS
Checked:	JLS
Approved:	MG
Date:	17.09.25

Drawing No: L-PRI-ST06 Rev. No: 3



Warehouse Facility

301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

3	17.09.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK

Scale: 1:400 at A3


Designed:	JLS
-----------	-----

Checked:	JLS
----------	-----

Approved:	MG
-----------	----

Date:	17.09.25
-------	----------

Drawing No:	Rev. No:
-PRI- PP01	3





Warehouse Facility

301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

 GROUNDCOVER / CASCADING SPECIES
 SMALL SIZED SHRUBS
 SCREENING SHRUB PLANTING
 PROPOSED TREE

Landscape Operational Works PLANTING PLAN

3	17.09.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK


Designed:	JLS
-----------	-----

Checked:	JLS
----------	-----

Approved:	MG
-----------	----

Date:	17.09.25
-------	----------

Drawing No:
_PRI- PP03

Rev. No:
3

Client:



Project:

Warehouse Facility

Site Address:

301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be
reproduced or transmitted in any form or by any
means, electronic, mechanical, photocopying,
recording, or otherwise, without the written
permission of Gassman Development Perspectives.

KEY PLAN



LEGEND

- GROUND COVER /
CASCADING SPECIES
- SMALL SIZED SHRUBS
- SCREENING SHRUB PLANTING
- PROPOSED TREE

DRAWING TITLE

Landscape Operational Works
PLANTING PLAN

3	17.05.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK

Scale: 1:400 at A3

Designed: JLS


Checked: JLS

Approved: MG

Date: 17.09.25

Drawing No:
L-PRI-PP04

Rev. No:
3






301 Coastlink Court, Stapylton
Lot 505 SP316171

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

 GROUND COVER / CASCADING SPECIES
 SMALL SIZED SHRUBS
 SCREENING SHRUB PLANTING
 PROPOSED TREE

3	17.09.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK

Drawing No:	Rev. No:
1-PR1-PP05	3





Site Address:
301 Coastlink Court, Stapylton
Lot 505 SP316171

DRAWING TO BE READ IN CONJUNCTION WITH
GENERAL NOTES

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

 GROUND COVER / CASCADING SPECIES
 SMALL SIZED SHRUBS
 SCREENING SHRUB PLANTING
 PROPOSED TREE

3	17.09.25	FOR APPROVAL	JLS	MG
2	29.05.25	TENDER PACKAGE	JLS	MG
1	16.05.25	TENDER PACKAGE	JLS	MG
Issue	Date	Description	DRN	CHK

Date:	17.09.25
-------	----------

Rev. No:
3