

VEGETATION MANAGEMENT PLAN v3

60 STAPYLTON JACOBS WELL ROAD, 82
CHRISTENSEN ROD

LOT 501 SP295994 (previously Lot 1 on RP6882
and 240W31320)

Balance of Earthworks

PREPARED FOR: KS8 Pty. Ltd.

December 2018



project coordination
urban + regional planning
landscape + urban design
environmental management
visualisation + spatial services
surveying services
advisory services

“IMPORTANT NOTE”

Apart from fair dealing for the purposes of private study, research, criticism, or review as permitted under the Copyright Act, no part of this report, its attachments or appendices may be reproduced by any process without the written consent of Gassman Development Perspectives Pty Ltd.

We have prepared this report for the sole purposes of KS8 Pty. Ltd. (“Client”) for the specific purpose of a development permit for vegetation removal. This report is strictly limited to the Purpose and the facts and matters stated in it and does not apply directly or indirectly and will not be used for any other application, purpose, use or matter.

In preparing this report we have made certain assumptions. We have assumed that all information and documents provided to us by the Client or as a result of a specific request or enquiry were complete, accurate and up-to-date. Where we have obtained information from a government register or database, we have assumed that the information is accurate. Where an assumption has been made, we have not made any independent investigations with respect to the matters the subject of that assumption. We are not aware of any reason why any of the assumptions are incorrect.

This report is presented without the assumption of a duty of care to any other person (“Third Party”) other than the Client. The report may not contain sufficient information for the purposes of a Third Party or for other uses. Without the prior written consent of Gassman Development Perspectives Pty Ltd:

- a) This report may not be relied on by a Third Party; and
- b) Gassman Development Perspectives Pty Ltd will not be liable to a Third Party for any loss, damage, liability or claim arising out of or incidental to a Third Party publishing, using or relying on the facts, content, opinions or subject matter contained in this report.

If a Third Party uses or relies on the facts, content, opinions or subject matter contained in this report with or without the consent of Gassman Development Perspectives Pty Ltd, Gassman Development Perspectives Pty Ltd disclaims all risk and the Third Party assumes all risk and releases and indemnifies and agrees to keep indemnified Gassman Development Perspectives Pty Ltd from any loss, damage, claim or liability arising directly or indirectly from the use of or reliance on this report.

In this note, a reference to loss and damage includes past and prospective economic loss, loss of profits, damage to property, injury to any person (including death) costs and expenses incurred in taking measures to prevent, mitigate or rectify any harm, loss of opportunity, legal costs, compensation, interest and any other direct, indirect, consequential or financial or other loss.

GDP Document Control

Originating Office:	Yatala	Job Number:	5738
Physical Address:	76 Business Street	Job Name:	
	Yatala	Project Manager:	Brian Gassman
	QLD 4207	Document Title:	Vegetation
Postal Address:	PO Box 392	Management Plan	
	BEENLEIGH.Q. 4207	Author:	Kathryn Tibbles
Phone:	+61 7 3807 3333	Client:	KS8 Pty. Ltd.
Fax:	+61 7 3287 5461	Client Contact:	
Email:	mail@gassman.com.au	Client Reference:	
Web:	www.gassman.com.au		

Revision / Checking History

No.	Author	Reviewer
1. V1.0	Kathryn Tibbles	Brian Gassman
2. V2.0	Kathryn Tibbles	Brian Gassman
3. V3.0	Kathryn Tibbles	Brian Gassman

Approval for Issue

Version	Name	Position	Signature	Date
V3.0	Brian Gassman	Director		19/12/2018

Final Distribution

KS8 Pty. Ltd.	1 electronic copy
Gold Coast City Council	1 electronic copy

TABLE OF CONTENTS

1. INTRODUCTION	5
1.1. BACKGROUND	5
2. PURPOSE	6
3. VMP PROVISIONS	7
4. VMP OBJECTIVES	8
4.1. VEGETATION PROTECTION	8
4.2. VEGETATION TO BE REMOVED	10
4.2.1. <i>Reasons for Vegetation Removal</i>	10
4.2.2. <i>Tree Clearing Process</i>	11
4.3. CORRECTIVE ACTIONS	12
4.4. REUSE OF FELLED VEGETATION	12
4.5. STOCKPILES	12
5. FAUNA INSPECTION	13
6. SEDIMENT CONTROL	14
7. SUMMARY OF PERFORMANCE INDICATORS	15
8. CONCLUSION	16
APPENDIX 1 – TREE SURVEY PLAN	17

1. Introduction

1.1. Background


This Vegetation Management Plan (VMP) has been produced by Gassman Development Perspectives in support of proposed vegetation clearing works to facilitate a large scale industrial subdivision. It prescribes the methods in which vegetation will be removed from the subject site in support of the required earthworks to facilitate the proposed industrial development.

This VMP focuses on land described as Lot 501 on SP295994 (previously described as Lot 1 on RP6882 and Lot 240 on W31320), Stapylton. The proposed vegetation clearing required on Lot 501 SP295994 is needed to facilitate the remaining balance of earthworks required for the proposed industrial subdivision. Stage 1 of the required vegetation clearing and earthworks has been addressed under a separate application and VMP (GCCC ref. ROL201800079 / OPW201800486).

The subject site is located approximately 400m to the east of the Pacific Motorway (Figure 1 and 2). The site is currently a mixture of improved pasture in the lower and flatter parts of the site, and low and tall open remnant forests in the north eastern and south eastern corners of the site.

Details of individual trees recorded on the subject site include the species, trunk diameter, height, canopy spread and fauna use.

Trees were recorded using survey equipment and methods. This information has been used for the best practice management strategies for managing clearing on the site. The records of these trees are included in Appendix 1 to this report.



gassman
development
perspectives


planning
design
environment
surveying

Gold Coast and Logan Office
Access Business Park
76 Business Street Yatala Q. 4207
t: (07) 38073333
f: (07) 32875461
e: mail@gassman.com.au
w: www.gassman.com.au

balance figure 1 - locality

stapyton-jacobs well road, stapyton
KS8 Pty. Ltd.

date: 09-04-18
scale: NTS
design: RM/KT
plan: 5738 E VMP B FIG 1



2. Purpose

The principle intention of this VMP is to appropriately reflect the current tree species on the site, their location, management and treatment in relation to removal, retention, protection, relocation, propagation and enhancement.

Because of the size of the site, only the trees within the more open areas of the site were individually surveyed. The remaining vegetation subject to this VMP has been identified in vegetation groups. In the more open areas, trees over 40cm in diameter at 1.3 above the ground, or over 4m in height, were individually recorded.

A total of 187 trees were individually surveyed within this Balance of Earthworks Stage, and 12 additional vegetation groups identified. All of the trees, including those too small to be individually surveyed, and vegetation groups within this balance of earthworks stage on Lot 501 on SP295994 will require removal as part of the proposed development. A 10m corridor located along the eastern boundary of the subject lot will remain undisturbed. Of the individually surveyed trees, 82 trees were observed to contain habitat values, with all of these proposed for removal. Notes have been included in the Tree Survey Plan identifying habitat values associated with individually surveyed trees. There is also expected to be similar habitat values associated within the areas surveyed as vegetation groups. Consequently, a qualified fauna spotter/catcher will be engaged to be present during all clearing operations.

3. VMP Provisions

This VMP has been structured in a manner to incorporate the following provisions:

- The location and extents of the proposed construction areas in which the vegetation will be removed and areas that will be protected;
- Particulars of the vegetation occurring on site (Appendix 1);
- A statement of the reasons for the damage and associated factors;
- A vegetation management plan which details the procedures on the following;
 - Vegetation protection
 - Vegetation to be removed
 - Corrective action
 - Reuse of felled Vegetation
 - Stockpiles
 - Habitat Trees
 - Ecological role of the vegetation to be removed
 - Invasive weed species
 - Summary of performance indicators

4. VMP Objectives

4.1. Vegetation Protection

As the required vegetation clearing is for a staged industrial subdivision, no vegetation within the extent of the balance earthworks as shown in Appendix 1 is proposed to be retained. However, a 10m undisturbed corridor is to be retained along the eastern boundary of the subject site adjacent to the landfill, and a buffer of vegetation to Sandy Creek is proposed to be retained to the south of Christensen Road South.

The limit to the proposed clearing for the balance of earthworks stage is identified in the Tree Survey Plans provided in Appendix 1, and includes all necessary clearing, including drainage lines, sediment basins and access for construction plant.

As no vegetation is proposed to be retained within the balance of earthworks stage on Lot 501 on SP295994, no individual tree protection measures are considered necessary within the balance of earthworks as indicated in Appendix 1.

The proposed 10m undisturbed corridor along the eastern boundary of the subject site and the area to the south of Christensen Road South will require appropriate protection fencing be established to protect retained vegetation. Because of the scale of the clearing, hard standing steel fence (Figure 3) as per Australian Standard AS 4970-2009 (Protection of Trees on Development Sites) is not a feasible option for protecting retained vegetation. Instead, orange mesh fencing between steel pickets and supported by a continuous wire will be utilised to clearly mark the extent of clearing associated with this balance of earthworks VMP.




Figure 3: Individual Tree Protection

The following measures will ensure vegetation outside of the balance of earthworks extent is retained in accordance with this VMP;

- 1) The 10m undisturbed corridor along the eastern boundary of Lot 501 on SP295994 will be clearly demarcated with orange mesh fencing between steel pickets and supported by a continuous wire.
- 2) The limit of the balance of earthworks extent in the portion of Lot 501 on SP295994 south of Christensen Rd South will be clearly demarcated with orange mesh fencing between steel pickets and supported by a continuous wire .
- 3) All machine operators conducting the tree clearing process are to have a copy of the approved Tree Clearing Plan;
- 4) No site sheds, parking areas or buildings are located within the retained vegetation outside of the balance of earthworks clearing extent, or under its drip line;

- 5) The area surrounding the trees for removal is clear of any hazards and maintains adequate room to safely conduct the removal;
- 6) The vegetation removal process has focused on providing environmentally sensitive and sustainable practices including:
 - Fauna removal if required;
 - Direction of clearance and felling; and
 - Reuse of felled material for on site use
- 7) The following activities are prohibited to occur within the vegetation protection zones or drip-lines of retained vegetation outside of the balance of earthworks extent:
 - Machinery or vehicle parking;
 - Disposal of liquids of any type;
 - Repairs or refuelling;
 - Earthworks;
 - Temporary sheds; and
 - Stockpiling (Refer to section 4.5)

4.2. Vegetation to be Removed

All vegetation within the identified balance of earthworks extent on Lot 501 on SP295994 is proposed to be removed. The vegetation groups and individual habitat bearing trees are clearly indicated in the plan contained within Appendix 1.

Small trees, re-growth, understorey or groundcover species that also occur within the allocated clearance areas have not been individually identified, but are also proposed to be removed. Only individual trees in more open areas have been individually surveyed in Appendix 1, with the remaining vegetation proposed to be removed identified in vegetation groups.

4.2.1. Reasons for Vegetation Removal

The vegetation present on the subject site requires removal for several reasons relating to the proposed development including:

- To facilitate the approved Bulk Earthworks and ultimate construction of proposed industrial subdivision;
- Site access, roads and driveways;
- Necessary drainage and sediment basin infrastructure; and
- Safety for future industrial uses over the property.

4.2.2. Tree Clearing Process

The manner by which the vegetation will be removed from the subject site is outlined in the following section:

- 1) A pre-start meeting with an environmental officer from Gold Coast City Council prior to commencement shall be scheduled.
- 2) Locate and fence the extent of clearing to ensure the trees outside the clearing extent of the balance of earthworks have been protected in accordance with the procedures outlined in Section 4.1 of this report, specifically to ensure the retention of the vegetation within the 10m undisturbed corridor along the eastern boundary of the site and the buffer Open Space area to Sandy Creek, south of Christensen Rd South.
- 3) Fell the allocated vegetation; in accordance with Fauna Spotter Catcher directions, in order to direct fauna towards retained vegetation and away from adjacent roads.
- 5) Woodchip the felled vegetation on site.
- 6) Stockpile the wood-chipped vegetation in areas which are adequately set back from the retained vegetation.
- 7) Stump grind remains or remove from ground with excavator.
- 8) Any stockpiles of felled vegetation left for longer than 24 hours are required to be inspected by a Fauna Spotter Catcher prior to mulching / milling / chipping.

4.3. Corrective Actions

If vegetation not identified for removal is disturbed during the bulk earthworks process, then discussions with Council environmental officers will be required to identify any needs for additional rehabilitation to compensate the tree damage or removal.

If a retained tree shows signs of ill health, then the causes are to be identified and amelioration methods are to be discussed with council.

4.4. Reuse of Felled Vegetation

Any wood chipped vegetation will be reused on the site in any future landscape and site stabilisation where appropriate. If a surplus of mulch is produced, it may be transported off site for alternative uses elsewhere. To achieve satisfactory mulch, material pasteurisation is the minimum process required to achieve weed and pathogen free mulch from the chipping process.

4.5. Stockpiles

Stockpiles of felled vegetation will be managed with the following considerations:

- Stockpiles are not to be located within 30 meters from significant stands of vegetation.
- Stockpiles are not to be located in areas allocated for road constructions.
- Stockpiles are not to be located in areas with difficult access or on steep slopes.
- Stockpiles are not to exceed 1000mm in height.
- Stockpiles are to be covered with appropriate plastic and fixed securely.
- Stockpiles left for longer than 24 hours will be inspected by a spotter catcher prior to mulching

5. Fauna Inspection

Individual trees observed to contain fauna values, or trees that are large (>40cm DBH) and have potential fauna values are identified in Appendix 1. Additional fauna values will also be present throughout the vegetation groups identified in Appendix 1.

A fauna spotter catcher is required to be present prior to works commencing and inspect the site to ensure identification of any wildlife or habitat features (e.g. nest, tree hollows) prior to clearing. Clearing is not to commence until the fauna spotter has certified that the site has been fully inspected and any necessary fauna protection measures or relocation procedures implemented. A brief letter from the fauna spotter/catcher will be supplied directly to the council ecologist to demonstrate compliance with this condition.

A fauna Spotter Catcher will be on site for the removal of all vegetation. The spotter catcher will hold a current permit with the Department of Environment and Heritage Protection (EHP). Captured fauna will be relocated directly into vegetation outside of the clearing extent immediately adjacent to the clearance area in an appropriate manner. This information can be expanded upon more thoroughly in a Fauna Management Plan conditioned by council if considered necessary.

A pre-start meeting is to be arranged with a Gold Coast City Council Environmental Officer prior to the commencement of vegetation clearing. The ecologist will inspect the tree protection measures. The fauna spotter catcher and consulting ecologist shall be present during the pre-start meeting. The fauna spotter/catcher will submit a letter to Council following the clearing reporting on the details of any fauna rescued, relocated or otherwise.

6. Sediment Control

Sediment control onsite once the clearing process begins will include sediment fencing around the clearance area to reduce the risks of erosion and subsequent sediment entrainment resulting from rain events which may impact upon the adjacent retained vegetation. These measures will be installed once clearing and reshaping of the site begin until completion and the site is re-stabilised.

Sediment and erosion control measures will be put in place in accordance with the approved Sediment and Erosion Control Plan.

7. Summary of Performance Indicators

1. Tree removal was restricted to allocated and approved areas;
2. Trees that remain in protected areas are in a healthy condition;
3. The spotter catcher was present for all clearing activities;
4. Fauna was relocated to suitable recommended locations;
5. Clearing occurred in the recommended direction;
6. No damage to areas of retained vegetation occurred;
7. No increased erosion or sediment loss occurred from site as a result of the tree clearing;
and
8. Felled vegetation has been wood-chipped and stockpiled.

8. Conclusion

A total of 187 trees were individually surveyed on site, and 12 additional vegetation groups identified. Of the individually surveyed trees, 82 trees contained habitat values. Habitat values are expected to also be present within the surveyed vegetation groups. All of the trees and vegetation groups within the balance extent of earthworks extent on Lot 501 on SP295994 are proposed to be removed.



A 10m undisturbed corridor along the eastern boundary of the site, and an area of proposed Open Space to the south of Christensen Road South is proposed to be retained.

Due to the structure of the vegetation to be removed and its current habitat values, a suitably qualified fauna spotter/catcher will need to be present during all clearing operations.

Specific methodologies have been prescribed which are to be adhered to at all times during the clearing process to ensure that best practice is achieved at all times, and the ecological impacts of the proposed works are minimised as far as practicable.

The above specifications and management plans have been included with the graphic plans to provide the necessary information for council officers to enable it to make a reasonable assessment of the proposed actions. This report has outlined procedures in relation to the vegetation management and clearing procedures to be undertaken as an operational works component for the facilitation of the reconfiguring a lot application currently over the subject site.


Appendix 1 – Tree Survey Plan



TREE SURVEY PLAN
BALANCE

SHEET 01 OF 06

Drawing No:	Rev. No:
5738 E VMP TSP B 01	




LEGEND

- SITE BOUNDARY
- STAGE 1 VMP (REFER TO DWG 5738 E VMP TSP S 00)
- EARTHWORKS EXTENT OF BALANCE
- TREE GROUP TO BE REMOVED
- /// VEGETATION TO BE RETAINED
- TRESSES TO BE REMOVED
- TRESSES TO BE RETAINED

NOTES:

- ★ All smaller trees not individually surveyed are also to be removed from within the tree group extents.
- Vegetation Group 8 - *Corymbia citriodora* subsp. *Variegata*, *Corymbia intermedia*, *Eucalyptus crebra*, *Eucalyptus siderophloia* with *Melaleuca nodosa* and *Lophostemon suaveolens*.
- Vegetation Group 9 - *Corymbia citriodora* subsp. *Variegata* *Melaleuca nodosa* and *Eucalyptus crebra* with multiple habitat trees.
- Vegetation Group 10 - *Allocasuarina littoralis*, *Corymbia citriodora* subsp. *Variegata* and *Eucalyptus major*.

Scale 1:1250 - Lengths are in Metres.



Client:

KS8 Pty. Ltd.

Site Address:

Stapylton-Jacobs Well
Road, Stapylton

RPD:

Lot: 1 RP6882
Plan: 240 W31320
Parish:
County:
Local Authority: Gold Coast City Council

Level Datum:

Meridian:
Contour Interval:
PSM:
RL:

Associated Consultants:

©2012 Gassman Development Perspectives

All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

This plan has been prepared for the exclusive use of the client as stated on this plan for the purpose of application to the relevant local authority for material change of use and/or reconfiguration of the land as described and should not be used by any other person or corporation and for any other purpose.

Property Boundaries have not been defined by survey but compiled from SP280838 and are considered accurate for the purpose of this plan.

All dimensions and areas are approximate only and subject to survey.

This plan may not be photocopied unless these notes are included.

Gassman Development Perspectives Pty. Ltd., accepts no responsibility for any loss or damages caused in contravention of the above.

-	19-12-18	ORIGINAL ISSUE	RGM	KT
Issue	Date	Description	DRN	CHK

Scale at A3: 1:1250

Date: 19-12-18

Design:

Drawn: RGM


Checked: KT

Drawing Title:

TREE SURVEY PLAN
BALANCE

SHEET 02 OF 06

Drawing No: 5738 E VMP TSP B 01 Rev. No:



Client:
KS8 Pty. Ltd.

Site Address:
**Stapylton-Jacobs Well
Road, Stapylton**

RPD:
Lot: 1 RP6882
Plan: 240 W31320
Parish:
County:
Local Authority: Council
Level Datum:
Meridian:
Contour Interval:
PSM:
RL:

Associated Consultants:


©2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.
This plan has been prepared for the exclusive use of the client as stated on this plan for the purpose of application to the relevant local authority for material change of use and/or reconfiguration of the land as described and should not be used by any other person or corporation and for any other purpose.
Property Boundaries have not been defined by survey but compiled from SP280838 and are considered accurate for the purpose of this plan.
All dimensions and areas are approximate only and responsibility for any loss or damages caused in contravention of the above.
This plan may not be photocopied unless these notes are included.
Gassman Development Perspectives Pty. Ltd. accepts no

-	19-12-18	ORIGINAL ISSUE	RGM	KT
Issue	Date	Description	DRN	CHK

Scale at A3: 1:1250
Date: 19-12-18
Design:
Drawn: RGM
Checked: KT
Drawing Title:

TREE SURVEY PLAN
BALANCE
SHEET 03 OF 06

Drawing No: 5738 E VMP TSP B 01
Rev. No:




LEGEND

- [Red dashed line] SITE BOUNDARY
- [Blue line] STAGE 1 VMP (REFER TO DWG 5738 E VMP TSP S 00)
- [Magenta line] EARTHWORKS EXTENT OF BALANCE
- [Orange line] TREE GROUP TO BE REMOVED
- [Green hatched area] VEGETATION TO BE RETAINED
- [Orange circle with '00'] TREES TO BE REMOVED
- [Green circle with '000'] TREES TO BE RETAINED

NOTES:

- * All smaller trees not individually surveyed are also to be removed from within the tree group extents.
- Vegetation Group 13 - *Corymbia citriodora* subsp. *Variegata*, *Corymbia intermedia*, *Eucalyptus crebra*, *Eucalyptus siderophloia* with *Melaleuca nodosa*.
- Vegetation Group 14 - *Corymbia citriodora* subsp. *Variegata*, *Corymbia intermedia*, *Eucalyptus crebra*, *Eucalyptus siderophloia*.
- Vegetation Group 15 - *Corymbia citriodora* subsp. *Variegata*, *Melaleuca nodosa* and *Eucalyptus crebra*, *Corymbia intermedia*, *Eucalyptus siderophloia*.

Scale 1:1250 - Lengths are in Metres.



planning | environment | landscape | engineering | survey
T: 3807 3333 | F: 3287 5461 | www.gassman.com.au
Gold Coast & Logan | 76 Business Street, Yatala QLD | PO Box 392, Beenleigh 4207

Client:
KS8 Pty. Ltd.

Site Address:
Stapylton-Jacobs Well Road, Stapylton

RPD:
Lot: 1 RP6882
Plan: 240 W31320
Parish:
County:
Local Authority: Gold Coast City Council

Level Datum:
Meridian:
Contour Interval:
PSM:
RL:

Associated Consultants:

©2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.



This plan has been prepared for the exclusive use of the client as stated on this plan for the purpose of application to the relevant local authority for material change of use and/or reconfiguration of the land as described and should not be used by any other person or corporation and for any other purpose.

Property Boundaries have not been defined by survey but compiled from SP280838 and are considered accurate for the purpose of this plan.

All dimensions and areas are approximate only and subject to survey.

This plan may not be photocopied unless these notes are included.

Gassman Development Perspectives Pty. Ltd., accepts no responsibility for any loss or damages caused in contravention of the above.

-	19-12-18	ORIGINAL ISSUE	RGM	KT
Issue	Date	Description	DRN	CHK

Scale at A3: 1:1250

Date: 19-12-18

Design:
Drawn: RGM
Checked: KT

Drawing Title:
TREE SURVEY PLAN
BALANCE
SHEET 04 OF 06

Drawing No: 5738 E VMP TSP B 01
Rev. No:



Client:

KS8 Pty. Ltd.

Site Address:

Stapylton-Jacobs Well
Road, Stapylton

RPD:
Lot: 1 RP6882
Plan: 240 W31320
Parish:
County:
Local Authority: Gold Coast City Council

Level Datum:
Meridian:
Contour Interval:
PSM:
RL:

Associated Consultants:

©2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

This plan has been prepared for the exclusive use of the client as stated on this plan for the purpose of application to the relevant local authority for material change of use and/or reconfiguration of the land as described and should not be used by any other person or corporation and for any other purpose.

Property Boundaries have not been defined by survey but compiled from SP280838 and are considered accurate for the purpose of this plan.

All dimensions and areas are approximate only and subject to survey.

This plan may not be photocopied unless these notes are included.

Gassman Development Perspectives Pty. Ltd., accepts no responsibility for any loss or damages caused in contravention of the above.

-	19-12-18	ORIGINAL ISSUE	RGM	KT	
Issue	Date	Description	DRN	CHK	

Scale at A3: 1:1250

Date: 19-12-18

Design:

Drawn: RGM

Checked: KT

Drawing Title:

TREE SURVEY PLAN
BALANCE

SHEET 05 OF 06

Drawing No: 5738 E VMP TSP B 01

Rev. No:



Client: **KS8 Pty. Ltd.**

Site Address:

Stapylton-Jacobs Well
Road, Stapylton

RPD:
Lot: 1 RP6882
Plan: 240 W31320
Parish:
County:
Local Authority: Gold Coast City
Council

Level Datum:
Meridian:
Contour Interval:
PSM:
RL:

Associated Consultants:

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

This plan has been prepared for the exclusive use of the client as stated on this plan for the purpose of application to the relevant local authority for material change of use and/or reconfiguration of the land as described and should not be used by any other person or corporation and for any other purpose.

Property Boundaries have not been defined by survey but compiled from SP280838 and are considered accurate for the purpose of this plan.

All dimensions and areas are approximate only and subject to survey.

This plan may not be photocopied unless these notes are included.

Gassman Development Perspectives Pty. Ltd. accepts no responsibility for any loss or damages caused in contravention of the above.

-	19-12-18	ORIGINAL ISSUE	RGM	KT
Issue	Date	Description	DRN	CHI

Scale at A3: 1:1250

Date: 19-12-18

Design:

Drawn: RGM

Checked: KT

Drawing Title:

TREE SURVEY PLAN

BALANCE

SHEET 06 OF 06

Drawing No: 5738 E VMP TSP B 01 Rev. No:

TREE No	SPECIES	TRUNK DIAMETER (m)	HEIGHT (m)	CANOPY (M)	NOTES
756.	Eucalyptus crebra	0.7	20	8	Hollows
759.	Corymbia citriodora subsp. Variegata	0.8	22	14	
760.	Corymbia citriodora subsp. Variegata	0.6	16	18	Hollows
761.	Corymbia citriodora subsp. Variegata	0.6	20	12	
762.	Corymbia citriodora subsp. Variegata	0.7	18	12	Hollows
763.	Corymbia citriodora subsp. Variegata	0.4	12	8	Hollows
764.	Corymbia citriodora subsp. Variegata	0.4	16	8	
765.	Eucalyptus siderophloia	0.7	16	16	Hollows, termite nest
766.	Corymbia citriodora subsp. Variegata	0.75	20	12	Hollows
767.	Corymbia citriodora subsp. Variegata	0.3	16	8	
768.	Corymbia citriodora subsp. Variegata	0.7	18	16	Hollows
769.	Eucalyptus siderophloia	0.4	20	10	Hollows, termite nest
770.	DEAD	0.4	6	DEAD	Hollows
771.	Eucalyptus siderophloia	0.6	22	10	Hollows
772.	Corymbia intermedia	0.5	10	10	Hollows, termite nest
773.	Corymbia citriodora subsp. Variegata	0.4	16	6	
774.	Eucalyptus siderophloia	0.6	24	12	Hollows
775.	Corymbia citriodora subsp. Variegata	0.4	18	12	
776.	Corymbia citriodora subsp. Variegata	0.6	22	12	
777.	Corymbia citriodora subsp. Variegata	0.5	20	18	

778.	Eucalyptus siderophloia	0.5	18	12	Hollows
779.	Corymbia citriodora subsp. Variegata	0.7	20	12	Hollows
780.	Eucalyptus crebra	0.4	14	DEAD	Hollows
781.	Corymbia intermedia	0.9	18	16	Hollows
782.	Corymbia intermedia	0.4	16	14	
783.	Corymbia intermedia	0.6	20	14	Hollows, termite nest
784.	Eucalyptus crebra	0.8	28	14	Hollows
785.	Eucalyptus siderophloia	0.7	24	14	Hollows
786.	Eucalyptus tereticornis	0.6	28	10	
787.	Eucalyptus tereticornis	0.6	26	12	
788.	Corymbia citriodora subsp. Variegata	0.6	22	14	
789.	Eucalyptus tereticornis	0.6	26	14	Hollows
790.	Eucalyptus tereticornis	0.4	14	10	Hollows
791.	DEAD	0.7	10	DEAD	
792.	Eucalyptus tereticornis	0.6	28	14	Hollows
793.	Eucalyptus tereticornis	0.8	28	12	Hollows
794.	Eucalyptus tereticornis	0.8	26	18	Hollows
795.	Eucalyptus tereticornis	0.5	22	10	Hollows
796.	Eucalyptus tereticornis	0.5	18	10	Hollows
797.	Corymbia intermedia	0.6	18	18	Hollows
798.	Corymbia intermedia	0.5	18	18	Hollows
799.	Eucalyptus tereticornis	0.5	18	12	Hollows
800.	Corymbia intermedia	0.4	16	12	Termite nest
801.	Eucalyptus siderophloia	0.5	18	8	Hollows
802.	Corymbia intermedia	0.5	18	14	Hollows
803.	Corymbia intermedia	0.3	16	10	
804.	Eucalyptus siderophloia	0.6	18	10	
805.	Eucalyptus siderophloia	0.6	18	8	
806.	DEAD	0.6	14	DEAD	Hollows
807.	Eucalyptus siderophloia	0.6	14	8	Termite nest, hollows
808.	Eucalyptus siderophloia	0.7	18	6	Hollows
809.	Corymbia intermedia	0.4	14	10	Hollows
810.	Eucalyptus tereticornis	0.4	20	8	

811.	Eucalyptus siderophloia	0.4	20	10	Termite nest
812.	Eucalyptus siderophloia	0.4	24	10	Hollows
813.	Eucalyptus tereticornis	0.4	18	10	
814.	Eucalyptus siderophloia	0.5	24	12	Hollows
815.	Corymbia intermedia	0.4	16	10	
816.	Eucalyptus microcorys	0.4	12	8	
817.	Eucalyptus siderophloia	0.8	24	12	Termite nest, hollows
818.	Corymbia intermedia	0.6	22	14	Hollows
819.	Corymbia intermedia	0.4	22	12	
820.	Corymbia citriodora subsp. Variegata	0.7	30	16	Hollows
821.	Eucalyptus siderophloia	0.5	24	14	
822.	Eucalyptus siderophloia	0.8	24	14	Hollows
823.	Corymbia citriodora subsp. Variegata	0.7	28	12	
824.	Eucalyptus microcorys	0.7	20	14	
825.	Eucalyptus fibrosa	0.5	22	12	
826.	Corymbia intermedia	0.2	10	8	
827.	Corymbia intermedia	0.4	18	10	
828.	Corymbia intermedia	0.3	10	8	
829.	Corymbia intermedia	0.4	22	10	
830.	Eucalyptus tereticornis	0.7	24	18	
831.	Eucalyptus siderophloia	0.4	24	14	
832.	DEAD	0.5	18	DEAD	Hollows
833.	DEAD	0.4	10	DEAD	
834.	DEAD	0.4	18	DEAD	Hollows
835.	DEAD	0.6	22	DEAD	Hollows
836.	Eucalyptus tereticornis	0.6	28	18	
837.	Eucalyptus tereticornis	0.5	26	18	
838.	Eucalyptus tereticornis	0.5	26	16	
839.	Eucalyptus siderophloia	0.5	26	12	Hollows
840.	DEAD	0.3	16	DEAD	
841.	Eucalyptus siderophloia	0.5	16	12	
842.	Eucalyptus siderophloia	0.35	10	DEAD	
843.	Eucalyptus tereticornis	0.7	18	14	

844.	Eucalyptus siderophloia	0.6	18	14	
845.	DEAD	0.4	18	12 - DEAD	Hollows
846.	Eucalyptus siderophloia	0.6	18	DEAD	Hollows
847.	Eucalyptus tereticornis	0.45	18	12	Hollows
848.	Eucalyptus tereticornis	0.6	18	14	Hollows
849.	Eucalyptus tereticornis	0.65	18	12	Hollows
850.	Eucalyptus tereticornis	0.6	18	10	Hollows
851.	Eucalyptus siderophloia	0.6	18	12	
852.	Eucalyptus tereticornis	0.6	18	14	
853.	Eucalyptus tereticornis	0.8	18	14	Hollows
854.	Eucalyptus tereticornis	0.8	18	14	Hollows
855.	Eucalyptus tereticornis	0.6	18	14	Hollows
856.	Corymbia citriodora subsp. Variegata	0.9	20	18	Hollows
857.	Eucalyptus siderophloia	0.75	18	DEAD	Hollows
858.	DEAD	0.35	14	DEAD	
859.	Corymbia citriodora subsp. Variegata	0.45	14	12	
860.	DEAD	0.5	14	DEAD	
861.	Eucalyptus siderophloia	0.7	20	12	
862.	Corymbia intermedia	0.5	16	16	
863.	Eucalyptus siderophloia	0.5	16	14	Hollows
864.	Corymbia citriodora subsp. Variegata	0.9	20	14	
865.	Corymbia citriodora subsp. Variegata	0.4	10	DEAD	
866.	Eucalyptus crebra	0.75	12	10	Hollows
867.	Corymbia citriodora subsp. Variegata	0.35	18	10	
868.	DEAD	0.4	10	sDEAD	Hollows
869.	Corymbia citriodora subsp. Variegata	0.55	20	10	Hollows
870.	Corymbia citriodora subsp. Variegata	0.4	20	16	

871.	Corymbia citriodora subsp. Variegata	0.3	20	8	
872.	Corymbia citriodora subsp. Variegata	0.4	20	8	
873.	Corymbia intermedia	0.6	10	14	Hollow, termite nest
874.	Corymbia intermedia	0.4	18	10	
875.	Corymbia citriodora subsp. Variegata	0.4	20	12	
876.	Corymbia citriodora subsp. Variegata	0.4	18	12	
877.	Corymbia citriodora subsp. Variegata	0.3	14	8	
878.	Corymbia citriodora subsp. Variegata	0.4	16	10	
879.	Corymbia citriodora subsp. Variegata	0.4	16	10	
880.	Corymbia citriodora subsp. Variegata	0.45	12	12	Hollows
881.	Corymbia citriodora subsp. Variegata	0.3	12	8	
882.	Corymbia citriodora subsp. Variegata	0.4	14	6	
883.	Corymbia citriodora subsp. Variegata	0.5	16	12	Hollows
884.	Corymbia citriodora subsp. Variegata	0.4	16	14	
885.	Corymbia citriodora subsp. Variegata	0.5	16	12	
886.	Corymbia citriodora subsp. Variegata	0.4	16	12	
887.	Corymbia citriodora subsp. Variegata	0.4	14	12	
888.	Corymbia citriodora subsp. Variegata	0.35	14	14	
889.	Corymbia citriodora subsp. Variegata	0.35	14	8	

890.	Corymbia citriodora subsp. Variegata	0.6	14	8	
891.	Corymbia citriodora subsp. Variegata	0.4	16	14	
892.	Corymbia intermedia	0.4	14	10	
893.	Corymbia citriodora subsp. Variegata	0.6	18	12	
894.	Corymbia citriodora subsp. Variegata	0.7	18	12	
895.	Corymbia citriodora subsp. Variegata	0.5	16	10	
896.	Corymbia citriodora subsp. Variegata	0.45	16	10	
897.	Corymbia citriodora subsp. Variegata	0.4	14	6	
898.	Corymbia citriodora subsp. Variegata	0.5	14	10	
899.	Corymbia citriodora subsp. Variegata	0.45	12	10	
900.	Corymbia citriodora subsp. Variegata	0.4	14	8	
901.	Corymbia citriodora subsp. Variegata	0.4	14	8	Hollows
902.	Corymbia citriodora subsp. Variegata	0.45	16	10	
903.	Corymbia citriodora subsp. Variegata	0.4	16	8	
904.	DEAD	0.4	10	DEAD	
905.	Corymbia citriodora subsp. Variegata	0.35	14	12	
906.	Corymbia intermedia	0.4	12	10	
907.	Corymbia citriodora subsp. Variegata	0.45	14	8	
908.	Corymbia citriodora subsp. Variegata	0.8	14	10	
909.	Eucalyptus tereticornis	0.05	12	6	Hollows

910.	Corymbia citriodora subsp. Variegata	0.65	14	16	
911.	Corymbia intermedia	0.5	14	12	
912.	Corymbia intermedia	0.55	12	12	
913.	Eucalyptus siderophloia	0.45	14	12	
914.	Eucalyptus tereticornis	1	16	16	Hollows
915.	Eucalyptus tereticornis	0.6	14	10	
916.	Eucalyptus siderophloia	0.7	14	4	Hollows
917.	Corymbia intermedia	0.8	12	14	
918.	Eucalyptus crebra	0.6	14	10	Hollows
919.	Corymbia citriodora subsp. Variegata	0.35	12	10	
920.	Corymbia intermedia	0.6	12	12	
921.	Eucalyptus siderophloia	0.6	14	8	Hollows
922.	Eucalyptus tereticornis	0.65	14	12	Hollows
923.	Eucalyptus siderophloia	0.55	14	10	Hollows
924.	Corymbia intermedia	0.6	14	16	Hollows
925.	Eucalyptus siderophloia	0.5	16	10	
926.	Eucalyptus siderophloia	0.6	16	10	Hollows
927.	Eucalyptus crebra	0.6	16	12	Hollows
928.	Eucalyptus siderophloia	0.5	12	8	
929.	Corymbia intermedia	0.8	14	20	Hollows
930.	Eucalyptus siderophloia	0.45	14	10	
931.	Eucalyptus tereticornis	0.8	16	14	Hollows
932.	Eucalyptus siderophloia	0.6	12	12	Termite nest, hollows
933.	Eucalyptus siderophloia	0.4	14	12	
934.	Eucalyptus tereticornis	0.6	16	10	Hollows
935.	Eucalyptus tereticornis	0.8	16	16	Hollows
936.	Eucalyptus crebra	0.8	16	10	Hollows
937.	Corymbia citriodora subsp. Variegata	0.5	12	16	
938.	Corymbia citriodora subsp. Variegata	0.6	14	10	
939.	Eucalyptus tereticornis	0.4	14	12	
940.	Corymbia intermedia	0.45	12	12	

954.	Corymbia citriodora subsp. Variegata	0.65	16	12	
955.	Eucalyptus siderophloia	0.5	12	12	
956.	Corymbia intermedia	0.6	18	12	
957.	Corymbia citriodora subsp. Variegata	0.4	14	14	