



gassman
development
perspectives

est. 1985

planning | environment | landscape | engineering | survey

T: 3807 3333 | F: 3287 5461 | www.gassman.com.au

Access Business Park | 70 Business Street, Yatala QLD

Client:

FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.

Project:

VANTAGE YATALA
STAGE 1 STREETSCAPE

Site Address:

60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Notes:

WARNING
BEWARE OF UNDERGROUND
SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

1. Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
2. The Contractor shall verify the location and depth of all services prior to commencing on site.
3. The Contractor shall be liable for any damage to services during landscape works.
4. The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
5. All trees shall be planted in locations shown on the plan.
6. Any change to plant species must have the approval of the Landscape Architect.
7. Trees shall be planted no less than the following distances from landscape elements:
• Footpaths: 0.6m
• Driveways: 3.0m
• Stormwater & sewerage pits: 2.0m
• Intersections: 10.0m
• Service crossings: 2.0m
• Kerb & Channel: 0.6m
• Street lights: 7.5m
8. Construction certification for all structural elements is to be provided prior to practical completion being granted.

Associated Consultants:

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.



Drawing Title:

LANDSCAPE
COVERSHEET AND
LOCALITY PLAN

Rev.	Date	Description	By	App'd
1	28-09-20	FOR CONSTRUCTION	J. Swanepoel	M. Gassman
2	28-09-20	FOR CONSTRUCTION	J. Swanepoel	M. Gassman

Scale at A1: N.T.S.

Designed: J. Swanepoel

Drawn: J. Swanepoel

Checked: M. Gassman

Date: 28-09-20

Drawing No: 000 Rev. No: B

VANTAGE YATALA

STAGE 1 LANDSCAPE STREETSCAPE

60 STAPYLTON JACOBS WELL RD, 82 CHRISTENSEN RD AND 31 YELLOWWOOD RD, STAPYLTON

INTERNAL STREETSCAPE - OPERATIONAL WORKS APPROVAL



LOCALITY PLAN

Principal
FRASERS PROPERTY (AUSTRALIA) PTY. LTD.
LEVEL 3, 1C HOMEBUSH BAY DRIVE,
RHODES, NSW 2138

Drawing Index


- 000 LANDSCAPE COVERSHEET AND LOCALITY PLAN
- 001 LANDSCAPE SPECIFICATIONS & PLANT SCHEDULES
- 200 LANDSCAPE SURFACE FINISHES PLANS 200 / 212
- 500 LANDSCAPE TREE PLANTING PLANS 500 / 512
- 600 LANDSCAPE SHRUB PLANTING PLANS 600, 611 & 612
- 900 LANDSCAPE TYPICAL DETAILS 901 / 902



gassman
development
perspectives

est. 1985

76 Business Street,
Yatala, QLD, 4207
Tel: +61 7 3807 3333
Fax: +61 7 3287 5461
e: mail@gassman.com.au
w: www.gassman.com.au



gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 3807 3333 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:
FRASERS PROPERTY (AUSTRALIA) PTY. LTD.

Project:
**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:
**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:
**WARNING
BEWARE OF UNDERGROUND
SERVICES**

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet intel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.


Drawing Title:
**LANDSCAPE FINISHES
GENERAL
ARRANGEMENT PLAN**

Rev	Date	Description	By	App'd
1	28-09-20	FOR CONSTRUCTION	J. Swanepoel	M. Gassman
2	28-09-20	FOR CONSTRUCTION	J. Swanepoel	M. Gassman
3	28-09-20	FOR CONSTRUCTION	J. Swanepoel	M. Gassman

Scale at A1: 1:1000

Designed: J. Swanepoel
Drawn: J. Swanepoel
Checked: M. Gassman
Date: 28-09-20

Drawing No: 200
Rev. No: C



gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 0857 555 551 F: 0857 546 546 www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:
FRASERS PROPERTY (AUSTRALIA) PTY. LTD.

Project:
**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:
**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:

WARNING
BEWARE OF UNDERGROUND SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet intel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Batten Planting	Basin Mix 1	Basin Mix 2
Token Poles	SE - Spade Edge	Stage Boundary
Fence Type 2	Cable Wall	Retaining by Civil

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

Drawing Title:
LANDSCAPE FINISHES


Rev	Date	Description	By	App
1	28-09-20	FOR CONSTRUCTION	J.S	M.G
2	28-09-20	FOR CONSTRUCTION	J.S	M.G
3	28-09-20	FOR CONSTRUCTION	J.S	M.G

Scale at A1: 1:200

Designed:	J. Swanepoel
Drawn:	J. Swanepoel
Checked:	M. Gassman
Date:	28-09-20
Drawing No:	201
Rev. No:	C

Scale 1:200 - Lengths are in Metres.

0 2 4 6 8 10 12 14 16





gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 3807 3333 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:

**FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.**

Project:

**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:

**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:

WARNING
**BEWARE OF UNDERGROUND
SERVICES**

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

1. Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
2. The Contractor shall verify the location and depth of all services prior to commencing on site.
3. The Contractor shall be liable for any damage to services during landscape works.
4. The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
5. All trees shall be planted in locations shown on the plan.
6. Any change to plant species must have the approval of the Landscape Architect.
7. Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet intel: 1m
8. Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Batten Planting	Basin Mix 1	Basin Mix 2
Town Poles	SE - Spade Edge	Stage Boundary
Fence Type 2	Cable Wall	Retaining by Wall

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

N

Drawing Title:

LANDSCAPE FINISHES

Rev.	Date	Description	By	Check
1	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
2	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
3	28-09-20	FOR CONSTRUCTION	J.S.	M.G.

Scale at A1: 1:200

Designed: J. Swanepoel


Drawn: J. Swanepoel

Checked: M. Gassman

Date: 28-09-20

Drawing No: 202

Rev. No: C



REFER TO PAGE 202

Client:

FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.

Project:

VANTAGE YATALA
STAGE 1 STREETScape

Site Address:

60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Notes:

WARNING
BEWARE OF UNDERGROUND
SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet lintel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Batten Planting	Basin Mix 1	Basin Mix 2
Token Poles	SE - Spade Edge	Stage Boundary
Fence Type 2	Gabion Wall	Retaining by Civil

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

Drawing Title:

LANDSCAPE FINISHES

Rev	Description	Date
1	FOR CONSTRUCTION	28-09-20
2	FOR CONSTRUCTION	28-09-20
3	FOR CONSTRUCTION	28-09-20

Scale at A1: 1:200

Designed: J. Swanepoel

Drawn: J. Swanepoel

Checked: M. Gassman

Date: 28-09-20


Drawing No:
203

Rev. No:
C

REFER TO PAGE 204

Scale 1:200 - Lengths are in Metres.

0 2 4 6 8 10 12 14 16



gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 3807 3323 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:
FRASERS PROPERTY (AUSTRALIA) PTY. LTD.

Project:
**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:
**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:

WARNING
BEWARE OF UNDERGROUND SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet intel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Better Planting	Basin Mix 1	Basin Mix 2
Town Poles	SE - Spade Edge	Stage Boundary
Fence Type 2	Gabion Wall	Retaining by Civil

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.


Drawing Title:
LANDSCAPE FINISHES

Rev	Date	Description	By	App
1	28-09-20	FOR CONSTRUCTION	J.S	M.G
2	28-09-20	FOR CONSTRUCTION	J.S	M.G
3	28-09-20	FOR CONSTRUCTION	J.S	M.G
4	28-09-20	FOR CONSTRUCTION	J.S	M.G

Scale at A1: 1:200

Designed:	J. Swanepoel
Drawn:	J. Swanepoel
Checked:	M. Gassman
Date:	28-09-20

Drawing No: 205
Rev. No: C



FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.

Project:
VANTAGE YATALA
STAGE 1 STREETScape

Site Address:
50 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Notes:

WARNING
BEWARE OF UNDERGROUND SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.

Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

Before commencement of works it is the responsibility of the Landscape Contractor to contact liability before you dig (ph: 1100 or web 1100.com.au) for information on services in the area shown on the plan.

The Contractor shall verify the location and depth of all services to be commencing on site.

The Contractor shall be liable for any damage to services during landscape works.

The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.

All trees shall be planted in locations shown on the plan.

Any change to plant species must have the approval of the Landscape Architect.

Trees shall be planted no less than the following distances from landscape elements:

- Footpaths: 0.6m
- Drives: 3.0m
- Stormwater pits & sewerage pits: 2.0m
- Intersections: 10.0m
- Service crossings: 2.0m
- Kerb & Channel: 0.6m
- Street lights: 7.5m
- Stormwater inlet: 1m

Construction certification for all structural elements is to be provided prior to practical completion being granted.


[illegible]

© 2012 Gasman Development Perspectives
All rights reserved. No part of this document
may be reproduced or transmitted in any form
or by any means, electronic, mechanical,
photocopying, recording, or otherwise, without
the written permission of Gasman
Development Perspectives.

LANDSCAPE FINISHES

[illegible]

Scale at A1: 1:200	
Designed:	J. Swanepoel
Drawn:	J. Swanepoel
Checked:	M. Gassman
Date:	28-09-20
Drawing No:	Rev. No:
206	C





gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 3807 3323 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:

**FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.**

Project:

**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:
60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Notes:

**WARNING
BEWARE OF UNDERGROUND
SERVICES**

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

1. Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
2. The Contractor shall verify the location and depth of all services prior to commencing on site.
3. The Contractor shall be liable for any damage to services during landscape works.
4. The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
5. All trees shall be planted in locations shown on the plan.
6. Any change to plant species must have the approval of the Landscape Architect.
7. Trees shall be planted no less than the following distances from landscape elements:
• Footpaths: 0.6m
• Driveways: 3.0m
• Stormwater pipes & sewerage pits: 2.0m
• Intersections: 10.0m
• Service crossings: 2.0m
• Kerb & Channel: 0.6m
• Street lights: 7.5m
• Stormwater inlet lintel: 1m
8. Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Batten Planting	Basin Mix 1	Basin Mix 2
Town Poles	SE - Spade Edge	Stage Boundary
Fence Type 2	Cable Wall	Retaining by Civil

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

Drawing Title:


LANDSCAPE FINISHES

Rev.	Date	Description	By	App.
1	28-09-20	FOR CONSTRUCTION	J. SWANepoel	M. GASSman
2	28-09-20	FOR CONSTRUCTION	J. SWANepoel	M. GASSman
3	28-09-20	FOR CONSTRUCTION	J. SWANepoel	M. GASSman

Scale at A1: 1:200

Designed: J. Swanepoel
Drawn: J. Swanepoel
Checked: M. Gassman
Date: 28-09-20

Drawing No: 207
Rev. No: C



REFER TO PAGE 210

REFER TO PAGE 208



gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 3807 3333 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:

FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.

Project:

VANTAGE YATALA
STAGE 1 STREETScape

Site Address:

60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Notes:

WARNING
BEWARE OF UNDERGROUND
SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet Intel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Barrier Planting	Basin Mix 1	Basin Mix 2
Token Poles	SE - Spade Edge	Stage Boundary
Fence Type 2	Cable Wall	Retaining by Civil

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

Drawing Title:


LANDSCAPE FINISHES

Rev	Date	Description	By	Check
1	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
2	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
3	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
4	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
5	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
6	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
7	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
8	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
9	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
10	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
11	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
12	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
13	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
14	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
15	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
16	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
17	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
18	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
19	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
20	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
21	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
22	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
23	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
24	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
25	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
26	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
27	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
28	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
29	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
30	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
31	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
32	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
33	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
34	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
35	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
36	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
37	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
38	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
39	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
40	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
41	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
42	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
43	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
44	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
45	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
46	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
47	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
48	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
49	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
50	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
51	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
52	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
53	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
54	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
55	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
56	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
57	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
58	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
59	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
60	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
61	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
62	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
63	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
64	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
65	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
66	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
67	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
68	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
69	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
70	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
71	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
72	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
73	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
74	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
75	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
76	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
77	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
78	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
79	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
80	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
81	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
82	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
83	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
84	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
85	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
86	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
87	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
88	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
89	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
90	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
91	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
92	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
93	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
94	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
95	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
96	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
97	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
98	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
99	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
100	28-09-20	FOR CONSTRUCTION	J.S.	M.G.

Scale at A1: 1:200

Designed: J. Swanepoel
Drawn: J. Swanepoel
Checked: M. Gassman
Date: 28-09-20

Drawing No: 209
Rev. No: C



gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 3807 3323 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:
**FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.**

Project:
**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:
**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:
**WARNING
BEWARE OF UNDERGROUND
SERVICES**

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

1. Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
2. The Contractor shall verify the location and depth of all services prior to commencing on site.
3. The Contractor shall be liable for any damage to services during landscape works.
4. The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
5. All trees shall be planted in locations shown on the plan.
6. Any change to plant species must have the approval of the Landscape Architect.
7. Trees shall be planted no less than the following distances from landscape elements:
• Footpaths: 0.6m
• Driveways: 3.0m
• Stormwater pipes & sewerage pits: 2.0m
• Intersections: 10.0m
• Service crossings: 2.0m
• Kurb & Channel: 0.6m
• Street lights: 7.5m
• Stormwater inlet Intel: 1m
8. Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Batter Planting	Basin Mix 1	Basin Mix 2
Token Poles	SE - Spade Edge	Stage Boundary
Fence Type 2	Cable Wall	Retaining by Civil

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.


Drawing Title:
LANDSCAPE FINISHES

Rev.	Date	Description	By	App.
1	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
2	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
3	28-09-20	FOR CONSTRUCTION	J.S.	M.G.
4	28-09-20	FOR CONSTRUCTION	J.S.	M.G.

Scale at A1: 1:200

Designed: J. Swanepoel
Drawn: J. Swanepoel
Checked: M. Gassman
Date: 28-09-20

Drawing No: 211
Rev. No: C



gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 3807 3323 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:
FRASERS PROPERTY (AUSTRALIA) PTY. LTD.

Project:
**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:
**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:

WARNING
BEWARE OF UNDERGROUND SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet lintel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Batten Planting	Basin Mix 1	Basin Mix 2
Token Poles	SE - Spade Edge	Stage Boundary
Fence Type 2	Cable Wall	Retaining by Civil

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

Drawing Title:
LANDSCAPE FINISHES

Rev	Date	Description	By	Check
1	28-09-20	FOR CONSTRUCTION	J. Swanepoel	M. Gassman
2	28-09-20	FOR APPROVAL	J. Swanepoel	M. Gassman
3	28-09-20	FOR APPROVAL	J. Swanepoel	M. Gassman

Scale at A1: 1:200

Designed: J. Swanepoel
Drawn: J. Swanepoel
Checked: M. Gassman
Date: 28-09-20

Drawing No: 212
Rev. No: C



REFER TO PAGE 502





Site Address:
60 STAPYLTON JACOBS V
ROAD, STAPYLTON,
82 CHRISTENSEN ROA
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown. Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

7. Before commencement of works it is the responsibility of the Landscape Contractor to obtain before you dig (ph 1100 or web 1100.co.nz) information on services in the area shown on the plan. The Contractor shall verify the location and all services prior to commencing on site.
8. The Contractor shall be liable for any damage to services during landscape works.
9. The Contractor shall verify the location of all existing trees shown to be retained and protect during works.
10. All trees shall be planted in locations shown on plan.
11. Any change to plant species must have the approval of the Landscape Architect.
12. Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pipes: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Fences & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet: 1m
13. Construction certification for all structural and civil works provided prior to practical completion of works.

B1 - Scatter Planting	Basin Mix 1	Basin Mix 2
Token Poles	SG - Spade Edge	Stages
Fence Type 2	Garrison Wall	Retaining Wall

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document
may be reproduced or transmitted in any form
or by any means, electronic, mechanical,
photocopying, recording, or otherwise, without
the written permission of Gassman
Development Perspectives.

C	20-09-26	FOR CONSTRUCTION
B	20-07-09	FOR INFORMATION
A	20-06-26	FOR OPW APPROVAL
Date		Description

Designed: J. Swanepoel


Drawn: J. Swanepoel

Checked:	M. Gassman
----------	------------

Date: 28.09.20

Drawing No: 502

Drawing No: 502



Technical drawing of a road layout, likely a plan view, showing a road labeled "HOMESTEAD DRIVE" running diagonally. The road is flanked by orange hatched areas representing embankments or easements. Several circular markers with crosshairs are placed along the road, each labeled "2 ELA eum" or "4 ELA eum". A road number "106" is visible on the left side, and "107" is visible on the right side. The drawing includes a scale bar at the bottom right, indicating a scale of 1:200, with lengths in metres. A reference to "REFER TO PAGE 504" is present at the bottom right. The drawing is oriented with a north arrow pointing towards the top right.




Notes:

WARNING
BEWARE OF UNDERGROUND
SERVICES

GENERAL NOTES

- ## LEGEND

T1 - Turf G1 - Garden Beds Trees



Drawing Title:

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd

Scale at A1: 1:200

[illegible]

Details:	1. Summary
----------	------------

Checked: M. Gassman

	20	00	20
De	in	Ne	De

Drawing No. 503 Rev. No. C

303

Scale 1:200 - Lengths are in Metres.



Project

Site Address:


Notes

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.

Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

1. Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
2. The Contractor shall verify the location and depth of all services prior to commencing on site.
3. The Contractor shall be liable for any damage to services during landscape works.
4. The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
5. All trees shall be planted in locations shown on the plan.
6. Any change to plant species must have the approval of the Landscape Architect.
7. Trees shall be planted no less than the following distances from landscape elements:
 - a) Foothpaths: 0.6m
 - b) Driveways: 3.0m
 - c) Stormwater pipes & sewerage pipes: 2.0m
 - d) Intersections: 10.0m
 - e) Service crossings: 2.0m
 - f) Kerbs & Channels: 0.6m
 - f) Street lights: 7.5m
 - h) Stormwater inlet: 1m
8. Construction certification for all structural elements to be provided prior to practical completion being granted.

LEGEND



Drawing Title:

[illegible]

Scale at A1: 1:200

Designed: J. Swanepoel

Drawn: J. Swanepoel

Checked:	M. Gassman
----------	------------

Date: 28-09-20

Drawing No:	Rev. No:
506	C

Rev. No:
C

REFER TO PAGE 505

Scale 1:200 - Lengths are in Metres





Scale 1:200 - Lengths are in Metres



Client

FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.

Project:

VANTAGE YATALA
STAGE 1 STREETSCAPE

Site Address:
60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Notes:

WARNING
BEWARE OF UNDERGROUND
SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.

Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

1. Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
2. The Contractor shall verify the location and depth of

3. The Contractor shall be liable for any damage to services during landscape works.

4. The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.

5. All trees shall be planted in locations shown on the plan.

6. Any change to plant species must have the approval of the Landscape Architect.

7. Trees shall be planted no less than the following distances from landscape elements:


- Footpaths: 0.6m
- Driveways: 3.0m
- Stormwater pipe & coverage pits: 2.0m

- Stormwater pipes & sewerage pits: 2.0m
- Intersections: 10.0m
- Service crossings: 2.0m
- Kerk & Channel: 0.8m

- Kerb & Channel: 0.6m
- Street lights: 7.5m
- Stormwater inlet lintel: 1m

8. Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND



©2012 Gassman Development Perspectives
All rights reserved. No part of this document
may be reproduced or transmitted in any form
or by any means, electronic, mechanical,
photocopying, recording, or otherwise, without
the written permission of Gassman
Development Perspectives.



Drawing Title:

PLANTING PLAN TREES

[illegible]

Scale at A1: 1:200

Designed:	J. Swanepoel
-----------	--------------

Drawn:	J. Swanepoel
--------	--------------

Checked:	M. Gassman
----------	------------

Date: 28-09-20

Drawing No:	Rev. No:
509	C


REFER TO PAGE 510

REFER TO PAGE 508

EASTRIDGE STREET

Scale 1:200 - Lengths are in Metres





Client:
**FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.**

Project:
**VANTAGE YATALA
STAGE 1 STREETScape**


Site Address:
**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:
**WARNING
BEWARE OF UNDERGROUND
SERVICES**

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kurb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet intel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.



© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.


Drawing Title:
**PLANTING PLAN
TREES**

Rev	Description	Date
1	FOR CONSTRUCTION	28-09-20
2	FOR CONSTRUCTION	28-09-20
3	FOR CONSTRUCTION	28-09-20
4	FOR CONSTRUCTION	28-09-20
5	FOR CONSTRUCTION	28-09-20
6	FOR CONSTRUCTION	28-09-20
7	FOR CONSTRUCTION	28-09-20
8	FOR CONSTRUCTION	28-09-20
9	FOR CONSTRUCTION	28-09-20
10	FOR CONSTRUCTION	28-09-20

Scale at A1: 1:200

Designed:	J. Swanepoel
Drawn:	J. Swanepoel
Checked:	M. Gassman
Date:	28-09-20

Drawing No: 512
Rev. No: C





gassman
development
perspectives

planning | environment | landscape | engineering | survey

T: 3807 3333 | F: 3267 5461 | www.gassman.com.au

Access Business Park | 70 Business Street, Yatala QLD

Client:

FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.

Project:

VANTAGE YATALA
STAGE 1 STREETScape

Site Address:

60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Notes:

WARNING
BEWARE OF UNDERGROUND
SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kurb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet lintel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

Associated Consultants:

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.



Drawing Title:


LANDSCAPE SHRUBS &
GROUND COVERS PLANTING
PLAN
GENERAL ARRANGEMENT PLAN


Rev	Date	Description	By	App'd
1	28-09-20	FOR CONSTRUCTION	J. Swanepoel	J. Gassman
2	28-09-20	FOR CONSTRUCTION	J. Swanepoel	J. Gassman
3	28-09-20	FOR CONSTRUCTION	J. Swanepoel	J. Gassman

Scale at A1: 1:1000

Designed:	J. Swanepoel
Drawn:	J. Swanepoel
Checked:	M. Gassman
Date:	28-09-20

Drawing No:	600	Rev. No:	C
-------------	-----	----------	---





planning | environment | landscape | engineering | survey
T: 3807 3323 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:
FRASERS PROPERTY (AUSTRALIA) PTY. LTD.

Project:
**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:
**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:
**WARNING
BEWARE OF UNDERGROUND
SERVICES**

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

1. Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
2. The Contractor shall verify the location and depth of all services prior to commencing on site.
3. The Contractor shall be liable for any damage to services during landscape works.
4. The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
5. All trees shall be planted in locations shown on the plan.
6. Any change to plant species must have the approval of the Landscape Architect.
7. Trees shall be planted no less than the following distances from landscape elements:
• Footpaths: 0.6m
• Driveways: 3.0m
• Stormwater pipes & sewerage pits: 2.0m
• Intersections: 10.0m
• Service crossings: 2.0m
• Kerb & Channel: 0.6m
• Street lights: 7.5m
• Stormwater inlet lintel: 1m
8. Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf
G1 - Garden Beds
Trees
B1 - Better Planting
Basin Mix 1
Basin Mix 2
TE - HMD Timber Edge
Stage Boundary
Force Type 2

Associated Consultants:

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.


Drawing Title:
**PLANTING PLAN
SHRUBS & GROUND
COVERS**

Rev	Date	Description	By	App
1	28-09-20	FOR CONSTRUCTION	JG	MS
2	28-09-20	FOR CONSTRUCTION	JG	MS
3	28-09-20	FOR CONSTRUCTION	JG	MS

Scale at A1: 1:200

Designed: J. Swanepoel
Drawn: J. Swanepoel
Checked: M. Gassman
Date: 28-09-20

Drawing No: 611
Rev. No: C



gassman
development
perspectives

planning | environment | landscape | engineering | survey
T: 3807 3323 | F: 3267 5461 | www.gassman.com.au
Access Business Park | 70 Business Street, Yatala QLD

Client:
**FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.**

Project:
**VANTAGE YATALA
STAGE 1 STREETScape**

Site Address:
**60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON**

Notes:

**WARNING
BEWARE OF UNDERGROUND
SERVICES**

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater pipes & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
 - Stormwater inlet intel: 1m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

LEGEND

T1 - Turf	G1 - Garden Beds	Trees
B1 - Batter Planting	Basin Mix 1	Basin Mix 2
TE - HWD Timber Edge	Stage Boundary	Force Type 2

Associated Consultants:

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.

Drawing Title:
**PLANTING PLAN
SHRUBS & GROUND
COVERS**

Rev	Date	Description	By	App
1	28-09-20	FOR CONSTRUCTION	J. Swanepoel	J. Swanepoel
2	28-09-20	FOR CONSTRUCTION	J. Swanepoel	J. Swanepoel
3	28-09-20	FOR CONSTRUCTION	J. Swanepoel	J. Swanepoel

Scale at A1: 1:200

Designed:	J. Swanepoel
Drawn:	J. Swanepoel
Checked:	M. Gassman
Date:	28-09-20
Drawing No:	612
Rev. No:	C

Client:

FRASERS PROPERTY
(AUSTRALIA) PTY. LTD.

Project:

VANTAGE YATALA
STAGE 1 STREETScape

Site Address:

60 STAPYLTON JACOBS WELL
ROAD, STAPYLTON,
82 CHRISTENSEN ROAD,
STAPYLTON AND 31
YELLOWWOOD ROAD,
STAPYLTON

Notes:

WARNING
BEWARE OF UNDERGROUND
SERVICES

Note that the location shown of existing underground services is indicative only and may not be accurate at the time of landscape works. No guarantee is given that all existing services are shown.
Determination of the exact position and extent of underground services is the responsibility of the Contractor and is to be confirmed on site prior to commencement of work.

GENERAL NOTES

- Before commencement of works it is the responsibility of the Landscape Contractor to contact dial before you dig (ph. 1100 or web 1100.com.au) for information on services in the area shown on the plan.
- The Contractor shall verify the location and depth of all services prior to commencing on site.
- The Contractor shall be liable for any damage to services during landscape works.
- The Contractor shall verify the location of any existing trees shown to be retained and protect them during works.
- All trees shall be planted in locations shown on the plan.
- Any change to plant species must have the approval of the Landscape Architect.
- Trees shall be planted no less than the following distances from landscape elements:
 - Footpaths: 0.6m
 - Driveways: 3.0m
 - Stormwater & sewerage pits: 2.0m
 - Intersections: 10.0m
 - Service crossings: 2.0m
 - Kerb & Channel: 0.6m
 - Street lights: 7.5m
- Construction certification for all structural elements is to be provided prior to practical completion being granted.

Associated Consultants:

© 2012 Gassman Development Perspectives
All rights reserved. No part of this document may be reproduced or transmitted in any form or by any means electronic, mechanical, photocopying, recording, or otherwise, without the written permission of Gassman Development Perspectives.



Drawing Title:

LANDSCAPE DETAILS

Scale at A1: AS SHOWN


Designed: J. Swanepoel

Drawn: J. Swanepoel

Checked: M. Gassman



Date: 28-09-20

Drawing No: 901 Rev. No: B



A
901
1:10
TIMBER EDGING ON NATURAL GROUND (TYPICAL)

Scale 1:10 - Lengths are in Metres.
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8



B
901
1:10
GARDEN TO CONCRETE DETAIL

Scale 1:10 - Lengths are in Metres.
0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8

WHERE NO FOOTPATH PRESENT
INSTALL SPADE EDGE AS SPECIFIED
AT REAR OF TREE AS WELL

TURFED VERGE, REFER TO
SPECIFICATIONS FOR DETAILS

SPADE EDGE AS SPECIFIED

ROAD WAY AND KERB CHANNEL
REFER TO CIVIL ENGINEERS DETAILS

MULCH AS SPECIFIED

CONTAINER STOCK AS SPECIFIED

HWD STAKES AS SPECIFIED

ADJACENT CONCRETE FOOTPATH
BY OTHERS

PLAN
SCALE 1:20

CONTAINER TREE, REFER TO
PLANTING PLAN AND SCHEDULE

HWD STAKE - DO NOT PENETRATE
ROOTBALL WITH STAKE. STAKE TO
PENETRATE 600mm INTO SOIL
PROFILE

NYLON/HESSIAN TIES
STAPLED TO STAKE

MAINTAIN MINIMUM 50mm
SEPARATION BETWEEN ORGANIC
MULCH AND TRUNK/STEM OF
PLANT

ROAD WAY AND KERB CHANNEL
REFER TO CIVIL ENGINEERS DETAILS

ORGANIC MULCH AS SPECIFIED

TOPSOIL AS SPECIFIED

ROOT CONTROL BARRIER
AS SPECIFIED



CULTIVATED SUBGRADE,
AS SPECIFIED


FERTILISER AS SPECIFIED

SECTION
SCALE 1:20

C
901
1:20
TYPICAL STREET TREE DETAIL

Scale 1:20 - Lengths are in Metres.
0 0.2 0.4 0.6 0.8 1.0 1.2 1.4 1.6





FOOTING DESIGN TO ENGINEERS DETAILS