

Memo — City of Gold Coast Information Request Response – George Alexander Way, Coomera

Coomera GA Pty Ltd
22 August 2023

Job 11241



Introduction

The Environmental Management Division of Saunders Havill Group (SHG) was engaged by Coomera GA Pty Ltd to provide a response to the relevant items of the Information Request (COM/2023/16) issued by City of Gold Coast for their site located at 54 George Alexander Way, Coomera, Queensland 4209.

The requests of this Information Request and the SARA Advice Notice have been considered and used as feedback to inform changes to the development proposal plan. Noting the surrounding landscape challenges and the intent of the site to deliver medium to high density residential under the *Gold Coast City Plan 2016* and a Local Government Infrastructure Plan (LGIP) trunk recreation park, there are notable limitations for the proposal to retain parts of the subject site.

Changes to the proposal plan (**Attachment A**) are reflected in the updated Impact Assessment Plan located at **Attachment B**. Efforts to mitigate impacts to Gold Coast medium priority vegetation and koala habitat are summarised in the response below.

The following attachments are included:

- Updated Proposal Plan – **Attachment A**
- Updated Impact Assessment Plan – **Attachment B**
- Updated Tree Schedule – **Attachment C**
- Updated Koala Connectivity Plan – **Attachment D**

A response to Items 9 and 10 of the Information Request is provided in **Table 1**.

Prepared by
© Saunders Havill Group Pty Ltd 2023.
ABN 24 144 972 949
www.saundershavill.com

SHG has prepared this document for the sole use of the Client and for a specific purpose, as expressly stated in the document. No other party should rely on this document without the prior consent of SHG. SHG undertakes no duty, nor accepts any responsibility, to any third party who may rely on upon or use the document. This document has been prepared based on the Client's description of its requirements and SHG's experience, having regard to assumptions that SHG can reasonably be expected to make in accordance with sound professional principles. SHG may have also relied upon information provided by the Client and other third parties to prepare this document, some of which may have not been verified. Subject to the above conditions, this document may be transmitted, reproduced or disseminated only in its entirety.

Table 1: Response to City of Gold Coast Information Request Items

Issue	SHG Response
Environmental Assessment	
Item 9 – Impacts to Medium priority vegetation The proposed development contemplates the removal of all Medium priority vegetation mapped as occurring on the subject site. The submitted Ecological assessment report, prepared by Saunders Havill Group dated 3 February 2023, states that removal of Medium priority vegetation will be undertaken in accordance with the Queensland Environmental Offset Policy by delivering a financial offset for the entirety of removal of state mapped koala habitat. However, to comply with the Environmental significance overlay code, the Applicant is required to also pay offsets consistent with the Environmental Offsets Act 2014, at a ratio of 3:1 (area) in accordance with SC6.9 City Plan policy – Environmental offsets requirements, in addition to what is prescribed by the state as Medium priority vegetation is a different offsettable matter to koala habitat. Furthermore, the Environmental Offsets Act 2014 framework requires that impacts are addressed in a hierarchy of first being avoided, then mitigated before any significant residual impacts are offset as a final consideration. Offsetting all mapped Medium priority vegetation does not adequately avoid or mitigate impacts in the first instance before offsets are proposed. As such, the application does not satisfactorily meet Environmental Offsets Act 2014 requirements. This proposed approach conflicts with the following City Plan 2016 assessment benchmarks: • Environmental significance overlay code Overall outcomes 2(d)(ii), (h); and	Additional context is provided below in response to the Overall Outcomes 2, and Performance Outcome 10 of the Environmental Significance Code and Item 9 of this IR. <u>Overall Outcomes 2 (d) (ii) and (h) and PO10 / AO10</u> The site is located within the Coomera Urban Centre and is highly constrained by the local planning instrument as it is zoned as medium and high density residential and additionally is affected by mapping under the Local Government Infrastructure Plan (LGIP) for the provision of a trunk recreation park. A 50-metre area along the eastern boundary of the site is mapped as a future trunk recreation park and land for community facilities infrastructure under the LGIP. This also extends to the north and south of the site. It is noted that under the LGIP this area is to serve as providing amenity value rather than ecological function. For this reason, areas suitable for ecological retention within the development design are inherently limited. Under the updated proposal plan, development impacts including cut and fill earthworks have been consolidated within the eastern part of the site with the vegetation and natural features within the western part of the site, including the site dam, proposed to remain <i>in situ</i>. A total of 1.24 ha of medium priority vegetation is proposed to be impacted with 0.84 ha to be retained under the proposal. The retention of vegetation within the western portion of the site is considered to meet the requirement of avoidance and minimisation of impacts. Impacts will be further mitigated through multiple means. Firstly, through the implementation of the Koala Management Plan (provided at

Issue	SHG Response
- Environmental significance overlay code Performance outcome PO10 and Acceptable outcome 10 The Applicant is requested to: a. Prepare and submit amended plans which reduce the development footprint to retain a significantly higher portion of medium priority vegetation. All bushfire management measures should also be located outside of these additionally retained areas; and Calculate offsets for any significant residual impact for Medium priority vegetation additional to that required to be paid for removal of koala habitat.	Attachment C) and a Vegetation Clearing and Fauna Management Plan to ensure that the clearing of vegetation is undertaken in way that prevents the risk of injury or death of koalas and fauna generally. Secondly, basic site management including the clearance of understorey weed species is proposed within the retained vegetation area to improve the quality of the vegetation for fauna utilising the vegetation. These works will be completed when most practical after the completion of development works and will likely be timed with other rehabilitation works within the proposed eastern LGIP park area. The retention of the western vegetation area will aid in mitigating impacts by allowing for any fauna to escape into the adjoining vegetation values during clearing and by slowing the rate of development driven vegetation impacts on-site and within the local area, giving local fauna species the opportunity to move into more intact vegetation areas until demand for future development is realised. <u>Offsets</u> It is understood that an offset will need to be provided for the removal of medium priority vegetation and will be delivered in accordance with the SC6.9 City Plan policy – Environmental offsets. Earthworks impact plans indicate a total of 1.24 ha of medium priority vegetation is required to be impacted for the proposal. Offset calculations for MLES 3 under the Queensland Environmental Offsets Calculator indicate an offset amount of \$310,407.96 is required.
Item 10 – Covenant and Rehabilitation Management Plan The proposed development represents significant impacts to mapped Medium priority vegetation and habitat for priority species on the Environmental significance overlay code maps in addition to state-mapped core koala habitat.	The site is highly constrained by the local planning instrument, being zoned for medium and high density residential, and the provision of mapping under the LGIP. A 50-metre strip along the eastern boundary of the site is mapped as a future trunk recreation park and land for community facilities infrastructure under the LGIP. This designation also extends to the north and

Issue	SHG Response
To achieve compliance with Environmental significance overlay code Purpose 8.2.6 2 (b) and (e) and Performance outcomes PO23, 25 and 26 of the Environmental significance overlay code, the Applicant is requested to nominate the eastern portion of the subject site to be dedicated as a statutory covenant.	south of the site. Under the LGIP this area is to serve as providing open space recreation and amenity value rather than ecological function and as a covenant or rehabilitation management plan is not appropriate to be placed over this area.
The Applicant is also requested to prepare and submit a rehabilitation strategy for the covenant area, prepared in accordance with the South East Queensland Restoration Framework and Schedule 6.8 City Plan Policy – Environmental management plans.	The planning constraints over the site create a range of challenges for the retention of vegetation and koala habitat values generally. This includes the location of the site within the Coomera Urban Centre as ultimately, the use of the site and surrounding landscape by koala is not supported under the local planning instrument. Factoring in future land uses, it is considered that retaining habitat on-site in what will eventually become an isolated pocket of habitat is not a favourable outcome for koala and may cause further detriment to the species due to exposure to threats associated with highly urban landscapes i.e., vehicle strike and dogs. Additionally, significant impediments and barriers to safe koala movement are already present within the broader landscape surrounding the site. For example, the area north of the site has been entirely cleared and is currently undergoing earthworks for the construction of houses. Similarly, there are areas to the south of the site which have been cleared where the koala habitat mapping remains. Refer to the Koala Connectivity Plan at Attachment D. Notwithstanding the above challenges, the western part of the site which includes medium priority vegetation, koala habitat and the site dam has been excluded from the development footprint under the updated proposal. Noting the intent for this area and surrounding landscape to deliver high density urban development, the potential for this vegetation to deliver long-term functional benefits to the koala and other fauna is limited, however, may provide value to fauna in the interim. The retention of the western vegetation area will aid in mitigating impacts by allowing for any fauna to escape into the adjoining vegetation values during clearing and by slowing the rate of development driven vegetation impacts on-site and within the local area. The retention of vegetation will provide a temporary

Issue	SHG Response
	alleviation of development driven impacts, however, it is not reasonable to assume that this vegetation may be retained in perpetuity considering the planning intent over the area and general unsuitability of the land for fauna, particularly koala, as surrounding Coomera Urban Centre developments progress.

Summary

There are a number of planning considerations and engineering requirements that affect the ability of the proposed development to retain medium priority vegetation on-site. The site is located within the Coomera Urban Centre and is zoned as medium and high density residential with the eastern portion of the site mapped to deliver a trunk recreation park and community facilities infrastructure under the LGIP. The focus of the land for delivering urban land uses speaks to the long-term general incompatibility of the land for ecological function. The general shift towards medium to high density urban land uses is demonstrated further by the dominance of existing and future planned developments within the surrounding landscape such as the Coomera Woods masterplanned development to the west of the site and completed subdivision directly north.


The intent under the local planning instrument to deliver medium to high density residential land uses and a trunk recreation park under the LGIP, in addition to general earthworks requirements limits the potential for vegetation retention as part of the overall development design.

Notwithstanding the suite of planning challenges affecting the site, the development design has been updated to consolidate development impacts within the eastern part of the site, allowing for the western part of the site to remain *in situ*. The resulting impacts are 1.24 ha of medium priority vegetation to be removed, instead of 1.69 ha under the previous proposal, with 0.84 ha to be retained. The retention of the western vegetation area will aid in mitigating impacts by allowing for any fauna to escape into the adjoining vegetation values during clearing and by slowing the rate of development driven vegetation impacts on-site and within the local area. The retention of vegetation will provide a temporary alleviation of development driven impacts, however, it is not reasonable to assume that this vegetation may be retained in perpetuity considering the planning intent over the area and general unsuitability of the land for fauna, particularly koala, as surrounding Coomera Urban Centre developments progress.

Attachment A

Updated Proposal Plan

PROPOSAL PLAN - OVERALL



NOT TO BE USED FOR ENGINEERING DESIGN OR CONSTRUCTION

NOTES

This plan was prepared as a provisional layout to accompany a development application. The information on this plan is not suitable for any other purpose.

Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions.

No reliance should be placed on the information on this plan for detailed subdivision design or for any financial dealings involving the land.

Pavements and centrelines shown are indicative only and are subject to Engineering Design.

Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

DCDB © State of Queensland (Department of Natural Resources and Mines) 2019. Lidar Data © State of Queensland (Department of Natural Resources and Mines) 2016.

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

SUBJECT BOUNDARIES FROM LOT CALCULATIONS BY SAUNDERS HAVILL GROUP DATED 12/01/2023

LEGEND

- Site Boundary
- Major Contour (1.0m interval)
- Minor Contour (0.5m interval)
- D Dual Occupancy Lots

DEVELOPMENT STATISTICS			
RESIDENTIAL ALLOTMENTS	No. Lots	%	Net Area
<350m ²	4	18.2%	0.122 ha
350m ² - < 400m ²	12	54.5%	0.455 ha
400m ² - < 450m ²	6	27.3%	0.243 ha
Total Residential Allotments	22	100.0%	0.820 ha
Land Budget	Area (Ha)	%	
Area of Subject Site / Stage	3.010 ha	—	
Net Residential Area (no roads)	0.820 ha	27.2%	
Park	0.285 ha	9.5%	
Detention / Drainage	0.079 ha	2.6%	
Road Areas	0.326 ha	10.8%	
Balance (Lot 900)	1.50 ha	49.8%	
Total	3.010 ha	100.0%	

SCALE @A1 1:500 @A3 1:1000 - LENGTHS ARE IN METRES



COOMERA GA PTY LTD ATF THE COOMERA GA UNIT

54 GEORGE ALEXANDER WAY, COOMERA 30/06/2023 11241 P 03 Rev E - PRO 01

STAGING PLAN - STAGE 1

NOT TO BE USED FOR ENGINEERING DESIGN
OR CONSTRUCTION

NOTES

This plan was prepared as a provisional layout to accompany a development application. The information on this plan is not suitable for any other purpose.

Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions.

No reliance should be placed on the information on this plan for detailed subdivision design or for any financial dealings involving the land.

Pavements and centrelines shown are indicative only and are subject to Engineering Design.

Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.


DCDB © State of Queensland (Department of Natural Resources and Mines) 2019.
Lidar Data © State of Queensland (Department of Natural Resources and Mines) 2016.

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.


SUBJECT BOUNDARIES FROM LOT CALCULATIONS BY SAUNDERS
HAVILL GROUP DATED 12/01/2023

LEGEND

- Site Boundary
- Major Contour (1.0m interval)
- Minor Contour (0.5m interval)




RP DESCRIPTION: LOT 96 on RP187417



COOMERA GA PTY LTD ATF THE COOMERA GA UNIT

STAGING PLAN - STAGE 2



NOT TO BE USED FOR ENGINEERING DESIGN OR CONSTRUCTION

NOTES

This plan was prepared as a provisional layout to accompany a development application. The information on this plan is not suitable for any other purpose.

Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions.

No reliance should be placed on the information on this plan for detailed subdivision design or for any financial dealings involving the land.

Pavements and centrelines shown are indicative only and are subject to Engineering Design.

Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

DCDB © State of Queensland (Department of Natural Resources and Mines) 2019. Lidar Data © State of Queensland (Department of Natural Resources and Mines) 2016.

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.


SUBJECT BOUNDARIES FROM LOT CALCULATIONS BY SAUNDERS HAVILL GROUP DATED 12/01/2023

LEGEND

- Site Boundary
- Major Contour (1.0m interval)
- Minor Contour (0.5m interval)
- Dual Occupancy Lots
- Proposed Temporary Turnaround Easement


DEVELOPMENT STATISTICS - Stage 2			
RESIDENTIAL ALLOTMENTS	No. Lots	%	Net Area
<350m ²	4	20.0%	0.122 ha
350m ² - < 400m ²	11	55.0%	0.416 ha
400m ² - < 450m ²	5	25.0%	0.203 ha
Total Residential Allotments	20	100.0%	0.741 ha
Net Residential Area (Ha)	0.741	—	—
Land Budget	Area (Ha)	%	
Area of Subject Site / Stage	1.510 ha		
Net Residential Area (no roads)	0.741 ha	49.1%	
Detention / Drainage	0.079 ha	5.2%	
Park	0.285 ha	18.9%	
Balance Lot	0.102 ha	6.8%	
Road Areas	0.303 ha	20.1%	
Total	1.510 ha	100.0%	

RP DESCRIPTION: LOT 96 on RP187417



COOMERA GA PTY LTD ATF THE COOMERA GA UNIT

STAGING PLAN - STAGE 3



NOT TO BE USED FOR ENGINEERING DESIGN
OR CONSTRUCTION

NOTES

This plan was prepared as a provisional layout to accompany a development application. The information on this plan is not suitable for any other purpose.

Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions.

No reliance should be placed on the information on this plan for detailed subdivision design or for any financial dealings involving the land.

Pavements and centrelines shown are indicative only and are subject to Engineering Design.

Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

DCDB © State of Queensland (Department of Natural Resources and Mines) 2019.
Lidar Data © State of Queensland (Department of Natural Resources and Mines) 2016.

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.


SUBJECT BOUNDARIES FROM LOT CALCULATIONS BY SAUNDERS
HAVILL GROUP DATED 12/01/2023

LEGEND

- Site Boundary
- Major Contour (1.0m interval)
- Minor Contour (0.5m interval)
- Staging Boundary
- Stage No.

DEVELOPMENT STATISTICS - Stage C			
RESIDENTIAL ALLOTMENTS	No. Lots	%	Net Area
350m² - < 400m²	1	50.0%	0.039 ha
400m² - < 450m²	1	50.0%	0.041 ha
Total Residential Allotments	2	100.0%	0.080 ha
Net Residential Area (Ha)	0.080	—	—
Land Budget			
Area of Subject Site / Stage	0.102 ha	—	
Net Residential Area (no roads)	0.080 ha	78.4%	
Road Areas	0.022 ha	21.6%	
Total	0.102 ha	100.0%	

RP DESCRIPTION: LOT 96 on RP187417



COOMERA GA PTY LTD ATF THE COOMERA GA UNIT

PLAN OF DEVELOPMENT



NOT TO BE USED FOR ENGINEERING DESIGN OR CONSTRUCTION

NOTES

This plan was prepared as a provisional layout to accompany a development application. The information on this plan is not suitable for any other purpose.

Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions.

No reliance should be placed on the information on this plan for detailed subdivision design or for any financial dealings involving the land.

Pavements and centrelines shown are indicative only and are subject to Engineering Design.

Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

DCDB © State of Queensland (Department of Natural Resources and Mines) 2019. Lidar Data © State of Queensland (Department of Natural Resources and Mines) 2016.

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

SUBJECT BOUNDARIES FROM LOT CALCULATIONS BY SAUNDERS HAVILL GROUP DATED 12/01/2023

LEGEND

- Site Boundary
- Major Contour (1.0m interval)
- Minor Contour (0.5m interval)
- Dual Occupancy Lots
- Optional Built to Boundary Wall
- Indicative Driveway Location


GENERAL NOTES:

- Lots with an area <400m² to comply with City Plan v9 Small Lot Housing (infill) code and relevant zone code except as varied in Table 1.
- Lots with an area between 400m² to 499m² to comply with Queensland Development Code MP1.1 except as varied in Table 1.
- Lots with an area >450m² and over to comply with Queensland Development Code MP1.2 except as varied in Table 1.
- Building Height does not exceed 2 storeys and maximum of 9m.
- Optional Built to Boundary Wall Location
 - Built to boundary walls are permitted on specified boundaries only.
 - Built to boundary walls are to have a maximum length of 3.5m. No windows or openings are to be built along the built to boundary wall.

Table 1:

Minimum Requirements	Ground Floor	First Floor
Front Setback - Primary Frontage	3m to OMP	4.5m to OMP
Front Setback - Garage	6m	N/A
	1m behind front wall or balcony	
Side & Rear (where not built to boundary)	1m to OMP	1.5m to OMP
Secondary Frontage (Corner Lot)	2m OMP	
Site Cover	60% maximum	

RP DESCRIPTION: LOT 96 on RP187417




COOMERA GA PTY LTD ATF THE COOMERA GA UNIT

Attachment B

Updated Impact Assessment Plan

3.00 Medium Priority Vegetation Impact Assessment Plan



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources:
© State of Queensland (Department of Resources) 2023.
Updated data available at:
<http://qlid.spa.qld.gov.au/catalogue/>
© Nearmap, 2023


* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- Legend**
- Site DCDB
 - Qld DCDB
 - Gold Coast City Council Medium Priority Vegetation
 - Gold Coast City Council Medium Priority Vegetation Impacted [1.24 ha]

- Engineering Detail**
- Proposed Lot Boundaries
 - Proposed Easements
 - Proposed Road Design
 - Stage Boundaries
 - Earthworks Interface
 - Sewer Services
 - Stormwater Services
 - Water Services
 - Earthworks (Extent of Cut)
 - Earthworks (Extent of Fill)

- GPS Tree Plot**
- Non-juvenile Koala habitat tree [233]
 - Native tree [93]
 - Dead/stag tree [2]
 - Introduced species/environmental weed to retain [7]
 - Non-juvenile Koala habitat tree in neighbouring lot, retention subject to arborist assessment [6]
 - Native tree in neighbouring lot, retention subject to arborist assessment [3]
 - Dead/stag tree in neighbouring lot, retention subject to arborist assessment [1]
 - Non-juvenile Koala habitat tree to remove [136]
 - Native tree to remove [105]
 - Dead/stag tree to remove [1]
 - Introduced species/environmental weed to remove [23]

Issue	Date	Description	Drawn	Checked
A	02/02/2023	Preliminary	TF	AW
B	22/08/2023	Updated Layout	TF	AW



3.01 Medium Priority Vegetation Impact Assessment Plan




Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources:
© State of Queensland (Department of Resources) 2023.
Updated data available at:
<http://qlddata.informaton.qld.gov.au/catalogue/>
© Neatmap, 2023

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- ### Legend
- Site DCDB
 - Qld DCDB
 - Gold Coast City Council
 - Medium Priority Vegetation
 - Gold Coast City Council
 - Medium Priority Vegetation Impacted [1.24 ha]
- ### Engineering Detail
- Proposed Lot Boundaries
 - Proposed Easements
 - Proposed Road Design
 - Stage Boundaries
 - Earthworks Interface
 - Sewer Services
 - Stormwater Services
 - Water Services
 - Earthworks (Extent of Cut)
 - Earthworks (Extent of Fill)
- ### GPS Tree Plot
- Non-juvenile Koala habitat tree [233]
 - Native tree [93]
 - Dead/stag tree [2]
 - Introduced species/environmental weed to retain [7]
 - Non-juvenile Koala habitat tree in neighbouring lot, retention subject to arborist assessment [6]
 - Native tree in neighbouring lot, retention subject to arborist assessment [3]
 - Dead/stag tree in neighbouring lot, retention subject to arborist assessment [1]
 - Non-juvenile Koala habitat tree to remove [136]
 - Native tree to remove [105]
 - Dead/stag tree to remove [1]
 - Introduced species/environmental weed to remove [23]

Issue	Date	Description	Drawn	Checked
A	02/02/2023	Preliminary	TF	AW
B	22/08/2023	Updated Layout	TF	AW




3.02 Medium Priority Vegetation Impact Assessment Plan



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.
Layer Sources:
© State of Queensland (Department of Resources) 2023.
Updated data available at:
<http://qldspace.information.qld.gov.au/catalogue/>
© Neatmap, 2023
* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- Legend**
- Site DCDB
 - Qld DCDB
 - Gold Coast City Council Medium Priority Vegetation
 - Gold Coast City Council Medium Priority Vegetation Impacted [1.24 ha]
- Engineering Detail**
- Proposed Lot Boundaries
 - Proposed Easements
 - Proposed Road Design
 - Stage Boundaries
 - Earthworks Interface
 - Sewer Services
 - Stormwater Services
 - Water Services
 - Earthworks (Extent of Cut)
 - Earthworks (Extent of Fill)
- GPS Tree Plot**
- Non-juvenile Koala habitat tree [233]
 - Native tree [93]
 - Dead/stag tree [2]
 - Introduced species/environmental weed to retain [7]
 - Non-juvenile Koala habitat tree in neighbouring lot, retention subject to arborist assessment [6]
 - Native tree in neighbouring lot, retention subject to arborist assessment [3]
 - Dead/stag tree in neighbouring lot, retention subject to arborist assessment [1]
 - Non-juvenile Koala habitat tree to remove [136]
 - Native tree to remove [105]
 - Dead/stag tree to remove [1]
 - Introduced species/environmental weed to remove [23]

Issue	Date	Description	Drawn	Checked
A	02/02/2023	Preliminary	TF	AW
B	22/08/2023	Updated Layout	TF	AW



Attachment C

Updated Tree Schedule

Tree Schedule - Job 11241																														
54 George Alexander Way, Coomera (Coomera GA Pty Ltd)																														
18/08/2023																														
Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
1	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	620		620	195	28.0	16.0	7.4	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
2	<i>Corymbia intermedia</i>	Pink Bloodwood	330		330	104	6.0	3.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
3	<i>Acacia concurrens</i>	Black Wattle	110	90	142	45	4.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
4	<i>Eucalyptus microcorys</i>	Tallowwood	340	340	481	151	16.0	7.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
5	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	830		830	261	27.0	14.0	10.0	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
6	<i>Corymbia intermedia</i>	Pink Bloodwood	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
7	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	220		220	69	15.0	6.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Remove (Exempt)	-
8	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	170		170	53	7.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
9	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	800		800	251	28.0	16.0	9.6	3.0	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (Exempt)	-
10	<i>Acacia concurrens</i>	Black Wattle	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
11	<i>Acacia concurrens</i>	Black Wattle	130		130	41	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
12	<i>Acacia concurrens</i>	Black Wattle	110		110	35	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
13	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
14	<i>Acacia concurrens</i>	Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
15	<i>Acacia concurrens</i>	Black Wattle	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
16	<i>Allocasuarina littoralis</i>	Black She-oak	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
17	<i>Acacia concurrens</i>	Black Wattle	140		140	44	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
18	<i>Allocasuarina littoralis</i>	Black She-oak	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
19	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	6.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
20	<i>Allocasuarina littoralis</i>	Black She-oak	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
21	<i>Schefflera actinophylla</i>	Umbrella Tree	150	90	175	55	7.0	3.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
22	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	100		100	31	5.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Introduced	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
23	<i>Allocasuarina littoralis</i>	Black She-oak	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
24	<i>Allocasuarina littoralis</i>	Black She-oak	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
25	<i>Allocasuarina littoralis</i>	Black She-oak	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
26	<i>Allocasuarina littoralis</i>	Black She-oak	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
27	<i>Allocasuarina littoralis</i>	Black She-oak	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
28	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
29	<i>Allocasuarina littoralis</i>	Black She-oak	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
30	<i>Allocasuarina littoralis</i>	Black She-oak	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
31	<i>Allocasuarina littoralis</i>	Black She-oak	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
32	<i>Allocasuarina littoralis</i>	Black She-oak	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
33	<i>Eucalyptus microcorys</i>	Tallowwood	270		270	85	14.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
34	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	410		410	129	18.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
35	<i>Corymbia citriodora</i>	Spotted Gum	520		520	163	22.0	12.0	6.2	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
36	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	470		470	148	20.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove	-
37	<i>Allocasuarina littoralis</i>	Black She-oak	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
38	<i>Corymbia intermedia</i>	Pink Bloodwood	290		290	91	14.0	7.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
39	Corymbia citriodora	Spotted Gum	310		310	97	18.0	5.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
40	Allocasuarina littoralis	Black She-oak	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
41	Allocasuarina littoralis	Black She-oak	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
42	Allocasuarina littoralis	Black She-oak	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
43	Allocasuarina littoralis	Black She-oak	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
44	Allocasuarina littoralis	Black She-oak	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
45	Allocasuarina littoralis	Black She-oak	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
46	Allocasuarina littoralis	Black She-oak	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	Small	-	-	Remove (Exempt)	-
47	Allocasuarina littoralis	Black She-oak	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
48	Allocasuarina littoralis	Black She-oak	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
49	Allocasuarina littoralis	Black She-oak	180		180	57	7.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
50	Acacia concurrens	Black Wattle	130		130	41	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
51	Eucalyptus siderophloia	Northern Grey Ironbark	340		340	107	21.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
52	Allocasuarina littoralis	Black She-oak	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
53	Allocasuarina littoralis	Black She-oak	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
54	Eucalyptus siderophloia	Northern Grey Ironbark	380		380	119	21.0	8.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
55	Allocasuarina littoralis	Black She-oak	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
56	Corymbia citriodora	Spotted Gum	410		410	129	23.0	11.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
57	Corymbia intermedia	Pink Bloodwood	300		300	94	16.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
58	Allocasuarina littoralis	Black She-oak	120		120	38	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
59	Allocasuarina littoralis	Black She-oak	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
60	Eucalyptus fibrosa	Broad-leaved Red Ironbark	630		630	198	22.0	12.0	7.6	2.7	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
61	Acacia concurrens	Black Wattle	250		250	79	6.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
62	Corymbia citriodora	Spotted Gum	310		310	97	18.0	8.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
63	Corymbia citriodora	Spotted Gum	260		260	82	18.0	7.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
64	Corymbia citriodora	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
65	Corymbia citriodora	Spotted Gum	300	260	397	125	20.0	8.0	4.8	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
66	Eucalyptus siderophloia	Northern Grey Ironbark	390		390	123	23.0	11.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
67	Allocasuarina littoralis	Black She-oak	120		120	38	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
68	Acacia disparrima	Hickory Wattle	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
69	Acacia disparrima	Hickory Wattle	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
70	Eucalyptus fibrosa	Broad-leaved Red Ironbark	270		270	85	12.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
71	Corymbia citriodora	Spotted Gum	680		680	214	24.0	14.0	8.2	2.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
72	Allocasuarina littoralis	Black She-oak	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
73	Allocasuarina littoralis	Black She-oak	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
74	Acacia concurrens	Black Wattle	170		170	53	6.0	4.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
75	Eucalyptus propinqua	Small-fruited Grey Gum	280		280	88	12.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
76	Eucalyptus propinqua	Small-fruited Grey Gum	370		370	116	20.0	10.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
77	Allocasuarina littoralis	Black She-oak	110		110	35	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
78	Acacia concurrens	Black Wattle	120	110	163	51	4.0	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	-
79	Eucalyptus siderophloia	Northern Grey Ironbark	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
80	Acacia concurrens	Black Wattle	130		130	41	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-

Specimen Details												Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
81	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	510		510	160	21.0	10.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
82	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
83	<i>Corymbia citriodora</i>	Spotted Gum	560		560	176	23.0	10.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-
84	<i>Corymbia citriodora</i>	Spotted Gum	280		280	88	17.0	7.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
85	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	510		510	160	25.0	12.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
86	DEAD/STAG		450		450	141	24.0	12.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-
87	<i>Acacia disparrima</i>	Hickory Wattle	140	90	166	52	5.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
88	<i>Allocasuarina littoralis</i>	Black She-oak	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
89	<i>Corymbia citriodora</i>	Spotted Gum	370		370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
90	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	600		600	188	26.0	14.0	7.2	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
91	<i>Corymbia citriodora</i>	Spotted Gum	410		410	129	21.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
92	<i>Eucalyptus microcorys</i>	Tallowwood	450	420	616	193	20.0	14.0	7.4	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove (Exempt)	-
93	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	23.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
94	<i>Allocasuarina littoralis</i>	Black She-oak	210		210	66	5.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
95	<i>Eucalyptus microcorys</i>	Tallowwood	380		380	119	18.0	9.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
96	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	21.0	12.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
97	<i>Corymbia citriodora</i>	Spotted Gum	320		320	101	21.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
98	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	510		510	160	25.0	15.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
99	<i>Corymbia citriodora</i>	Spotted Gum	330	270	426	134	16.0	6.0	5.1	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
100	<i>Corymbia citriodora</i>	Spotted Gum	350		350	110	20.0	10.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
101	<i>Corymbia citriodora</i>	Spotted Gum	850		850	267	23.0	12.0	10.2	3.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
102	<i>Acacia melanoxylon</i>	Australian Blackwood	110		110	35	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
103	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
104	<i>Acacia concurrens</i>	Black Wattle	120		120	38	5.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
105	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	5.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
106	<i>Eucalyptus microcorys</i>	Tallowwood	480		480	151	22.0	10.0	5.8	2.4	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove	-
107	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
108	<i>Corymbia citriodora</i>	Spotted Gum	360		360	113	20.0	10.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
109	<i>Acacia concurrens</i>	Black Wattle	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
110	<i>Eucalyptus microcorys</i>	Tallowwood	630		630	198	24.0	14.0	7.6	2.7	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
111	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	790		790	248	23.0	15.0	9.5	3.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (Exempt)	-
112	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
113	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	530		530	167	18.0	7.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Remove (Exempt)	-
114	<i>Corymbia intermedia</i>	Pink Bloodwood	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
115	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
116	<i>Acacia concurrens</i>	Black Wattle	150		150	47	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
117	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	20.0	12.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
118	<i>Eucalyptus microcorys</i>	Tallowwood	540		540	170	18.0	10.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove	-
119	<i>Acacia concurrens</i>	Black Wattle	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
120	<i>Acacia concurrens</i>	Black Wattle	110		110	35	4.0	3.0	2.0	1.3		-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove	-
121	<i>Acacia concurrens</i>	Black Wattle	150		150	47	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
122	<i>Acacia concurrens</i>	Black Wattle	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
123	<i>Eucalyptus microcorys</i>	Tallowwood	380		380	119	14.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove	-
124	<i>Eucalyptus microcorys</i>	Tallowwood	410		410	129	15.0	6.0	4.9	2.3	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove	-
125	<i>Corymbia citriodora</i>	Spotted Gum	200		200	63	8.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
126	<i>Eucalyptus microcorys</i>	Tallowwood	330	290	439	138	18.0	7.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove	-
127	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	580		580	182	25.0	12.0	7.0	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove	-
128	<i>Eucalyptus microcorys</i>	Tallowwood	500		500	157	18.0	10.0	6.0	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove	-
129	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	16.0	8.0	4.1	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
130	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	22.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
131	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	460		460	145	23.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
132	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	300		300	94	15.0	7.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
133	<i>Acacia concurrens</i>	Black Wattle	100	100	141	44	4.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
134	<i>Acacia concurrens</i>	Black Wattle	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
135	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
136	<i>Acacia melanoxylon</i>	Australian Blackwood	150		150	47	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
137	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	5.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
138	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	6.0	3.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
139	<i>Syagrus romanzoffiana</i>	Cocos Palm	180		180	57	6.0	3.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
140	<i>Syagrus romanzoffiana</i>	Cocos Palm	210		210	66	7.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
141	<i>Acacia concurrens</i>	Black Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
142	<i>Acacia concurrens</i>	Black Wattle	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
143	<i>Pinus elliotii</i>	Slash Pine	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
144	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
145	<i>Syagrus romanzoffiana</i>	Cocos Palm	240		240	75	7.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
146	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	8.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
147	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
148	<i>Dyopsis lutescens</i>	Golden Cane Palm	100	90, 90, 90, 90	206	65	4.0	3.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
149	<i>Eucalyptus microcorys</i>	Tallowwood	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
150	<i>Acacia concurrens</i>	Black Wattle	190		190	60	6.0	4.0	2.3	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
151	<i>Acacia concurrens</i>	Black Wattle	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
152	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
153	<i>Acacia concurrens</i>	Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
154	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
155	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
156	<i>Syagrus romanzoffiana</i>	Cocos Palm	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
157	<i>Syagrus romanzoffiana</i>	Cocos Palm	210		210	66	7.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
158	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	8.0	5.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
159	<i>Solanum mauritianum</i>	Wild Tobacco	130	100, 90	187	59	4.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
160	<i>Corymbia torelliana</i>	Cadaghi	320		320	101	8.0	7.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
161	<i>Corymbia torelliana</i>	Cadaghi	240		240	75	7.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
162	<i>Acacia concurrens</i>	Black Wattle	180		180	57	7.0	4.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
163	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	18.0	10.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	-
164	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	250		250	79	16.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	-

Specimen Details											Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
165	Acacia concurrens	Black Wattle	120		120	38	4.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
166	Acacia concurrens	Black Wattle	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
167	Eucalyptus carnea	Broad-leaved White Mahogany	440		440	138	16.0	6.0	5.3	2.3	Irregular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
168	Corymbia citriodora	Spotted Gum	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
169	Acacia concurrens	Black Wattle	160		160	50	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
170	Eucalyptus fibrosa	Broad-leaved Red Ironbark	410		410	129	16.0	7.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain	-
171	Corymbia intermedia	Pink Bloodwood	310		310	97	18.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
172	Acacia disparrima	Hickory Wattle	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
173	Acacia disparrima	Hickory Wattle	120	100	156	49	5.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
174	Acacia disparrima	Hickory Wattle	150	130, 90	218	68	6.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
175	Eucalyptus fibrosa	Broad-leaved Red Ironbark	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
176	Eucalyptus fibrosa	Broad-leaved Red Ironbark	370		370	116	21.0	8.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
177	Corymbia citriodora	Spotted Gum	380		380	119	23.0	10.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
178	Corymbia citriodora	Spotted Gum	470		470	148	25.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
179	Eucalyptus fibrosa	Broad-leaved Red Ironbark	550		550	173	22.0	10.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
180	Acacia concurrens	Black Wattle	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
181	Corymbia citriodora	Spotted Gum	430		430	135	25.0	14.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
182	Eucalyptus fibrosa	Broad-leaved Red Ironbark	430		430	135	26.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
183	Acacia concurrens	Black Wattle	110		110	35	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
184	Eucalyptus propinqua	Small-fruited Grey Gum	570		570	179	17.0	7.0	6.8	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	-
185	Corymbia citriodora	Spotted Gum	210		210	66	12.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
186	Eucalyptus fibrosa	Broad-leaved Red Ironbark	550		550	173	24.0	12.0	6.6	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
187	Eucalyptus fibrosa	Broad-leaved Red Ironbark	640		640	201	26.0	15.0	7.7	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
188	Acacia concurrens	Black Wattle	100		100	31	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
189	Acacia concurrens	Black Wattle	100		100	31	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	Trunk Dmg.	-	Typical	-	-	-	-	-	-	Retain	-
190	Eucalyptus acmenoides	White Mahogany	350		350	110	15.0	6.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
191	Eucalyptus fibrosa	Broad-leaved Red Ironbark	470		470	148	21.0	10.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
192	Eucalyptus propinqua	Small-fruited Grey Gum	500		500	157	25.0	14.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
193	Corymbia citriodora	Spotted Gum	160		160	50	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
194	Eucalyptus microcorys	Tallowwood	100	90, 90	162	51	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
195	Acacia concurrens	Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
196	Eucalyptus propinqua	Small-fruited Grey Gum	190		190	60	8.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
197	Eucalyptus fibrosa	Broad-leaved Red Ironbark	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
198	Eucalyptus acmenoides	White Mahogany	210		210	66	11.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
199	Eucalyptus acmenoides	White Mahogany	270	230, 160	389	122	12.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
200	Eucalyptus siderophloia	Northern Grey Ironbark	200		200	63	8.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
201	Corymbia intermedia	Pink Bloodwood	120		120	38	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
202	Lophostemon suaveolens	Swamp Box	110	90	142	45	5.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
203	Acacia concurrens	Black Wattle	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
204	Eucalyptus acmenoides	White Mahogany	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
205	Acacia concurrens	Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
206	Allocasuarina littoralis	Black She-oak	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
207	Corymbia citriodora	Spotted Gum	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
208	Corymbia intermedia	Pink Bloodwood	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
209	Corymbia intermedia	Pink Bloodwood	180		180	57	7.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
210	Corymbia intermedia	Pink Bloodwood	240		240	75	7.0	5.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
211	Eucalyptus siderophloia	Northern Grey Ironbark	120		120	38	6.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
212	Corymbia intermedia	Pink Bloodwood	230		230	72	8.0	5.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
213	Corymbia citriodora	Spotted Gum	200		200	63	10.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
214	Acacia concurrens	Black Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
215	Eucalyptus acmenoides	White Mahogany	760		760	239	26.0	12.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain	-
216	Eucalyptus acmenoides	White Mahogany	250		250	79	8.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
217	Eucalyptus siderophloia	Northern Grey Ironbark	230		230	72	8.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
218	Eucalyptus acmenoides	White Mahogany	160		160	50	7.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
219	Eucalyptus siderophloia	Northern Grey Ironbark	180		180	57	9.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	Termite nest	-	Retain	-
220	Acacia concurrens	Black Wattle	100		100	31	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
221	Corymbia intermedia	Pink Bloodwood	100		100	31	5.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
222	Acacia concurrens	Black Wattle	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
223	Eucalyptus propinqua	Small-fruited Grey Gum	460		460	145	22.0	8.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	-
224	Eucalyptus acmenoides	White Mahogany	260	180	316	99	8.0	5.0	3.8	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
225	Melaleuca quinquenervia	Broad-leaved Paperbark	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
226	Allocasuarina littoralis	Black She-oak	130		130	41	4.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
227	Allocasuarina littoralis	Black She-oak	100		100	31	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
228	Allocasuarina littoralis	Black She-oak	100	90	135	42	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
229	Eucalyptus siderophloia	Northern Grey Ironbark	540		540	170	18.0	8.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
230	Allocasuarina littoralis	Black She-oak	220		220	69	4.0	3.0	2.6	1.8	Regular	-	-	Die-back	-	Lopped	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
231	Eucalyptus propinqua	Small-fruited Grey Gum	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	-
232	Eucalyptus propinqua	Small-fruited Grey Gum	280		280	88	8.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
233	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	44	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
234	Corymbia citriodora	Spotted Gum	270	190, 160, 130	389	122	12.0	7.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
235	Acacia concurrens	Black Wattle	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
236	Corymbia intermedia	Pink Bloodwood	120	90	150	47	7.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
237	Eucalyptus propinqua	Small-fruited Grey Gum	180		180	57	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
238	Corymbia intermedia	Pink Bloodwood	140	120, 100, 90	228	72	7.0	3.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
239	Eucalyptus fibrosa	Broad-leaved Red Ironbark	210	90, 90	246	77	10.0	4.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
240	Eucalyptus acmenoides	White Mahogany	160	90	184	58	8.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
241	Corymbia intermedia	Pink Bloodwood	120	90	150	47	7.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
242	Eucalyptus propinqua	Small-fruited Grey Gum	150		150	47	10.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
243	Eucalyptus siderophloia	Northern Grey Ironbark	100		100	31	3.0	2.0	2.0	1.3	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
244	Eucalyptus acmenoides	White Mahogany	150	140, 100	228	72	7.0	4.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
245	Eucalyptus fibrosa	Broad-leaved Red Ironbark	540		540	170	26.0	12.0	6.5	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	Old	-	-	-	-	-	Remove (Exempt)	-
246	Corymbia citriodora	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
247	Corymbia citriodora	Spotted Gum	150		150	47	10.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
248	Corymbia citriodora	Spotted Gum	480		480	151	22.0	10.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
249	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	490		490	154	25.0	13.0	5.9	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
250	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	400		400	126	26.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
251	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	4.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
252	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	22.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
253	<i>Acacia concurrens</i>	Black Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
254	<i>Acacia concurrens</i>	Black Wattle	140		140	44	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
255	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	510		510	160	25.0	12.0	6.1	2.5	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
256	<i>Corymbia intermedia</i>	Pink Bloodwood	380		380	119	14.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
257	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	24.0	14.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
258	<i>Corymbia citriodora</i>	Spotted Gum	530		530	167	23.0	12.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
259	<i>Acacia concurrens</i>	Black Wattle	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
260	<i>Acacia concurrens</i>	Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
261	<i>Acacia concurrens</i>	Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
262	<i>Acacia concurrens</i>	Black Wattle	100	90	135	42	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
263	<i>Acacia concurrens</i>	Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
264	<i>Corymbia citriodora</i>	Spotted Gum	410		410	129	20.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
265	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	310		310	97	13.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
266	<i>Corymbia citriodora</i>	Spotted Gum	110		110	35	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
267	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
268	<i>Corymbia intermedia</i>	Pink Bloodwood	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
269	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
270	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	7.0	3.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
271	<i>Corymbia citriodora</i>	Spotted Gum	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
272	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
273	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
274	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
275	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
276	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	140		140	44	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
277	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	8.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
278	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	7.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
279	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
280	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
281	<i>Acacia disparrima</i>	Hickory Wattle	110	100	149	47	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
282	<i>Acacia concurrens</i>	Black Wattle	130		130	41	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
283	<i>Acacia concurrens</i>	Black Wattle	100		100	31	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
284	<i>Allocasuarina littoralis</i>	Black She-oak	120		120	38	5.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
285	<i>Acacia concurrens</i>	Black Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
286	<i>Acacia concurrens</i>	Black Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
287	<i>Acacia concurrens</i>	Black Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
288	<i>Acacia concurrens</i>	Black Wattle	190		190	60	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
289	<i>Acacia concurrens</i>	Black Wattle	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
290	<i>Acacia concurrens</i>	Black Wattle	130		130	41	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
291	Acacia concurrens	Black Wattle	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
292	Acacia concurrens	Black Wattle	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
293	Eucalyptus fibrosa	Broad-leaved Red Ironbark	360		360	113	18.0	6.0	4.3	2.2	Regular	-	-	Die-back	-	-	Poor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
294	Acacia concurrens	Black Wattle	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
295	Acacia concurrens	Black Wattle	160		160	50	5.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
296	Acacia concurrens	Black Wattle	110		110	35	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
297	Acacia concurrens	Black Wattle	150		150	47	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
298	Corymbia torelliana	Cadaghi	100		100	31	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
299	Corymbia torelliana	Cadaghi	110		110	35	4.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
300	Corymbia citriodora	Spotted Gum	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
301	Acacia concurrens	Black Wattle	120		120	38	7.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
302	Acacia concurrens	Black Wattle	130	130	184	58	6.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
303	Allocasuarina littoralis	Black She-oak	150		150	47	6.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
304	Acacia concurrens	Black Wattle	200	190	276	87	7.0	5.0	3.3	1.9	Regular	-	Thinning	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
305	Allocasuarina littoralis	Black She-oak	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
306	Acacia concurrens	Black Wattle	160		160	50	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
307	Corymbia citriodora	Spotted Gum	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
308	Allocasuarina littoralis	Black She-oak	110		110	35	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
309	Allocasuarina littoralis	Black She-oak	120		120	38	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
310	Acacia concurrens	Black Wattle	100		100	31	6.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
311	Acacia concurrens	Black Wattle	110		110	35	6.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
312	Corymbia citriodora	Spotted Gum	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
313	Allocasuarina littoralis	Black She-oak	100	90, 90	162	51	6.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
314	Eucalyptus fibrosa	Broad-leaved Red Ironbark	100		100	31	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
315	Allocasuarina littoralis	Black She-oak	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
316	Eucalyptus siderophloia	Northern Grey Ironbark	140		140	44	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
317	Corymbia torelliana	Cadaghi	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
318	Acacia concurrens	Black Wattle	190		190	60	7.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
319	Lophostemon suaveolens	Swamp Box	110		110	35	5.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
320	Eucalyptus fibrosa	Broad-leaved Red Ironbark	140		140	44	3.0	2.0	2.0	1.4	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
321	Eucalyptus fibrosa	Broad-leaved Red Ironbark	140		140	44	4.0	2.0	2.0	1.4	Regular	-	-	-	-	Lopped	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
322	Alphitonia excelsa	Soap Tree	130		130	41	6.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
323	Corymbia citriodora	Spotted Gum	160		160	50	11.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
324	Acacia disparrima	Hickory Wattle	130		130	41	7.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
325	Corymbia intermedia	Pink Bloodwood	160		160	50	8.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
326	Corymbia citriodora	Spotted Gum	180		180	57	11.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
327	Eucalyptus fibrosa	Broad-leaved Red Ironbark	590		590	185	26.0	15.0	7.1	2.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
328	Eucalyptus fibrosa	Broad-leaved Red Ironbark	560		560	176	25.0	13.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
329	Lophostemon suaveolens	Swamp Box	180	100	206	65	8.0	4.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
330	Lophostemon suaveolens	Swamp Box	100		100	31	7.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
331	Acacia concurrens	Black Wattle	190		190	60	8.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	Minor	Introduced	-	-	Typical	-	-	-	-	-	-	Retain	-
332	Acacia disparrima	Hickory Wattle	100		100	31	5.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-

Specimen Details										Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
333	Acacia disparrima	Hickory Wattle	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
334	Lophostemon suaveolens	Swamp Box	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
335	Lophostemon suaveolens	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
336	Lophostemon suaveolens	Swamp Box	120		120	38	7.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
337	Eucalyptus siderophloia	Northern Grey Ironbark	310		310	97	16.0	6.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
338	Eucalyptus acmenoides	White Mahogany	200		200	63	9.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Retain	-
339	Eucalyptus acmenoides	White Mahogany	250		250	79	14.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
340	Eucalyptus propinqua	Small-fruited Grey Gum	200		200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
341	Eucalyptus propinqua	Small-fruited Grey Gum	430		430	135	24.0	12.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
342	Acacia disparrima	Hickory Wattle	160		160	50	6.0	4.0	2.0	1.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
343	Melaleuca saligna	Willow Bottlebrush	100		100	31	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
344	Allocasuarina littoralis	Black She-oak	110		110	35	7.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
345	Eucalyptus siderophloia	Northern Grey Ironbark	460		460	145	22.0	14.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
346	Syagrus romanzoffiana	Cocos Palm	220		220	69	7.0	4.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
347	Syagrus romanzoffiana	Cocos Palm	190		190	60	7.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
348	Syagrus romanzoffiana	Cocos Palm	200		200	63	7.0	4.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
349	Eucalyptus fibrosa	Broad-leaved Red Ironbark	340		340	107	26.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
350	Eucalyptus fibrosa	Broad-leaved Red Ironbark	160		160	50	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
351	Eucalyptus fibrosa	Broad-leaved Red Ironbark	410		410	129	27.0	10.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
352	Eucalyptus fibrosa	Broad-leaved Red Ironbark	300		300	94	23.0	9.0	3.6	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
353	Eucalyptus fibrosa	Broad-leaved Red Ironbark	330		330	104	25.0	8.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
354	Corymbia intermedia	Pink Bloodwood	250		250	79	18.0	6.0	3.0	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
355	Eucalyptus propinqua	Small-fruited Grey Gum	340		340	107	21.0	11.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
356	Eucalyptus carnea	Broad-leaved White Mahogany	380		380	119	15.0	6.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
357	Eucalyptus fibrosa	Broad-leaved Red Ironbark	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
358	Eucalyptus crebra	Narrow-leaved Ironbark	370		370	116	18.0	7.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
359	Acacia disparrima	Hickory Wattle	120	80	144	45	8.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
360	Eucalyptus fibrosa	Broad-leaved Red Ironbark	500		500	157	26.0	12.0	6.0	2.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
361	Eucalyptus fibrosa	Broad-leaved Red Ironbark	450		450	141	27.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
362	Eucalyptus fibrosa	Broad-leaved Red Ironbark	370		370	116	23.0	9.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
363	Eucalyptus fibrosa	Broad-leaved Red Ironbark	390		390	123	18.0	6.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
364	Allocasuarina littoralis	Black She-oak	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
365	Acacia disparrima	Hickory Wattle	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
366	Acacia disparrima	Hickory Wattle	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
367	Acacia disparrima	Hickory Wattle	120		120	38	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
368	Allocasuarina littoralis	Black She-oak	120		120	38	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
369	Eucalyptus siderophloia	Northern Grey Ironbark	710		710	223	27.0	10.0	8.5	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
370	Corymbia intermedia	Pink Bloodwood	230		230	72	17.0	4.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
371	Eucalyptus siderophloia	Northern Grey Ironbark	290		290	91	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
372	Allocasuarina littoralis	Black She-oak	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
373	Corymbia intermedia	Pink Bloodwood	270		270	85	18.0	9.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
374	Eucalyptus fibrosa	Broad-leaved Red Ironbark	370		370	116	28.0	13.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details		
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
375	Corymbia citriodora	Spotted Gum	480		480	151	27.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
376	Acacia disparrima	Hickory Wattle	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
377	Allocasuarina littoralis	Black She-oak	120		120	38	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
378	Eucalyptus crebra	Narrow-leaved Ironbark	350		350	110	18.0	8.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
379	Eucalyptus carnea	Broad-leaved White Mahogany	400		400	126	16.0	8.0	4.8	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
380	Corymbia intermedia	Pink Bloodwood	290		290	91	18.0	6.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
381	Allocasuarina littoralis	Black She-oak	120		120	38	11.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
382	Allocasuarina littoralis	Black She-oak	120		120	38	10.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
383	Allocasuarina littoralis	Black She-oak	100		100	31	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
384	Allocasuarina littoralis	Black She-oak	150		150	47	9.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
385	Allocasuarina littoralis	Black She-oak	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
386	Corymbia citriodora	Spotted Gum	480		480	151	28.0	11.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
387	Lophostemon suaveolens	Swamp Box	140		140	44	6.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
388	Allocasuarina littoralis	Black She-oak	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
389	Allocasuarina littoralis	Black She-oak	140		140	44	10.0	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
390	Corymbia citriodora	Spotted Gum	140		140	44	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
391	Allocasuarina littoralis	Black She-oak	130		130	41	9.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
392	Eucalyptus microcorys	Tallowwood	200		200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
393	Eucalyptus propinqua	Small-fruited Grey Gum	100		100	31	6.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
394	Corymbia citriodora	Spotted Gum	170		170	53	14.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
395	Allocasuarina littoralis	Black She-oak	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
396	Eucalyptus carnea	Broad-leaved White Mahogany	180	80	197	62	17.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
397	Allocasuarina littoralis	Black She-oak	100		100	31	13.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
398	Allocasuarina littoralis	Black She-oak	100		100	31	13.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
399	Allocasuarina littoralis	Black She-oak	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
400	Allocasuarina littoralis	Black She-oak	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
401	Allocasuarina littoralis	Black She-oak	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
402	Eucalyptus acmenoides	White Mahogany	190		190	60	17.0	8.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
403	Corymbia citriodora	Spotted Gum	360		360	113	28.0	14.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-	
404	Eucalyptus fibrosa	Broad-leaved Red Ironbark	240		240	75	18.0	9.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-	
405	Eucalyptus carnea	Broad-leaved White Mahogany	270		270	85	18.0	6.0	3.2	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-	
406	Allocasuarina littoralis	Black She-oak	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
407	DEAD/STAG		350		350	110	18.0	7.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
408	Corymbia citriodora	Spotted Gum	250		250	79	16.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
409	Acacia disparrima	Hickory Wattle	170		170	53	9.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
410	Acacia disparrima	Hickory Wattle	340		340	107	8.0	3.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-	
411	Corymbia citriodora	Spotted Gum	370		370	116	19.0	6.0	4.4	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
412	Acacia disparrima	Hickory Wattle	140		140	44	10.0	5.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-	
413	Corymbia intermedia	Pink Bloodwood	280		280	88	19.0	7.0	3.4	1.9	One-sided	-	-	-	Epicormic	-	Typical	-	-	-	Fire Dmg.	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
414	Eucalyptus propinqua	Small-fruited Grey Gum	330	360	488	153	28.0	14.0	5.9	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
415	Allocasuarina littoralis	Black She-oak	130		130	41	8.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
416	Eucalyptus fibrosa	Broad-leaved Red Ironbark	760		760	239	26.0	12.0	9.1	2.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
417	<i>Corymbia citriodora</i>	Spotted Gum	100		100	31	14.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
418	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	985		985	309	29.0	14.0	11.8	3.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-
419	<i>Eucalyptus microcorys</i>	Tallowwood	400		400	126	21.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
420	<i>Allocasuarina littoralis</i>	Black She-oak	100		100	31	8.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-
421	DEAD/STAG		280		280	88	14.0	0.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Retain	-
422	<i>Allocasuarina littoralis</i>	Black She-oak	280		280	88	18.0	6.0	3.4	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
423	<i>Corymbia citriodora</i>	Spotted Gum	480		480	151	28.0	12.0	5.8	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
424	<i>Allocasuarina littoralis</i>	Black She-oak	110		110	35	8.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
425	<i>Corymbia citriodora</i>	Spotted Gum	310		310	97	18.0	7.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
426	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	330		330	104	21.0	11.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
427	DEAD/STAG		380		380	119	19.0	7.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
428	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	400		400	126	25.0	12.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
429	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	890		890	280	29.0	14.0	10.7	3.2	Regular	-	-	Die-back	-	-	Typical	-	-	-	-	Typical	-	-	Large	-	-	-	Remove (Exempt)	-
430	<i>Corymbia intermedia</i>	Pink Bloodwood	310		310	97	18.0	9.0	3.7	2.0	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
431	<i>Eucalyptus microcorys</i>	Tallowwood	420		420	132	24.0	9.0	5.0	2.3	Regular	-	-	-	-	-	Typical	Minor	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
432	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
433	<i>Eucalyptus microcorys</i>	Tallowwood	510		510	160	23.0	11.0	6.1	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Arborist Neighbouring	-
434	<i>Allocasuarina littoralis</i>	Black She-oak	100		100	31	6.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
435	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	18.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
436	<i>Melaleuca saligna</i>	Willow Bottlebrush	120	130	177	56	10.0	5.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
437	<i>Allocasuarina littoralis</i>	Black She-oak	100		100	31	9.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
438	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	290		290	91	21.0	11.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
439	<i>Corymbia citriodora</i>	Spotted Gum	510	100	520	163	26.0	10.0	6.2	2.5	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
440	<i>Corymbia citriodora</i>	Spotted Gum	380	140	405	127	23.0	9.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
441	<i>Acacia disparrima</i>	Hickory Wattle	100	90	135	42	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
442	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	120		120	38	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
443	<i>Corymbia intermedia</i>	Pink Bloodwood	100		100	31	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
444	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
445	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	110		110	35	12.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
446	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
447	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	14.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
448	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	180		180	57	14.0	4.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
449	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	140		140	44	15.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
450	<i>Syagrus romanzoffiana</i>	Cocos Palm	180		180	57	15.0	6.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
451	<i>Syagrus romanzoffiana</i>	Cocos Palm	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
452	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	110		110	35	14.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
453	<i>Dyopsis lutescens</i>	Golden Cane Palm	70	80, 90, 60, 70	167	52	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
454	<i>Syagrus romanzoffiana</i>	Cocos Palm	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
455	<i>Syagrus romanzoffiana</i>	Cocos Palm	200		200	63	17.0	9.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
456	<i>Syagrus romanzoffiana</i>	Cocos Palm	250		250	79	14.0	7.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove	-
457	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	450		450	141	28.0	14.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
458	<i>Corymbia intermedia</i>	Pink Bloodwood	320		320	101	18.0	9.0	3.8	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-

Tree ID	Botanical Name	Specimen Details									Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
		Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
459	<i>Corymbia citriodora</i>	Spotted Gum	170		170	53	15.0	5.0	2.0	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
460	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	400		400	126	23.0	13.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
461	<i>Acacia disparrima</i>	Hickory Wattle	180		180	57	14.0	6.0	2.2	1.6	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-	
462	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	190		190	60	16.0	5.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	-	
463	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	140		140	44	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	Old	-	-	-	-	Retain	-	
464	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	140	80	161	51	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
465	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	190		190	60	16.0	7.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
466	<i>Corymbia citriodora</i>	Spotted Gum	560		560	176	28.0	14.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
467	<i>Corymbia citriodora</i>	Spotted Gum	530		530	167	23.0	13.0	6.4	2.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
468	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	260		260	82	17.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
469	<i>Acacia disparrima</i>	Hickory Wattle	220		220	69	15.0	5.0	2.6	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
470	<i>Corymbia citriodora</i>	Spotted Gum	390		390	123	25.0	13.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
471	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	21.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
472	<i>Corymbia citriodora</i>	Spotted Gum	380		380	119	23.0	12.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
473	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	430		430	135	21.0	11.0	5.2	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
474	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	330		330	104	16.0	7.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
475	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	350		350	110	17.0	8.0	4.2	2.1	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
476	<i>Corymbia citriodora</i>	Spotted Gum	470		470	148	28.0	14.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
477	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	240		240	75	16.0	7.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
478	<i>Corymbia intermedia</i>	Pink Bloodwood	150		150	47	15.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
479	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	460		460	145	23.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
480	<i>Acacia disparrima</i>	Hickory Wattle	360		360	113	15.0	9.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
481	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	190		190	60	15.0	6.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
482	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	170		170	53	14.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
483	<i>Eucalyptus microcorys</i>	Tallowwood	180		180	57	12.0	5.0	2.2	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
484	<i>Lophostemon suaveolens</i>	Swamp Box	140		140	44	12.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
485	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	170	100	197	62	15.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
486	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	330		330	104	15.0	6.0	4.0	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
487	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	130		130	41	15.0	7.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
488	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	160		160	50	13.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
489	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	14.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
490	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	200		200	63	14.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
491	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	110		110	35	9.0	4.0	2.0	1.3	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
492	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	130		130	41	14.0	6.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
493	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	420		420	132	28.0	14.0	5.0	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
494	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
495	<i>Corymbia citriodora</i>	Spotted Gum	260		260	82	16.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
496	<i>Acacia disparrima</i>	Hickory Wattle	200		200	63	14.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
497	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	120		120	38	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
498	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	11.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
499	<i>Corymbia citriodora</i>	Spotted Gum	230		230	72	18.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
500	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	

Specimen Details												Canopy Condition Details						Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
501	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	460		460	145	28.0	15.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
502	<i>Acacia disparrima</i>	Hickory Wattle	110		110	35	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
503	<i>Corymbia intermedia</i>	Pink Bloodwood	230		230	72	15.0	6.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
504	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	560		560	176	25.0	15.0	6.7	2.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
505	<i>Corymbia citriodora</i>	Spotted Gum	250		250	79	12.0	4.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
506	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	15.0	4.0	2.0	1.4	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
507	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	160	140, 200	292	92	17.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
508	<i>Eucalyptus microcorys</i>	Tallowwood	140	110	178	56	13.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
509	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	240		240	75	16.0	8.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
510	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	180	240	300	94	18.0	9.0	3.6	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
511	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
512	<i>Acacia disparrima</i>	Hickory Wattle	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
513	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	440		440	138	19.0	9.0	5.3	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
514	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	380		380	119	23.0	11.0	4.6	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
515	<i>Corymbia intermedia</i>	Pink Bloodwood	200		200	63	16.0	7.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
516	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	230		230	72	16.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
517	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	18.0	8.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
518	<i>Eucalyptus crebra</i>	Narrow-leaved Ironbark	260		260	82	18.0	6.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
519	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	250		250	79	17.0	6.0	3.0	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
520	<i>Corymbia intermedia</i>	Pink Bloodwood	170	130, 120	245	77	15.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
521	<i>Corymbia torelliana</i>	Cadaghi	120		120	38	12.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
522	<i>Melaleuca saligna</i>	Willow Bottlebrush	130		130	41	14.0	4.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
523	<i>Corymbia intermedia</i>	Pink Bloodwood	180	100, 120	238	75	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
524	<i>Lophostemon suaveolens</i>	Swamp Box	100		100	31	12.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
525	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	450		450	141	23.0	13.0	5.4	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
526	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	360		360	113	17.0	6.0	4.3	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
527	<i>Corymbia citriodora</i>	Spotted Gum	460		460	145	23.0	11.0	5.5	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
528	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	80	100, 60	141	44	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
529	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	12.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
530	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
531	<i>Eucalyptus tereticornis</i>	Forest Red Gum	210		210	66	16.0	5.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
532	<i>Corymbia citriodora</i>	Spotted Gum	120		120	38	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
533	<i>Acacia disparrima</i>	Hickory Wattle	230		230	72	15.0	8.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Remove (Exempt)	-
534	<i>Acacia disparrima</i>	Hickory Wattle	230	200	305	96	14.0	9.0	3.7	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
535	<i>Corymbia citriodora</i>	Spotted Gum	400		400	126	23.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
536	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	100		100	31	10.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
537	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	110		110	35	10.0	4.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
538	<i>Corymbia citriodora</i>	Spotted Gum	340		340	107	19.0	8.0	4.1	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
539	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	110		110	35	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
540	<i>Acacia leiocalyx</i>	Early-flowering Black Wattle	100		100	31	9.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
541	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	470		470	148	23.0	15.0	5.6	2.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
542	<i>Acacia disparrima</i>	Hickory Wattle	150		150	47	10.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-


Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value						Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes
543	<i>Corymbia intermedia</i>	Pink Bloodwood	350		350	110	21.0	11.0	4.2	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
544	<i>Allocasuarina littoralis</i>	Black She-oak	160		160	50	9.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
545	<i>Allocasuarina littoralis</i>	Black She-oak	150		150	47	14.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
546	<i>Allocasuarina littoralis</i>	Black She-oak	100		100	31	14.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
547	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	16.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
548	<i>Corymbia citriodora</i>	Spotted Gum	110	120	163	51	16.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
549	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	390		390	123	23.0	14.0	4.7	2.2	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
550	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	410		410	129	24.0	12.0	4.9	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
551	<i>Acacia disparrima</i>	Hickory Wattle	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
552	<i>Corymbia intermedia</i>	Pink Bloodwood	110		110	35	14.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
553	<i>Corymbia intermedia</i>	Pink Bloodwood	110	50, 80	145	46	13.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
554	<i>Corymbia citriodora</i>	Spotted Gum	140		140	44	14.0	1.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
555	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
556	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	100		100	31	11.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
557	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
558	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	100		100	31	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
559	<i>Corymbia intermedia</i>	Pink Bloodwood	130		130	41	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
560	<i>Corymbia citriodora</i>	Spotted Gum	130	80	153	48	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
561	<i>Corymbia citriodora</i>	Spotted Gum	160	80	179	56	15.0	6.0	2.1	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
562	<i>Corymbia citriodora</i>	Spotted Gum	150	80	170	53	1.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
563	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	150		150	47	14.0	6.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
564	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	120		120	38	15.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
565	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	130	90	158	50	14.0	5.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
566	<i>Corymbia intermedia</i>	Pink Bloodwood	140		140	44	14.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
567	<i>Corymbia intermedia</i>	Pink Bloodwood	190	100	215	67	13.0	4.0	2.6	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
568	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	130		130	41	12.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
569	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	110		110	35	12.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
570	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	110		110	35	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
571	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
572	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	110		110	35	10.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
573	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	140		140	44	14.0	5.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
574	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	120		120	38	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
575	<i>Corymbia intermedia</i>	Pink Bloodwood	140	130, 60	200	63	14.0	5.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
576	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
577	<i>Lophostemon suaveolens</i>	Swamp Box	100		100	31	11.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
578	<i>Melaleuca saligna</i>	Willow Bottlebrush	100	120, 90, 80	197	62	14.0	1.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
579	<i>Melaleuca saligna</i>	Willow Bottlebrush	190		190	60	11.0	4.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
580	<i>Corymbia intermedia</i>	Pink Bloodwood	120	120	170	53	15.0	6.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
581	<i>Corymbia intermedia</i>	Pink Bloodwood	160	200	256	80	17.0	5.0	3.1	1.9	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
582	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	170	170	240	76	17.0	6.0	2.9	1.8	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
583	<i>Acacia disparrima</i>	Hickory Wattle	120	160	200	63	15.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-
584	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	230		230	72	17.0	7.0	2.8	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-

Specimen Details											Canopy Condition Details							Trunk Condition Details					Fauna Details and Habitat Value							Additional Details	
Tree ID	Botanical Name	Common Name	Trunk DBH (mm)	Additional Trunks DBH (mm)	Total DBH (mm) [AS 4970-2009]	Trunk Circumference (cm) [AS 4970-2009]	Height (m)	Spread (m)	Tree Protection Zone (m)	Structural Root Zone (m)	Canopy Form	Spreading	Thinning	Die-Back	Epicormic Growth	Lopped	Canopy Health	Leaning	Vines	Trunk Damage	Fire Damage	Trunk Health	Scats	Scratches	Hollows	Nest	Termite Nest	Habitat Value	Retention	Additional Notes	
585	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	110		110	35	14.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
586	<i>Corymbia intermedia</i>	Pink Bloodwood	170		170	53	13.0	3.0	2.0	1.6	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-	
587	<i>Corymbia intermedia</i>	Pink Bloodwood	100	80	128	40	11.0	2.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-	
588	<i>Acacia disparrima</i>	Hickory Wattle	120		120	38	11.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-	
589	<i>Corymbia intermedia</i>	Pink Bloodwood	160		160	50	15.0	2.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-	
590	<i>Corymbia citriodora</i>	Spotted Gum	190		190	60	17.0	3.0	2.3	1.6	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
591	<i>Corymbia intermedia</i>	Pink Bloodwood	110		110	35	11.0	2.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
592	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	400		400	126	21.0	9.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
593	<i>Lophostemon suaveolens</i>	Swamp Box	150		150	47	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
594	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	180	130	222	70	15.0	5.0	2.7	1.8	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
595	<i>Melaleuca saligna</i>	Willow Bottlebrush	100	90	135	42	10.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
596	<i>Lophostemon suaveolens</i>	Swamp Box	100		100	31	9.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
597	<i>Melaleuca saligna</i>	Willow Bottlebrush	110		110	35	12.0	3.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
598	<i>Corymbia intermedia</i>	Pink Bloodwood	200	210	290	91	16.0	8.0	3.5	2.0	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
599	<i>Eucalyptus fibrosa</i>	Broad-leaved Red Ironbark	200		200	63	16.0	6.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
600	<i>Eucalyptus carnea</i>	Broad-leaved White Mahogany	120	250	277	87	14.0	8.0	3.3	1.9	Regular	-	-	-	-	-	Typical	Minor	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-
601	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	200		200	63	17.0	8.0	2.4	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
602	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	210		210	66	18.0	9.0	2.5	1.7	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
603	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	120		120	38	14.0	3.0	2.0	1.4	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
604	<i>Corymbia intermedia</i>	Pink Bloodwood	250	210	326	103	15.0	7.0	3.9	2.1	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
605	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	240		240	75	17.0	8.0	2.9	1.8	One-sided	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
606	<i>Eucalyptus siderophloia</i>	Northern Grey Ironbark	400		400	126	23.0	11.0	4.8	2.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
607	<i>Eucalyptus propinqua</i>	Small-fruited Grey Gum	160		160	50	12.0	4.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
608	<i>Lophostemon suaveolens</i>	Swamp Box	160		160	50	14.0	3.0	2.0	1.5	Regular	-	-	-	-	-	Typical	-	Native	-	-	Typical	-	-	-	-	-	-	Retain	-	
609	<i>Lophostemon suaveolens</i>	Swamp Box	100		100	31	9.0	1.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	
610	<i>Allocasuarina littoralis</i>	Black She-oak	110		110	35	11.0	5.0	2.0	1.3	Regular	-	-	-	-	-	Typical	-	-	-	-	Typical	-	-	-	-	-	-	Retain	-	

Attachment D

Updated Koala Connectivity Plan

2. Koala Connectivity Assessment



Notes:
This plan was prepared as a desktop assessment tool. The information on this plan is not suitable for any other purpose. Property dimensions, areas, numbers of lots and contours and other physical features shown have been compiled from existing information and may not have been verified by field survey. These may need verification if the development application is approved and development proceeds, and may change when a full survey is undertaken or in order to comply with development approval conditions. No reliance should be placed on the information on this plan for detailed design or for any financial dealings involving the land. Saunders Havill Group therefore disclaims any liability for any loss or damage whatsoever or howsoever incurred, arising from any party using or relying upon this plan for any purpose other than as a document prepared for the sole purpose of accompanying a development application and which may be subject to alteration beyond the control of the Saunders Havill Group. Unless a development approval states otherwise, this is not an approved plan.

Layer Sources
© State of Queensland (Department of Resources) 2023.
Updated data available at
<http://qldspatialinformation.qld.gov.au/catalogue/>
© Nearmap, 2023

* This note is an integral part of this plan/data. Reproduction of this plan or any part of it without this note being included in full will render the information shown on such reproduction invalid and not suitable for use.

- Legend
- Site DCDB
 - Connectivity
 - Koala habitat areas
 - Impediments
 - Major & arterial roads
 - Trunk road infrastructure
 - Proposed trunk road infrastructure
 - Future masterplanned development – Coomera Woods (EPBC 2017/8134)
 - Cleared Koala habitat areas
 - Waterways

Issue	Date	Description	Drawn	Checked
A	8/06/2023	Preliminary	TF	AW

